


Data for Week Ended:
January 7, 2005

Includes:

Holiday Schedule
(See Page iii)

Monthly Petroleum Supply
Data for November 2004
(See Page vi)

Weekly Petroleum Status Report



EIA DATA ARE AVAILABLE IN ELECTRONIC FORM

Tables 1 and 11-17 of the *Weekly Petroleum Status Report* (WPSR) in TXT and CSV formats, and Table 13 in DBF format are posted to the web site after 10:30 a.m. Eastern Time on Wednesdays. PDF files are posted to the web site after 1:00 p.m. on Wednesdays. For some weeks that include holidays, posting is delayed by one day. Customers who do not have access to the Internet may call the National Energy Information Center (NEIC) to request a single print-on-demand copy (a black and white bound printed document). To take advantage of this service, please call the NEIC at 202-586-8800 or email them at infoctr@eia.doe.gov. This service is provided free of charge for a single copy. Please note: NEIC will not accept or print multiple copy orders.

WPSR customers may also want to take a look at EIA's This Week in Petroleum (TWIP) web site (<http://tonto.eia.doe.gov/oog/info/twip/twip.asp>), which provides current market analysis and data for crude oil and major petroleum products. It is generally available at 1:00 p.m. Eastern Time on Wednesdays.

All current EIA publications are available on the EIA web site. Users can view and download selected pages or entire reports, search for information, download EIA data and analysis applications, and find out about new EIA information products and services:

World Wide Web: <http://www.eia.doe.gov>
FTP: <ftp://ftp.eia.doe.gov>

EIA also offers a **listserv** service for EIA press releases and other short documents. This service is also used to notify customers of new data and analysis products, changes to current products, and other news of interest. Sign up for one or more listservs by doing the following:

Logon to www.eia.doe.gov
On the left sidebar click on "Sign up for email Updates"
Simply follow the prompts

For further information, and for answers to questions on energy statistics, please contact EIA's National Energy Information Center at:

National Energy Information Center (NEIC)
EI-30, Forrestal Building
Washington, DC 20585
(202) 586-8800(phone)
(202) 586-0727 (fax)
TTY: For the hearing impaired: (202) 586-1181
9:00 a.m. to 4:00 p.m., Eastern Time, M-F
E-mail: infoctr@eia.doe.gov

Release Date: January 12, 2005

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the U.S. Department of Energy. The information contained herein should be attributed to the Energy Information Administration and should not be construed as advocating or reflecting any policy position of the Department of Energy or any other organization.

Preface

The *Weekly Petroleum Status Report* (WPSR) provides timely information on supply and selected prices of crude oil and principal petroleum products in the context of historical data and forecasts. It serves the industry, the press, planners, policymakers, consumers, analysts, and State and local governments with a ready, reliable source of current information. The supply data contained in this report are based primarily on company submissions for the week ending 7:00 a.m. the preceding Friday. Weekly price data are collected as of 8:00 a.m. every Monday. The daily spot and futures prices are provided by Reuters, Inc. Data are released electronically after 10:30 a.m. each Wednesday, and hard copies of the publication are available for distribution on Thursday (on demand). For some weeks which include holidays, publication of the *WPSR* is delayed by one day.

General information about this document may be obtained from the National Energy Information Center (NEIC) (202) 586-8800, (202) 586-0727 (fax), and email: infoctr@eia.doe.gov.

Holiday Schedule

For the week of January 17, with the Martin Luther King holiday on Monday, January 17 and the Washington area Federal Government closed for Inauguration Day on January 20, the complete Weekly Petroleum Status Report will be released at 5:00 PM (Eastern time) Wednesday, January 19, 2005.

This report is available on the World Wide Web at:

http://www.eia.doe.gov/oil_gas/petroleum/data_publications/weekly_petroleum_status_report/wpsr.html

Contents

Petroleum Supply Summary Table	v
Highlights	vi
Sources	33
Appendix A:	
Explanatory Notes	34
Appendix B:	
Explanatory Notes	42
Appendix C:	
Summary	43
Explanatory Notes	49
Glossary	51

Tables

1. U.S. Petroleum Balance Sheet, 4 Weeks Ending 01/07/05	1
2. U.S. Petroleum Activity, January 2003 to Present	2
3. Stocks of Crude Oil and Petroleum Products, U.S. Totals, January 2003 to Present	4
4. Stocks of Motor Gasoline by PAD District, January 2003 to Present	6
5. Stocks of Distillate Fuel Oil by PAD District, January 2003 to Present	8
6. Stocks of Residual Fuel Oil by PAD District, January 2003 to Present	10
7. Stocks of Propane/Propylene by PAD Districts I, II, and III and (IV and V), January 2003 to Present	12
8. U.S. Imports of Crude Oil and Petroleum Products, January 2003 to Present	14
9. U.S. Imports of Petroleum Products by Product, January 2003 to Present	15
10. U.S. Petroleum Products Supplied, January 2003 to Present	16
11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks	17
12. U.S. Petroleum Balance Sheet, Week Ending 01/07/05	25
13. World Crude Oil Prices	26
14. Spot Prices of Crude Oil, Motor Gasoline, and Heating Oils, January 2003 to Present	27
15. Spot Prices of Low-Sulfur Diesel, Kerosene-Type Jet, Residual Fuels, and Propane, January 2003 to Present	29
16. NYMEX Futures Prices of Crude Oil, Motor Gasoline, No. 2 Heating Oil, and Propane	30
17. U.S. Retail Motor Gasoline and On-Highway Diesel Fuel Prices, January 2003 to Present	31

Figures

1. U.S. Refinery Capacity, Inputs, and Production, July 2003 to Present	3
2. U.S. Stocks of Crude Oil and Petroleum Products, June 2003 to Present	3
3. Stocks of Crude Oil by PAD District, June 2003 to Present	5
4. Stocks of Motor Gasoline by PAD District, June 2003 to Present	7
5. Stocks of Distillate Fuel Oil by PAD District, June 2003 to Present	9
6. Stocks of Residual Fuel Oil by PAD District, June 2003 to Present	11
7. Stocks of Propane by PAD Districts I, II, and III, June 2003 to Present	13
8. U.S. Imports of Crude Oil and Petroleum Products, July 2003 to Present	14
9. U.S. Imports of Petroleum Products, July 2003 to Present	15
10. U.S. Petroleum Products Supplied, July 2003 to Present	16
11. Daily Crude Oil and Petroleum Product Spot Prices	28
12. Daily Trans-Atlantic Spot Product Price Differentials: New York Harbor less Rotterdam (ARA)	28
13. Daily Futures Price Differentials: First Delivery Month Less Second Delivery Month	30
14. U.S. Average Retail Regular Gasoline and On-Highway Diesel Fuel Prices	32

Table H1. Petroleum Supply Summary, December 2004
(Thousand Barrels per Day, Except Where Noted)

Category	2004			2003	January-December	
	Estimated December	Estimated November	Difference ¹	December	2004	2003
Products Supplied	20,954	20,600	354	20,679	20,492	20,034
Finished Motor Gasoline	9,213	9,147	66	9,011	9,068	8,935
Distillate Fuel Oil	4,288	4,137	151	4,037	4,075	3,927
Residual Fuel Oil	805	747	58	792	789	772
Kerosene-Type Jet Fuel	1,682	1,640	42	1,663	1,616	1,578
Propane/Propylene	1,583	1,428	155	1,681	1,267	1,215
Other Oils ²	3,382	3,502	-120	NA	3,677	3,607
Crude Oil Inputs	15,694	15,582	112	15,345	15,467	15,304
Operable Utilization Rate (%)	94.0	93.0	1.0	93.0	93.0	93.0
Imports	12,835	13,274	-439	12,033	12,896	12,264
Crude Oil	10,179	10,321	-142	9,684	10,046	9,665
Strategic Petroleum Reserve	0	0	0	0	0	0
Other	10,179	10,321	-142	9,684	10,069	9,665
Products	2,656	2,953	-297	2,349	2,826	2,599
Finished Motor Gasoline	507	544	-37	446	481	518
Distillate Fuel Oil	278	277	1	305	316	333
Residual Fuel Oil	232	443	-211	322	351	327
Kerosene-Type Jet Fuel	126	142	-16	101	115	109
Propane/Propylene	212	193	19	213	205	168
Other Oils ³	1,301	1,353	-52	NA	1,358	1,143
Exports	978	972	6	990	1,021	1,027
Crude Oil	10	12	-2	4	23	12
Products	968	960	8	986	998	1,014
Total Net Imports	11,857	12,301	-444	11,043	11,875	11,238
Stock Change⁴	-326	481	-807	-965	210	56
Crude Oil	-14	188	-202	-244	157	84
Products	-312	293	-605	-721	-34	28
Total Stocks⁶ (million barrels)	1,639.3	1,649.4	-10.1	1,568.3	-	-
Crude Oil	965.6	966.1	-0.4	907.3	-	-
Strategic Petroleum Reserve ⁵	674.2	672.3	1.9	638.4	-	-
Other	291.4	293.7	-2.3	268.9	-	-
Products	673.6	683.3	-9.7	NA	-	-
Finished Motor Gasoline	143.8	138.6	5.2	146.9	-	-
Distillate Fuel Oil ⁶	121.4	118.9	2.5	136.5	-	-
Residual Fuel Oil	40.7	42.4	-1.7	37.8	-	-
Kerosene-Type Jet Fuel	41.4	41.3	0.1	38.8	-	-
Propane/Propylene	55.0	63.4	-8.4	49.5	-	-
Other Oils ³	271.4	278.7	-7.3	NA	-	-

¹ Difference is equal to volume for current month minus volume for previous month.

² Includes crude oil product supplied, natural gas liquids, liquefied refinery gases (LRG's), other liquids, and all finished petroleum products except finished motor gasoline, distillate fuel oil, residual fuel oil, and jet fuel.

³ Includes natural gas liquids, liquefied refinery gases (LRG's), other liquids, and all finished petroleum products except motor gasoline, jet fuel, distillate fuel oil, and residual fuel oil.

⁴ A negative number indicates a decrease in stocks and a positive number indicates an increase.

⁵ Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.

⁶ Distillate fuel oil stocks located in the "Northeast Heating Oil Reserve" are not included.

Note: Totals may not equal sum of components due to independent rounding.

Source: Energy Information Administration, appropriate issues of the Petroleum Supply Monthly and the Weekly Petroleum Status Report.

Highlights

U.S. crude oil refinery inputs averaged 15.6 million barrels per day during the week ending January 7, down 186,000 barrels per day from the previous week's average. Refineries operated at 94.0 percent of their operable capacity last week. Distillate fuel production tied the weekly record set the previous week, averaging nearly 4.3 million barrels per day. Gasoline production, however, fell significantly last week, averaging over 8.5 million barrels per day last week.

U.S. crude oil imports averaged nearly 10.0 million barrels per day last week, up 198,000 barrels per day from the previous week. Over the last four weeks, crude oil imports have averaged over 10.0 million barrels per day, which is 432,000 barrels per day more than averaged over the comparable four weeks last year. Distillate fuel imports averaged 270,000 barrels per day last week, while the level of total motor gasoline imports (including both finished gasoline and gasoline blending components) dropped significantly, averaging 589,000 barrels per day.

U.S. commercial crude oil inventories (excluding those in the Strategic Petroleum Reserve) dropped by 3.0 million barrels from the previous week. At 288.8 million barrels, U.S. crude oil inventories are near the middle of the average range for this time of year. Distillate fuel inventories increased by 1.9 million barrels last week, and are in the lower half of the average range for this time of year. An increase in low-sulfur (diesel fuel) more than compensated for a slight decline in high-sulfur (heating oil) distillate fuel. Total motor gasoline inventories increased by 1.0

million barrels last week, and remain above the top of the average range. Total commercial petroleum inventories declined by 5.6 million barrels last week, and are near the middle of the average range.

Total product supplied over the last four-week period has averaged 20.9 million barrels per day, or 1.3 percent more than averaged over the same period last year. Distillate fuel demand over the last four weeks has averaged 4.3 million barrels per day, or 4.5 percent above the same period last year. Motor gasoline demand is up 1.8 percent, while kerosene-type jet fuel demand growth is up 2.0 percent over the last four weeks compared to the same four-week period last year.

The average world crude oil price on January 7, 2005 was \$35.16, \$2.11 over last week and \$6.18 above a year ago. WTI was \$45.32 per barrel on January 7, 2005, \$10.94 higher than last year. The spot price for conventional gasoline in the New York Harbor was 120.38 cents per gallon, 17.45 cents over a year ago. The spot price for No. 2 heating oil in the New York Harbor was 125.58 cents per gallon, 24.50 cents above last year.

The national average retail regular gasoline price rose to 179.3 cents per gallon on January 10, 2005, 1.5 cents per gallon more than last week and 23.3 cents per gallon over a year ago. The national average retail diesel fuel price decreased to 193.4 cents per gallon, 2.3 cents per gallon below last week but 38.3 cents per gallon more than a year ago.

Refinery Activity (Thousand Barrels per Day)

	Four Weeks Ending		
	01/07/05	12/31/04	01/07/04
Crude Oil Input to Refineries	15,672	15,693	15,232
Refinery Capacity Utilization (Percent)	94.1	94.0	92.2
Motor Gasoline Production	8,920	9,029	8,667
Distillate Fuel Oil Production	4,236	4,182	3,792

See Table 2.

Stocks (Million Barrels)

	Four Weeks Ending		
	01/07/05	12/31/04	01/07/04
Crude Oil (Excluding SPR)	288.8	291.8	269.4
Motor Gasoline	215.3	214.3	207.1
Distillate Fuel Oil ¹	123.0	121.1	133.8
All Other Oils	333.1	338.6	315.9
Crude Oil in SPR ²	675.6	674.0	638.9
Total	1,635.8	1,639.8	1,565.1

See Table 3.

Net Imports (Thousand Barrels per Day)

	Four Weeks Ending		
	01/07/05	12/31/04	01/07/04
Crude Oil	10,029	10,127	9,602
Petroleum Products	1,573	1,667	1,427
Total	11,602	11,794	11,029

See Table 1.

Products Supplied (Thousand Barrels per Day)

	Four Weeks Ending		
	01/07/05	12/31/04	01/07/04
Motor Gasoline	9,099	9,238	8,940
Distillate Fuel Oil	4,290	4,307	4,104
All Other Products	7,498	7,456	7,574
Total	20,886	21,002	20,618

See Table 10.

Prices (Cents per Gallon except as noted)

	Week Ending		
	01/07/05	12/31/04	01/09/04
World Crude Oil (Dollars per Barrel)	35.16	33.05	28.98
Spot Prices			
WTI Crude Oil - Cushing			
(Dollars per Barrel)	45.32	NA	34.38
Conv. Regular Gasoline - NYH	120.38	NA	102.93
RFG Regular - NYH	120.75	NA	103.23
No. 2 Heating Oil - NYH	125.58	NA	101.08
No. 2 Low-sulfur Diesel Fuel - NYH	127.15	NA	101.18
Kerosene-Type Jet - NYH	132.53	NA	104.80
Residual Fuel - NYH	66.07	NA	67.26
Propane - Mont Belvieu	72.00	NA	80.07
	01/10/05	01/03/05	01/12/04
Retail Prices			
Motor Gasoline - Regular	179.3	177.8	156.0
Motor Gasoline - Midgrade	189.3	188.2	165.7
Motor Gasoline - Premium	199.3	198.5	175.2
On-Highway Diesel Fuel	193.4	195.7	155.1

See Tables 13, 14, 15 and 17.

Data for the week ending January 7 reflect benchmarking to the October *Petroleum Supply Monthly* values.

¹ Distillate fuel oil stocks located in the "Northeast Heating Oil Reserve" are not included.

² Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.

Notes: • NA=Not Available. • Data may not add to total due to independent rounding.

Table 1. U.S. Petroleum Balance Sheet, 4 Weeks Ending 01/07/2005

Four-Week Averages				Cumulative Daily Averages		Percent Change
Petroleum Supply (Thousand Barrels per Day)	Ending 01/07/05	01/07/04	2005	2004		
Crude Oil Supply						
(1) Domestic Production ¹	5,436	5,593	-2.8			
(2) Net Imports (Including SPR) ²	10,029	9,602	4.4			
(3) Gross Imports (Excluding SPR)	10,039	9,607	4.5			
(4) SPR Imports	0	0	--			
(5) Exports	10	5	100.0			
(6) SPR Stocks Withdrawn (+) or Added (-)	-85	-140	--			
(7) Other Stocks Withdrawn (+) or Added (-)	178	296	--			
(8) Product Supplied and Losses	0	0	--			
(9) Unaccounted-for Crude Oil ³	115	-119	--			
(10) Crude Oil Input to Refineries	15,672	15,232	2.9			
Other Supply						
(11) Natural Gas Liquids Production ⁴	2,300	1,998	15.1			
(12) Other Liquids New Supply	-60	156	-138.5			
(13) Crude Oil Product Supplied	0	0	0.0			
(14) Processing Gain	1,026	1,091	-6.0			
(15) Net Product Imports ⁵	1,573	1,427	10.2			
(16) Gross Product Imports ⁵	2,546	2,361	7.8			
(17) Product Exports ⁵	973	934	4.2			
(18) Product Stocks Withdrawn (+) or Added (-) ^{6,7}	375	714	--			
(19) Total Product Supplied for Domestic Use	20,886	20,618	1.3			
Products Supplied						
(20) Finished Motor Gasoline ⁴	9,099	8,940	1.8			
(21) Kerosene-Type Jet Fuel	1,661	1,629	2.0			
(22) Distillate Fuel Oil	4,290	4,104	4.5			
(23) Residual Fuel Oil	793	813	-2.5			
(24) Propane/Propylene	1,634	NA	NA			
(25) Other Oils ⁸	3,410	NA	NA			
(26) Total Products Supplied	20,886	20,618	1.3			
Total Net Imports	11,602	11,029	5.2			
Cumulative daily averages will be shown beginning with the week ending April 8, 2005, issue when Petroleum Supply Monthly data for January 2005 become available.						
Petroleum Stocks (Million Barrels)			Percent Change from			
	01/07/05	12/31/04	01/07/04	Previous Week	Year Ago	
Crude Oil (Excluding SPR) ⁹	288.8	291.8	269.4	-1.0	7.2	
Total Motor Gasoline	215.3	214.3	207.1	0.5	4.0	
Reformulated	25.2	24.8	28.9	1.6	-12.8	
Conventional	118.7	118.9	117.2	-0.2	1.3	
Blending Components	71.4	70.5	61.0	1.3	17.0	
Kerosene-Type Jet Fuel	41.0	41.4	39.0	-1.0	5.1	
Distillate Fuel Oil ⁷	123.0	121.1	133.8	1.6	-8.1	
15 ppm sulfur and Under	1.3	1.2	NA	8.3	NA	
> 15 ppm to 500 ppm sulfur	72.2	69.8	NA	3.4	NA	
> 500 ppm sulfur	49.6	50.1	53.2	-1.0	-6.8	
Residual Fuel Oil	40.6	40.7	37.8	-0.2	7.4	
Propane/Propylene	52.4	55.4	46.4	-5.4	12.9	
Unfinished Oils	80.1	81.5	77.3	-1.7	3.6	
Other Oils ¹⁰	119.0	119.5	NA	-0.4	NA	
Total Stocks (Excluding SPR) ⁷	960.2	965.8	926.2	-0.6	3.7	
Crude Oil in SPR ¹¹	675.6	674.0	638.9	0.2	5.7	
Total Stocks (Including SPR) ⁷	1,635.8	1,639.8	1,565.1	-0.2	4.5	

¹ Includes lease condensate.

² Net Imports = Gross Imports (line 3) + Strategic Petroleum Reserve (SPR) Imports (line 4) - Exports (line 5).

³ Unaccounted-for Crude Oil is a balancing item. See Glossary for further explanation.

⁴ Includes field production of fuel ethanol and an adjustment for motor gasoline blending components.

⁵ Includes finished petroleum products, unfinished oils, gasoline blending components, and natural gas plant liquids.

⁶ Includes an estimate of minor product stock change based on monthly data.

⁷ Distillate fuel oil stocks located in the "Northeast Heating Oil Reserve" are not included. For details see Appendix B.

⁸ Includes crude oil product supplied, natural gas liquids, liquefied refinery gases (LRGs), other liquids, and all finished petroleum products except motor gasoline, kerosene-type jet fuel, distillate, residual fuel oils, and propane/propylene during 2004. Propane/propylene were included during 2003.

⁹ Includes domestic and Customs-cleared foreign crude oil in transit to refineries.

¹⁰ Included are stocks of all other oils such as aviation gasoline, kerosene, natural gas liquids and LRGs (except propane/propylene during 2004), other hydrocarbons and oxygenates, aviation gasoline blending components, naphtha and other oils for petrochemical feedstock use, special naphthas, lube oils, waxes, coke, asphalt, naphtha-type jet fuel, road oil, and miscellaneous oils. Propane/propylene were included with other oils in 2003.

¹¹ Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.

Note: Some data are estimated. See Sources for clarification of estimated data. Due to independent rounding, individual product detail may not add to total.

Sources: See page 33.

Table 2. U.S. Petroleum Activity, January 2003 to Present

(Thousand Barrels per Day)

Inputs and Utilization												
Year/Element	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Crude Oil Inputs	14,338	14,381	14,933	15,575	15,910	15,620	15,546	15,693	15,446	15,342	15,455	15,345
Gross Inputs	14,611	14,640	15,159	15,754	16,038	15,851	15,745	15,911	15,590	15,480	15,679	15,577
Operable Capacity	16,757	16,747	16,747	16,747	16,747	16,747	16,747	16,747	16,747	16,747	16,747	16,747
Percent Utilization	87.2	87.4	90.5	94.1	95.8	94.7	94.0	95.0	93.1	92.4	93.6	93.0
2004												
Crude Oil Inputs	14,816	14,711	14,802	15,546	15,962	16,244	16,140	16,142	14,980	14,954		
Gross Inputs	15,070	15,002	14,969	15,657	16,218	16,057	16,381	16,432	15,248	15,272		
Operable Capacity	16,894	16,894	16,889	16,889	16,889	16,902	16,908	16,925	16,925	16,925		
Percent Utilization	89.2	88.8	88.6	92.7	96.0	95.0	96.9	97.1	90.1	90.2		
Average for Four-Week Period Ending:												
2004 - 2005	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Crude Oil Inputs	14,755	14,782	15,006	15,210	15,372	15,534	15,620	15,643	15,653	15,680	15,693	15,672
Gross Inputs	14,925	14,948	15,193	15,422	15,581	15,779	15,837	15,845	15,866	15,874	15,911	15,924
Operable Capacity	16,907	16,908	16,912	16,917	16,921	16,925	16,925	16,925	16,925	16,925	16,925	16,925
Percent Utilization ¹	88.3	88.4	89.8	91.2	92.1	93.2	93.6	93.6	93.7	93.8	94.0	94.1
Production by Product												
Year/Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Finished Motor Gasoline ²	7,991	8,023	7,942	8,470	8,702	8,723	8,663	8,774	8,556	8,613	8,771	8,756
Reformulated	2,671	2,686	2,641	2,806	2,752	2,808	2,726	2,753	2,643	2,664	2,624	2,800
Oxygenated ²	840	1,236	758	1,099	1,039	985	976	1,136	1,003	1,159	1,199	1,007
Conventional ²	4,480	4,102	4,542	4,564	4,912	4,930	4,961	4,885	4,911	4,790	4,949	4,949
Jet Fuel	1,495	1,416	1,422	1,445	1,484	1,393	1,491	1,551	1,514	1,510	1,522	1,605
Distillate Fuel Oil	3,403	3,459	3,732	3,796	3,833	3,728	3,673	3,730	3,721	3,750	3,800	3,845
0.05% Sulfur and under	2,383	2,366	2,654	2,879	2,937	2,798	2,737	2,765	2,794	2,749	2,816	2,733
Greater than 0.05% Sulfur	1,020	1,092	1,077	918	896	931	936	965	926	1,002	983	1,112
Residual Fuel Oil	658	683	652	632	729	666	632	663	662	640	616	686
2004												
Finished Motor Gasoline ²	8,339	8,282	8,429	8,820	8,932	8,903	8,801	8,828	8,482	8,783		
Reformulated	2,710	2,740	2,825	2,788	2,940	2,856	2,822	2,805	2,713	2,897		
Conventional ²	5,628	5,542	5,604	6,032	5,992	6,047	5,978	6,022	5,769	5,885		
Kerosene-Type Jet Fuel	1,484	1,462	1,505	1,497	1,543	1,532	1,628	1,650	1,553	1,498		
Distillate Fuel Oil	3,599	3,467	3,558	3,881	3,858	3,957	3,902	3,981	3,625	3,807		
15 ppm sulfur and Under	168	129	290	105	117	114	24	22	31	16		
> 15 ppm to 500 ppm sulfur	2,294	2,338	2,445	2,896	2,852	2,883	2,976	2,934	2,795	2,925		
> 500 ppm sulfur	1,137	1,000	823	880	889	960	902	1,026	800	867		
Residual Fuel Oil	658	658	633	691	661	641	610	624	611	606		
Propane/Propylene	1,101	1,099	1,105	1,116	1,107	1,094	1,108	1,135	1,079	1,097		
Average for Four-Week Period Ending:												
2004 - 2005	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Finished Motor Gasoline ²	8,707	8,748	8,852	8,876	8,858	8,877	8,834	8,877	8,904	8,981	9,029	8,920
Reformulated ²	2,936	2,966	2,978	2,968	2,938	2,929	2,929	2,916	2,920	2,967	3,005	2,916
Conventional ²	5,771	5,783	5,874	5,909	5,920	5,949	5,905	5,961	5,984	6,014	6,025	6,004
Kerosene-Type Jet Fuel	1,529	1,472	1,482	1,494	1,534	1,565	1,586	1,589	1,581	1,590	1,596	1,580
Distillate Fuel Oil	3,711	3,789	3,846	3,909	3,985	4,054	4,101	4,122	4,137	4,140	4,182	4,236
15 ppm sulfur and Under	84	83	81	76	72	71	55	43	27	15	16	28
> 15 ppm to 500 ppm sulfur	2,711	2,737	2,741	2,753	2,789	2,845	2,924	2,970	2,977	2,946	2,955	2,962
> 500 ppm sulfur	916	970	1,024	1,080	1,124	1,138	1,123	1,109	1,133	1,179	1,211	1,247
Residual Fuel Oil	627	615	622	643	691	703	691	682	683	709	723	734
Propane/Propylene	1,124	1,132	1,117	1,109	1,111	1,125	1,152	1,158	1,159	1,146	1,133	1,137

¹ Calculated as gross inputs divided by the latest reported monthly operable capacity. See Glossary. Percentages are calculated using unrounded numbers.² Beginning in 1993, motor gasoline production and product supplied includes blending of fuel ethanol and an adjustment to correct for the imbalance of motor gasoline blending components.

Notes: Some data are estimated. See Sources for clarification of estimated data. Production statistics represent net production (i.e., refinery output minus refinery input).

Source: See page 33.

Figure 1. U.S. Refinery Capacity, Inputs, and Production, July 2003 to Present




Figure 2. U.S. Stocks of Crude Oil and Petroleum Products, June 2003 to Present




Table 3. Stocks of Crude Oil and Petroleum Products,¹ U.S. Totals, January 2003 to Present
(Million Barrels)

Year/Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Crude Oil ²	274.0	271.1	281.6	291.4	285.5	284.6	284.9	279.5	286.7	294.6	281.2	268.9
Total Motor Gasoline	211.5	203.3	200.2	207.4	208.2	206.1	201.5	193.3	198.5	192.3	204.0	206.8
Reformulated	36.8	34.6	32.6	34.9	35.4	37.0	33.0	31.2	30.4	30.8	27.3	30.0
Oxygenated	0.5	0.2	0.2	0.1	0.1	0.2	0.4	0.2	0.3	0.4	0.3	0.5
Conventional	120.0	116.3	111.9	116.3	119.7	115.7	116.7	113.8	115.4	109.2	118.7	116.4
Blending Components	54.3	52.2	55.6	56.0	53.0	53.1	51.5	48.1	52.4	51.9	57.7	59.9
Jet Fuel	40.6	38.5	36.6	36.5	40.1	38.3	38.3	38.6	40.1	40.2	38.0	38.8
Distillate Fuel Oil ³	112.6	97.7	98.6	97.2	106.7	112.2	118.0	126.5	131.3	132.1	136.1	136.5
0.05% Sulfur and under	68.5	60.5	63.4	65.8	72.0	74.1	75.0	75.9	76.7	73.5	78.1	81.5
Greater than 0.05% Sulfur	44.1	37.2	35.2	31.4	34.7	38.1	43.0	50.7	54.6	58.6	58.0	55.0
Residual Fuel Oil	31.3	30.9	32.0	30.7	35.9	35.3	31.5	30.1	31.6	33.9	35.9	37.8
Unfinished Oils	80.3	83.8	85.1	85.0	84.2	88.1	86.0	85.2	85.5	84.9	83.0	75.9
Other Oils ⁴	155.9	136.6	140.9	147.8	168.3	186.9	197.6	200.3	199.8	195.7	186.0	164.9
Total (Excl. SPR) ³	905.2	861.2	875.2	896.5	929.8	951.2	958.0	953.7	973.6	970.8	964.6	929.9
Crude Oil in SPR ⁵	599.2	599.2	599.2	599.6	603.1	608.5	612.4	618.3	624.4	630.9	633.6	638.4
Total (Incl. SPR) ³	1,504.4	1,460.5	1,474.5	1,496.1	1,532.9	1,559.8	1,570.4	1,572.0	1,598.0	1,601.7	1,598.2	1,568.3
2004												
Crude Oil ²	271.4	276.7	293.7	299.0	301.6	304.5	295.4	280.3	274.5	288.4		
Total Motor Gasoline	208.3	203.0	201.3	202.3	204.4	208.8	213.8	210.7	206.5	203.6		
Reformulated	24.4	23.7	24.2	23.9	23.5	23.8	23.9	24.0	23.2	25.0		
Conventional	118.5	113.1	108.7	110.1	114.2	117.0	118.0	115.7	112.7	113.0		
Blending Components	65.5	66.2	68.3	68.2	66.7	68.0	72.0	70.9	70.6	65.6		
Kerosene-Type Jet Fuel	39.8	36.4	35.6	35.1	38.1	38.8	40.7	41.9	41.3	40.3		
Distillate Fuel Oil ³	122.5	111.3	104.0	101.4	106.9	114.0	121.4	130.5	123.0	117.9		
15 ppm sulfur and Under	12.7	5.3	2.8	1.7	2.1	1.0	1.3	1.4	1.3	1.2		
> 15 ppm to 500 ppm sulfur	63.9	62.7	63.3	64.5	68.4	69.6	73.1	76.8	70.2	66.8		
> 500 ppm sulfur	45.9	43.3	37.9	35.3	36.3	43.4	47.0	52.3	51.4	49.9		
Residual Fuel Oil	38.0	39.6	39.0	35.6	36.1	37.5	34.7	37.2	34.0	36.1		
Propane/Propylene	33.6	25.8	27.9	29.7	34.3	43.7	50.6	57.6	67.2	68.4		
Unfinished Oils	83.1	94.4	95.2	92.1	90.3	92.1	90.4	90.5	90.8	87.4		
Other Oils ⁴	113.9	112.7	117.4	120.8	127.0	127.2	134.6	139.5	135.9	127.1		
Total (Excl. SPR) ³	910.5	899.9	914.1	916.1	938.7	966.5	981.7	988.1	973.1	969.1		
Crude Oil in SPR ⁵	641.2	646.9	652.1	658.2	661.3	662.4	665.7	669.0	670.3	670.3		
Total (Incl. SPR) ³	1,551.6	1,546.7	1,566.2	1,574.3	1,600.0	1,628.9	1,647.3	1,657.1	1,643.3	1,639.4		
2004 - 2005												
	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Crude Oil ²	283.4	289.7	291.5	292.3	292.4	293.3	293.9	293.8	295.9	295.1	291.8	288.8
Total Motor Gasoline	201.2	201.7	201.3	200.9	202.7	205.7	208.1	209.6	211.4	212.3	214.3	215.3
Reformulated	25.6	24.9	25.5	25.9	26.1	25.2	25.1	26.0	24.4	26.0	24.8	25.2
Conventional	107.9	109.2	109.3	108.0	110.7	112.6	113.8	114.0	116.5	116.9	118.9	118.7
Blending Components	67.7	67.7	66.4	67.0	65.9	68.0	69.1	69.6	70.5	69.4	70.5	71.4
Kerosene-Type Jet Fuel	41.0	40.2	39.8	40.5	40.7	41.1	41.4	41.2	40.9	41.3	41.4	41.0
Distillate Fuel Oil ³	116.6	115.7	115.6	114.6	115.6	117.9	119.3	119.3	119.9	119.1	121.1	123.0
15 ppm sulfur and Under	2.2	2.0	1.9	1.8	1.9	1.8	1.5	1.1	1.0	1.1	1.2	1.3
> 15 ppm to 500 ppm sulfur	65.5	65.2	65.2	63.7	64.8	66.2	67.8	68.3	69.0	69.1	69.8	72.2
> 500 ppm sulfur	48.9	48.5	48.4	49.1	48.9	49.9	50.0	49.9	49.9	48.9	50.1	49.6
Residual Fuel Oil	35.5	35.6	36.8	37.7	40.1	41.8	42.7	41.4	41.6	40.4	40.7	40.6
Propane/Propylene	68.2	67.5	67.1	64.8	63.7	62.7	63.7	61.5	58.8	56.7	55.4	52.4
Unfinished Oils	82.5	83.8	85.1	85.1	84.6	84.4	84.1	85.4	83.6	82.3	81.5	80.1
Other Oils ⁴	131.5	129.5	129.5	128.8	126.8	126.1	125.5	123.5	123.0	121.0	119.5	119.0
Total (Excl. SPR) ³	959.8	963.7	966.7	964.8	966.6	973.0	978.7	975.7	975.1	968.3	965.8	960.2
Crude Oil in SPR ⁵	669.6	669.7	670.3	671.2	671.2	671.2	672.8	673.2	673.6	673.6	674.0	675.6
Total (Incl. SPR) ³	1,629.4	1,633.4	1,637.0	1,636.0	1,637.9	1,644.2	1,651.4	1,649.0	1,648.7	1,641.9	1,639.8	1,635.8

¹ Product stocks include those domestic and Customs-cleared foreign stocks held at, or in transit to, refineries and bulk terminals, and stocks in pipelines.

Stocks held at natural gas processing plants are included in "Other Oils" and in totals. All stock levels are as of the end of the period.

² Crude oil stocks include those domestic and Customs-cleared foreign crude oil stocks held at refineries, in pipelines, in lease tanks, and in transit to refineries.

Does not include those held in the Strategic Petroleum Reserve (SPR).

³ Distillate fuel oil stocks located in the "Northeast Heating Oil Reserve" are not included. For details see Appendix B.

⁴ Included are stocks of all other oils such as aviation gasoline, kerosene, natural gas liquids and LRG's (except propane/propylene during 2004), other hydrocarbons and oxygenates, aviation gasoline blending components, naphtha and other oils for petrochemical feedstock use, special naphthas, lube oils, waxes, coke, asphalt, naphtha-type jet fuel, road oil, and miscellaneous oils. Propane/propylene were included with other oils in 2003.

⁵ Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.

Notes: Some data are estimates. See Sources for clarification of estimated data. Data may not add to total due to independent rounding.

Source: See page 33.

Figure 3. Stocks of Crude Oil by PAD District, June 2003 to Present









Table 4. Stocks of Motor Gasoline by PAD District, January 2003 to Present
(Million Barrels)

Year/District	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Total Motor Gasoline	211.5	203.3	200.2	207.4	208.2	206.1	201.5	193.3	198.5	192.3	204.0	206.8
East Coast (PADD I)	59.9	55.5	52.8	57.8	59.0	59.2	56.5	50.4	52.6	48.3	52.1	54.6
New England (PADD IA)	4.4	3.7	4.3	4.3	4.1	4.4	4.1	3.5	3.9	3.9	3.2	3.9
Central Atlantic (PADD IB)	30.8	28.0	27.0	30.1	29.9	31.2	28.9	22.9	24.9	24.6	26.5	29.0
Lower Atlantic (PADD IC)	24.6	23.7	21.5	23.4	25.0	23.6	23.6	24.0	23.7	19.8	22.5	21.8
Midwest (PADD II)	50.6	49.2	48.7	47.6	49.7	52.2	52.2	50.2	49.8	48.4	52.7	53.3
Gulf Coast (PADD III)	61.0	61.8	60.5	61.2	62.1	60.4	59.5	60.0	62.1	62.3	62.4	60.3
Rocky Mountain (PADD IV)	7.9	8.1	7.6	7.0	6.0	5.3	5.2	5.3	6.0	6.2	6.6	6.6
West Coast (PADD V)	32.1	28.6	30.6	33.8	31.4	29.0	28.1	27.5	28.1	27.1	30.2	32.0
Finished Motor Gasoline	157.2	151.1	144.7	151.4	155.2	153.0	150.1	145.2	146.1	140.4	146.3	146.9
Reformulated	36.8	34.6	32.6	34.9	35.4	37.0	33.0	31.2	30.4	30.8	27.3	30.0
Oxygenated	0.5	0.2	0.2	0.1	0.1	0.2	0.4	0.2	0.3	0.4	0.3	0.5
Conventional	120.0	116.3	111.9	116.3	119.7	115.7	116.7	113.8	115.4	109.2	118.7	116.4
Blending Components	54.3	52.2	55.6	56.0	53.0	53.1	51.5	48.1	52.4	51.9	57.7	59.9
2004												
Total Motor Gasoline	208.3	203.0	201.3	202.3	204.4	208.8	213.8	210.7	206.5	203.6		
East Coast (PADD I)	53.5	48.4	55.3	54.4	55.4	57.4	59.9	56.6	55.8	57.1		
New England (PADD IA)	3.3	3.7	3.7	4.1	3.9	4.1	4.2	3.2	4.0	3.6		
Central Atlantic (PADD IB)	27.1	25.9	29.6	29.7	29.8	31.0	32.5	30.5	29.9	31.0		
Lower Atlantic (PADD IC)	23.0	18.8	22.0	20.5	21.8	22.3	23.1	22.9	21.9	22.5		
Midwest (PADD II)	53.9	55.8	51.7	49.5	51.7	52.7	53.3	53.4	50.6	50.5		
Gulf Coast (PADD III)	60.7	63.5	59.0	63.6	62.7	62.9	62.7	61.4	62.3	61.6		
Rocky Mountain (PADD IV)	6.9	6.6	6.4	5.8	6.3	6.5	6.2	6.3	5.8	5.7		
West Coast (PADD V)	33.3	28.8	29.0	29.0	28.3	29.3	31.7	33.0	31.9	28.7		
Finished Motor Gasoline	142.9	136.8	132.9	134.1	137.7	140.8	141.8	139.8	135.9	138.0		
Reformulated	24.4	23.7	24.2	23.9	23.5	23.8	23.9	24.0	23.2	25.0		
Conventional	118.5	113.1	108.7	110.1	114.2	117.0	118.0	115.7	112.7	113.0		
Blending Components	65.5	66.2	68.3	68.2	66.7	68.0	72.0	70.9	70.6	65.6		
2004 - 2005												
	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Total Motor Gasoline	201.2	201.7	201.3	200.9	202.7	205.7	208.1	209.6	211.4	212.3	214.3	215.3
East Coast (PADD I)	53.5	53.8	52.9	54.3	51.8	54.9	55.6	54.8	54.3	56.9	58.8	59.1
New England (PADD IA)	4.4	4.2	4.1	4.5	4.4	4.6	4.5	5.2	4.7	5.7	5.3	5.1
Central Atlantic (PADD IB)	28.4	28.8	28.2	28.7	27.9	29.4	30.3	29.4	30.1	30.4	31.3	30.9
Lower Atlantic (PADD IC)	20.6	20.8	20.7	21.1	19.6	20.9	20.7	20.2	19.5	20.8	22.3	23.2
Midwest (PADD II)	48.2	48.4	51.8	50.4	50.4	50.0	50.5	50.0	51.4	50.9	52.4	52.8
Gulf Coast (PADD III)	63.1	63.4	62.4	62.3	65.0	65.0	66.2	68.5	68.7	67.7	66.0	65.6
Rocky Mountain (PADD IV)	5.5	5.6	5.6	5.8	5.7	5.9	6.1	6.2	6.3	6.4	6.6	6.6
West Coast (PADD V)	30.9	30.5	28.6	28.2	29.8	30.0	29.7	30.1	30.7	30.4	30.5	31.2
Finished Motor Gasoline	133.5	134.0	134.8	133.9	136.8	137.8	138.9	140.0	140.9	142.9	143.8	144.0
Reformulated	25.6	24.9	25.5	25.9	26.1	25.2	25.1	26.0	24.4	26.0	24.8	25.2
Conventional	107.9	109.2	109.3	108.0	110.7	112.6	113.8	114.0	116.5	116.9	118.9	118.7
Blending Components	67.7	67.7	66.4	67.0	65.9	68.0	69.1	69.6	70.5	69.4	70.5	71.4

Note: PADD and sub-PADD data may not add to total due to independent rounding.

Source: See page 33.

Figure 4. Stocks of Gasoline by PAD District, June 2003 to Present









Table 5. Stocks of Distillate Fuel Oil by PAD District, January 2003 to Present

(Million Barrels)

Year/District	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Total U.S.	112.6	97.7	98.6	97.2	106.7	112.2	118.0	126.5	131.3	132.1	136.1	136.5
0.05% Sulfur and Under	68.5	60.5	63.4	65.8	72.0	74.1	75.0	75.9	76.7	73.5	78.1	81.5
Greater than 0.05% Sulfur	44.1	37.2	35.2	31.4	34.7	38.1	43.0	50.7	54.6	58.6	58.0	55.0
East Coast (PADD I)	39.4	29.2	30.1	28.4	33.3	39.2	43.6	50.0	55.8	59.8	60.9	56.8
0.05% Sulfur and Under	15.6	12.3	13.8	15.2	17.5	18.6	20.2	19.4	20.4	22.3	23.5	22.6
Greater than 0.05% Sulfur	23.8	16.9	16.3	13.2	15.8	20.5	23.5	30.5	35.4	37.6	37.4	34.2
New England (PADD IA)	5.9	4.0	4.6	3.2	4.6	7.3	7.9	8.2	9.2	9.7	9.0	8.0
Central Atlantic (PADD IB)	22.4	15.1	15.6	13.2	15.8	20.0	23.2	28.7	33.3	35.5	36.4	33.8
Lower Atlantic (PADD IC)	11.1	10.1	9.9	12.1	12.9	11.9	12.6	13.1	13.3	14.7	15.5	15.0
Midwest (PADD II)	29.7	26.7	27.1	27.8	29.6	31.8	30.3	30.8	28.4	26.9	30.2	33.3
0.05% Sulfur and Under	23.0	19.7	19.7	20.5	21.6	23.9	23.1	23.4	21.7	19.6	22.5	25.8
Greater than 0.05% Sulfur	6.7	7.0	7.4	7.3	8.1	7.8	7.3	7.4	6.7	7.3	7.7	7.6
Gulf Coast (PADD III)	28.2	28.5	27.0	26.1	29.4	27.3	30.7	31.8	32.8	31.7	31.2	31.5
0.05% Sulfur and Under	17.6	18.0	18.3	18.6	21.5	20.4	21.3	22.2	23.1	21.2	21.4	21.1
Greater than 0.05% Sulfur	10.6	10.5	8.6	7.5	7.8	6.9	9.4	9.6	9.7	10.5	9.8	10.4
Rocky Mountain (PADD IV)	3.6	3.2	3.6	3.5	3.0	3.2	2.9	2.8	3.1	2.9	3.2	3.5
0.05% Sulfur and Under	3.1	2.7	3.1	3.0	2.5	2.7	2.4	2.3	2.6	2.5	2.7	2.9
Greater than 0.05% Sulfur	0.5	0.6	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.5	0.5
West Coast (PADD V)	11.7	10.1	10.8	11.3	11.4	10.7	10.5	11.2	11.2	10.7	10.6	11.4
0.05% Sulfur and Under	9.2	7.9	8.5	8.5	8.9	8.4	8.0	8.5	8.9	8.1	7.9	9.1
Greater than 0.05% Sulfur	2.5	2.2	2.3	2.8	2.5	2.3	2.4	2.6	2.3	2.6	2.7	2.3
2004												
Total U.S.	122.5	111.3	104.0	101.4	106.9	114.0	121.4	130.5	123.0	117.9		
15 ppm sulfur and Under	12.7	5.3	2.8	1.7	2.1	1.0	1.3	1.4	1.3	1.2		
> 15 ppm to 500 ppm sulfur	63.9	62.7	63.3	64.5	68.4	69.6	73.1	76.8	70.2	66.8		
> 500 ppm sulfur	45.9	43.3	37.9	35.3	36.3	43.4	47.0	52.3	51.4	49.9		
East Coast (PADD I)	47.9	42.9	38.2	33.7	34.9	40.2	46.2	52.6	50.5	48.4		
15 ppm sulfur and Under	2.8	2.1	0.6	0.4	0.5	0.5	0.6	0.5	0.5	0.5		
> 15 ppm to 500 ppm sulfur	18.3	14.6	14.7	14.0	15.9	16.3	16.8	19.0	16.1	16.3		
> 500 ppm sulfur	26.8	26.3	23.0	19.3	18.6	23.4	28.8	33.0	34.0	31.6		
New England (PADD IA)	6.7	7.7	6.0	4.9	5.6	7.6	9.8	11.7	12.2	10.4		
Central Atlantic (PADD IB)	27.0	23.4	22.0	18.8	18.8	20.7	24.4	28.7	27.7	26.7		
Lower Atlantic (PADD IC)	14.2	11.9	10.3	10.0	10.5	11.9	11.9	12.2	10.6	11.2		
Midwest (PADD II)	30.2	27.9	25.5	27.5	29.0	29.8	30.4	32.8	31.9	26.4		
15 ppm sulfur and Under	3.9	0.2	0.6	0.4	0.5	0.2	0.2	0.3	0.2	0.1		
> 15 ppm to 500 ppm sulfur	20.4	20.8	19.3	20.5	21.0	21.9	23.4	25.0	24.4	19.1		
> 500 ppm sulfur	5.8	7.0	5.7	6.6	7.6	7.7	6.8	7.6	7.4	7.2		
Gulf Coast (PADD III)	29.7	26.5	27.4	27.6	28.6	29.9	31.1	30.1	27.6	28.3		
15 ppm sulfur and Under	3.4	1.3	0.7	0.5	0.6	0.1	0.2	0.1	0.3	0.3		
> 15 ppm to 500 ppm sulfur	15.8	17.4	19.6	20.6	20.5	21.8	20.5	19.4	19.5			
> 500 ppm sulfur	10.6	7.7	7.1	6.5	7.4	9.2	9.1	9.4	8.0	8.5		
Rocky Mountain (PADD IV)	3.3	2.8	2.7	2.5	3.2	3.2	2.7	2.6	2.4	2.7		
15 ppm sulfur and Under	0.4	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0		
> 15 ppm to 500 ppm sulfur	2.3	2.3	2.0	1.9	2.6	2.7	2.2	2.1	2.0	2.2		
> 500 ppm sulfur	0.5	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5		
West Coast (PADD V)	11.5	11.1	10.2	10.1	11.2	11.0	11.1	12.5	10.4	12.1		
15 ppm sulfur and Under	2.2	1.6	0.8	0.3	0.6	0.2	0.2	0.4	0.3	0.3		
> 15 ppm to 500 ppm sulfur	7.0	7.6	7.7	7.4	8.4	8.3	9.0	10.2	8.4	9.7		
> 500 ppm sulfur	2.3	1.9	1.7	2.4	2.2	2.5	1.9	1.9	1.7	2.2		
2004 - 2005												
	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Total U.S.	116.6	115.7	115.6	114.6	115.6	117.9	119.3	119.3	119.9	119.1	121.1	123.0
15 ppm sulfur and Under	2.2	2.0	1.9	1.8	1.9	1.8	1.5	1.1	1.0	1.1	1.2	1.3
> 15 ppm to 500 ppm sulfur	65.5	65.2	65.2	63.7	64.8	66.2	67.8	68.3	69.0	69.1	69.8	72.2
> 500 ppm sulfur	48.9	48.5	48.4	49.1	48.9	49.9	50.0	49.9	49.9	48.9	50.1	49.6
East Coast (PADD I)	48.5	47.6	46.6	46.2	47.1	48.5	48.9	48.7	49.6	46.2	47.7	47.7
15 ppm sulfur and Under	0.6	0.5	0.4	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.5
> 15 ppm to 500 ppm sulfur	16.3	16.4	15.5	16.0	16.9	17.4	17.4	16.9	17.5	15.9	16.5	17.6
> 500 ppm sulfur	31.6	30.6	30.8	29.8	29.9	30.8	31.0	31.4	31.7	29.9	30.7	29.7
New England (PADD IA)	11.2	11.1	10.0	9.8	10.0	10.8	10.4	11.3	11.5	10.8	10.9	9.7
Central Atlantic (PADD IB)	26.5	25.4	26.1	26.0	27.0	27.0	28.0	26.8	26.6	25.1	25.8	26.1
Lower Atlantic (PADD IC)	10.9	11.1	10.5	10.4	10.2	10.7	10.5	10.6	11.5	10.4	10.9	11.9
Midwest (PADD II)	26.1	26.5	25.7	25.0	26.4	26.1	25.9	26.5	26.9	27.6	28.7	29.6
15 ppm sulfur and Under	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2
> 15 ppm to 500 ppm sulfur	19.5	19.4	18.2	17.3	18.8	18.9	18.6	19.8	20.0	20.7	21.4	22.4
> 500 ppm sulfur	6.4	6.8	7.1	7.3	7.1	6.8	6.9	6.4	6.6	6.7	7.1	7.0
Gulf Coast (PADD III)	27.3	27.1	28.3	28.8	27.2	28.4	29.1	28.9	28.2	29.2	28.9	29.0
15 ppm sulfur and Under	0.8	0.7	0.7	0.7	0.6	0.7	0.4	0.1	0.0	0.1	0.1	0.1
> 15 ppm to 500 ppm sulfur	18.5	18.0	19.9	18.8	17.5	18.2	19.5	19.5	19.3	19.8	19.1	18.9
> 500 ppm sulfur	8.0	8.4	7.8	9.3	9.1	9.5	9.3	9.3	8.9	9.4	9.7	10.0
Rocky Mountain (PADD IV)	2.9	2.6	2.9	3.2	3.0	3.2	3.4	3.3	3.4	3.2	3.3	3.3
15 ppm sulfur and Under	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
> 15 ppm to 500 ppm sulfur	2.3	2.2	2.5	2.7	2.5	2.7	2.8	2.7	2.8	2.7	2.7	2.7
> 500 ppm sulfur	0.6	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
West Coast (PADD V)	11.7	11.9	12.0	11.4	11.9	11.7	12.1	11.9	11.8	12.8	12.6	13.4
15 ppm sulfur and Under	0.5	0.5	0.4	0.3	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.4
> 15 ppm to 500 ppm sulfur	8.9	9.1	9.1	8.9	9.2	9.0	9.4	9.3	9.4	10.0	10.1	10.6
> 500 ppm sulfur	2.3	2.3	2.4	2.2	2.2	2.3	2.3	2.3	2.2	2.5	2.1	2.4

Note: * PADD and sub-PADD data may not add to total due to independent rounding.

Source: See page 33.

Figure 5. Stocks of Distillate Fuel Oil by PAD District, June 2003 to Present









Table 6. Stocks of Residual Fuel Oil by PAD District, January 2003 to Present

(Million Barrels)

Year/District	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Total U.S.	31.3	30.9	32.0	30.7	35.9	35.3	31.5	30.1	31.6	33.9	35.9	37.8
East Coast (PADD I)	11.5	9.1	10.1	11.1	14.4	15.0	11.1	10.7	11.6	14.0	14.8	15.8
New England (PADD IA)	0.8	0.7	0.7	0.7	1.0	1.0	0.9	1.0	1.0	1.0	1.1	0.9
Central Atlantic (PADD IB)	8.5	6.2	7.4	8.7	10.9	11.3	8.1	7.3	8.3	10.9	11.8	11.9
Lower Atlantic (PADD IC)	2.2	2.2	1.9	1.8	2.6	2.7	2.1	2.4	2.2	2.1	2.0	3.0
Midwest (PADD II)	1.6	1.6	1.8	1.8	1.6	1.4	1.4	1.6	1.3	1.6	1.6	1.2
Gulf Coast (PADD III)	13.0	14.3	13.9	11.9	14.1	13.3	13.4	12.0	13.2	12.1	13.3	14.9
Rocky Mountain (PADD IV)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4
West Coast (PADD V)	5.0	5.7	5.9	5.6	5.4	5.1	5.3	5.4	5.1	5.7	5.8	5.5
2004												
Total U.S.	38.0	39.6	39.0	35.6	36.1	37.5	34.7	37.2	34.0	36.1		
East Coast (PADD I)	12.7	14.8	14.7	12.5	13.2	13.7	11.8	13.5	12.0	15.0		
New England (PADD IA)	1.0	1.1	1.0	1.1	1.1	0.9	0.9	1.0	0.9	1.0		
Central Atlantic (PADD IB)	9.3	11.1	11.7	9.4	9.8	10.5	8.5	10.3	9.4	11.7		
Lower Atlantic (PADD IC)	2.4	2.5	2.0	2.0	2.3	2.3	2.4	2.3	1.7	2.3		
Midwest (PADD II)	1.6	1.8	1.5	1.4	1.9	2.1	2.3	2.4	2.2	1.9		
Gulf Coast (PADD III)	17.9	16.2	15.3	15.9	15.0	16.1	14.3	14.9	13.8	13.7		
Rocky Mountain (PADD IV)	0.4	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.4	0.4		
West Coast (PADD V)	5.4	6.4	6.9	5.5	5.6	5.2	6.0	6.0	5.6	5.1		
2004 - 2005												
	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Total U.S.	35.5	35.6	36.8	37.7	40.1	41.8	42.7	41.4	41.6	40.4	40.7	40.6
East Coast (PADD I)	14.0	14.1	14.5	14.3	15.1	16.1	16.5	15.2	15.4	14.7	15.0	16.4
New England (PADD IA)	1.0	1.0	0.8	0.9	0.9	1.1	1.0	0.8	0.9	1.1	1.1	1.5
Central Atlantic (PADD IB)	10.9	10.9	11.6	10.9	11.8	12.2	13.2	11.9	12.2	11.5	11.6	13.0
Lower Atlantic (PADD IC)	2.1	2.2	2.0	2.5	2.4	2.8	2.3	2.5	2.4	2.1	2.2	1.9
Midwest (PADD II)	2.6	2.5	2.5	2.5	2.6	2.6	2.7	2.6	2.8	2.8	2.8	2.4
Gulf Coast (PADD III)	13.2	13.7	14.0	14.8	15.9	16.3	17.0	16.6	16.5	15.8	16.3	15.0
Rocky Mountain (PADD IV)	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.3	0.3	0.4
West Coast (PADD V)	5.3	5.0	5.4	5.7	6.2	6.4	6.2	6.7	6.6	6.7	6.4	6.5

Note: PADD and sub-PADD data may not add to total due to independent rounding.

Source: See page 33.

Figure 6. Stocks of Residual Fuel Oil by PAD District, June 2003 to Present









Table 7. Stocks of Propane/Propylene by PAD Districts I, II, and III, and (IV & V), January 2003 to Present
(Million Barrels)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Total U.S.	33.8	22.1	21.9	24.4	34.6	46.0	55.5	60.4	62.5	64.6	61.9	49.5
East Coast (PADD I)	2.1	1.8	2.2	2.8	4.2	4.3	4.5	4.3	4.0	4.9	5.6	4.9
New England (PADD IA)	0.1	0.3	0.3	0.4	0.9	0.7	0.5	0.6	0.3	0.4	0.7	0.6
Central Atlantic (PADD IB)	0.8	0.6	0.8	1.1	1.3	1.4	1.7	2.0	1.9	1.8	1.9	1.6
Lower Atlantic (PADD IC)	1.2	0.9	1.2	1.2	2.0	2.2	2.3	1.8	1.7	2.6	3.0	2.7
Midwest (PADD II)	13.2	7.6	6.5	7.7	9.8	13.5	16.9	19.5	21.1	22.4	23.8	20.7
Gulf Coast (PADD III)	16.8	11.6	12.3	13.2	19.6	26.7	32.0	34.1	34.5	34.3	29.6	21.6
2004												
Total U.S.	33.6	25.8	27.9	29.7	34.3	43.7	50.6	57.6	67.2	68.4		
East Coast (PADD I)	3.2	2.8	3.3	2.5	3.3	4.2	5.0	5.4	5.5	5.9		
New England (PADD IA)	0.2	0.7	0.3	0.4	0.1	0.4	0.9	0.6	0.7	0.4		
Central Atlantic (PADD IB)	1.0	0.8	1.2	1.0	1.6	2.2	2.4	2.3	2.4	2.7		
Lower Atlantic (PADD IC)	2.0	1.3	1.9	1.1	1.5	1.6	1.8	2.5	2.4	2.8		
Midwest (PADD II)	14.8	10.2	9.7	11.1	11.8	18.0	19.4	21.8	23.6	23.2		
Gulf Coast (PADD III)	14.2	12.0	14.0	15.2	17.7	19.6	23.8	27.5	34.8	36.1		
PADD's IV & V	1.4	0.8	0.8	1.0	1.5	1.8	2.3	2.8	3.2	3.2		
Propylene (Total U.S. Nonfuel use) ¹	0.9	0.5	1.4	1.3	2.0	1.9	1.9	1.5	1.9	2.7		
2004 - 2005												
	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Total U.S.	68.2	67.5	67.1	64.8	63.7	62.7	63.7	61.5	58.8	56.7	55.4	52.4
East Coast (PADD I)	5.7	5.7	5.7	5.9	5.7	5.6	5.7	5.8	5.4	5.4	5.5	5.6
New England (PADD IA)	0.6	0.5	0.4	0.7	0.5	0.5	0.7	1.0	0.8	0.6	0.7	0.8
Central Atlantic (PADD IB)	2.5	2.5	2.6	2.6	2.6	2.6	2.6	2.5	2.6	2.5	2.3	2.2
Lower Atlantic (PADD IC)	2.6	2.7	2.7	2.7	2.5	2.5	2.4	2.3	2.1	2.3	2.5	2.5
Midwest (PADD II)	22.9	22.5	21.8	20.6	20.1	21.1	21.2	20.7	20.2	18.9	18.6	17.5
Gulf Coast (PADD III)	36.5	36.3	36.6	35.3	35.1	33.0	34.1	32.3	30.8	30.2	29.3	27.3
PADD's IV & V	3.1	3.1	3.0	3.0	2.9	2.9	2.7	2.7	2.3	2.2	2.0	2.0
Propylene (Total U.S. Nonfuel use) ¹	2.4	2.3	2.6	2.5	2.6	2.6	2.2	3.4	2.4	3.4	3.2	2.8

¹ Nonfuel use propylene data collected from bulk terminal facilities only.

Source: See page 33.

Figure 7. Stocks of Propane by PAD Districts I, II, and III, June 2003 to Present







Figure 8. U.S. Imports of Crude Oil and Petroleum Products, July 2003 to Present




Table 8. U.S. Imports of Crude Oil and Petroleum Products, January 2003 to Present
(Thousand Barrels per Day)

Year/Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Crude Oil (Excl. SPR)	8,633	8,474	9,226	9,928	10,153	10,038	10,034	10,023	10,287	10,063	9,351	9,684
SPR	0	0	0	0	0	0	0	0	0	0	0	0
Refined Products	2,471	2,447	2,819	2,671	2,765	2,962	2,702	2,746	2,581	2,310	2,361	2,349
Gross Imports (Incl. SPR)	11,104	10,921	12,044	12,599	12,918	13,001	12,736	12,769	12,868	12,373	11,712	12,033
Total Exports ¹	1,212	1,067	1,051	1,053	1,097	1,065	976	947	960	970	933	990
Net Imports (Incl. SPR)	9,892	9,854	10,993	11,546	11,822	11,936	11,760	11,822	11,908	11,402	10,780	11,043
2004												
Crude Oil (Excl. SPR)	9,322	9,258	10,073	10,062	10,324	10,505	10,302	10,447	9,669	10,328		
SPR	0	0	0	0	0	0	0	0	0	0		
Refined Products	2,405	3,071	3,000	2,389	2,665	2,796	3,087	3,042	2,863	2,995		
Gross Imports (Incl. SPR)	11,727	12,329	13,073	12,450	12,989	13,301	13,389	13,489	12,532	13,323		
Total Exports ¹	748	1,046	1,024	1,153	1,052	1,070	1,080	1,091	961	1,078		
Net Imports (Incl. SPR)	10,979	11,283	12,048	11,297	11,937	12,231	12,310	12,399	11,571	12,245		
Average for Four-Week Period Ending:												
2004 - 2005												
	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Crude Oil (Excl. SPR)	10,162	10,286	10,396	10,429	10,397	10,242	10,335	10,369	10,458	10,410	10,137	10,039
SPR	0	0	0	0	0	0	0	0	0	0	0	0
Refined Products	3,020	2,928	2,886	2,892	2,865	2,912	2,975	2,842	2,789	2,709	2,638	2,546
Gross Imports (Incl. SPR)	13,182	13,214	13,283	13,321	13,262	13,154	13,309	13,211	13,246	13,118	12,775	12,585
Total Exports ¹	1,024	1,042	1,031	1,021	1,003	985	965	958	962	967	982	983
Net Imports (Incl. SPR)	12,158	12,172	12,251	12,300	12,260	12,170	12,345	12,253	12,284	12,151	11,794	11,602

¹ Includes exports of crude oil and refined petroleum products. Crude oil exports are restricted to (1) crude oil derived from fields under the State waters of Alaska's Cook Inlet, (2) certain domestically produced crude oil destined for Canada, and (3) shipments to U.S. territories.

Notes: Some data are estimates. See Sources for clarification of estimated data. Data may not add to total due to independent rounding.

Source: See page 33.

Figure 9. U.S. Imports of Petroleum Products, July 2003 to Present




Table 9. U.S. Imports of Petroleum Products by Product, January 2003 to Present
(Thousand Barrels per Day)

Year/Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Total Motor Gasoline	761	684	966	1,148	1,022	1,001	926	930	860	779	821	713
Reformulated	209	169	238	244	248	253	255	282	306	272	262	245
Oxygenated	0	0	0	0	0	0	0	0	0	0	0	0
Conventional	237	257	317	460	327	228	269	283	222	198	226	202
Blending Components	315	257	411	443	447	519	402	365	331	310	332	267
Jet Fuel	94	109	117	106	122	119	126	129	136	103	46	101
Distillate Fuel Oil	325	503	460	246	287	337	299	375	352	281	241	305
0.05% Sulfur and Under	68	97	128	106	152	146	194	181	177	116	117	138
Greater than 0.05% Sulfur	257	406	332	140	135	191	105	194	175	165	124	167
Residual Fuel Oil	343	363	467	349	307	284	276	347	240	311	319	322
Other Petroleum Products ¹	948	788	808	822	1,029	1,221	1,075	964	993	835	936	908
2004												
Total Motor Gasoline	592	748	1,084	1,021	981	1,049	1,126	908	887	907		
Reformulated	146	195	194	181	243	237	249	223	219	213		
Conventional	163	215	317	230	242	278	335	252	278	302		
Blending Components	283	338	572	610	496	534	542	432	390	392		
Kerosene-Type Jet Fuel	77	93	70	77	158	165	96	142	84	151		
Distillate Fuel Oil	362	501	432	244	273	305	300	311	270	242		
15 ppm sulfur and Under	47	122	27	5	30	50	51	23	8	18		
> 15 ppm to 500 ppm sulfur	105	41	149	95	128	120	75	120	141	112		
> 500 ppm to 2000 ppm sulfur	120	256	204	84	54	73	124	104	71	72		
> 2000 ppm sulfur	90	81	53	60	61	61	50	63	50	41		
Residual Fuel Oil	335	433	291	277	346	310	352	351	303	546		
Propane/Propylene	227	309	221	95	128	152	214	215	303	196		
Other Petroleum Products ¹	812	987	902	674	778	816	999	1,114	1,016	953		

Average for Four-Week Period Ending:

2004 - 2005	10/22	10/29	11/5	11/12	11/19	11/26	12/3	12/10	12/17	12/24	12/31	1/7
Total Motor Gasoline	897	836	782	780	741	798	868	890	879	902	838	784
Reformulated	198	179	193	176	155	151	138	188	229	266	274	241
Conventional	338	321	291	288	340	388	414	396	285	246	238	209
Blending Components	362	337	298	317	246	259	316	307	365	390	326	334
Kerosene-Type Jet Fuel	115	142	116	136	153	139	153	125	114	109	131	108
Distillate Fuel Oil	321	326	302	271	274	275	283	298	308	276	280	276
15 ppm sulfur and Under	9	11	11	19	17	12	11	1	0	0	0	0
> 15 ppm sulfur to 500 ppm	195	199	178	137	122	117	123	144	151	124	111	109
> 500 ppm to 2000 ppm sulfur	74	74	68	69	75	86	89	110	114	94	126	112
> 2000 ppm sulfur	43	42	45	46	60	60	61	43	43	59	43	55
Residual Fuel Oil	397	434	430	430	445	439	448	391	327	235	217	228
Propane/Propylene	225	190	180	188	186	192	195	185	186	188	213	213
Other Petroleum Products ¹	1,066	1,001	1,078	1,086	1,067	1,070	1,029	953	976	999	960	937

¹ Includes imports of kerosene, unfinished oils, liquefied petroleum gases (except propane/propylene during 2004), and other oils. Propane/propylene were included during 2003.

Source: See page 33.

Figure 10. U.S. Petroleum Products Supplied, July 2003 to Present




Table 10. U.S. Petroleum Products Supplied, January 2003 to Present
(Thousand Barrels per Day)

Year/Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Finished Motor Gasoline	8,414	8,525	8,602	8,838	9,042	9,170	9,192	9,411	8,926	9,108	8,946	9,011
Jet Fuel	1,507	1,581	1,567	1,521	1,470	1,565	1,607	1,661	1,581	1,580	1,631	1,664
Distillate Fuel Oil	4,301	4,362	4,001	3,951	3,651	3,781	3,680	3,752	3,871	3,945	3,824	4,037
Residual Fuel Oil	770	888	923	778	673	693	777	897	660	716	703	792
Other Oils	5,025	5,019	4,614	4,743	4,508	4,584	4,839	4,863	4,895	4,834	4,769	5,175
Total	20,017	20,375	19,708	19,830	19,344	19,793	20,094	20,586	19,933	20,182	19,873	20,679
2004												
Finished Motor Gasoline	8,680	8,743	8,922	9,067	9,178	9,237	9,243	9,244	9,030	9,103		
Kerosene-Type Jet Fuel	1,506	1,651	1,560	1,574	1,574	1,647	1,651	1,704	1,577	1,630		
Distillate Fuel Oil	4,350	4,268	4,126	4,121	3,854	3,860	3,850	3,878	4,059	4,113		
Residual Fuel Oil	891	872	786	797	711	702	867	672	766	852		
Propane/Propylene	1,789	1,627	1,236	1,127	1,069	909	1,076	1,099	1,038	1,229		
Other Oils	3,177	3,388	3,531	3,522	3,823	3,978	3,914	4,136	3,941	3,816		
Total	20,393	20,549	20,161	20,207	20,209	20,333	20,601	20,732	20,411	20,743		
Average for Four-Week Period Ending:												
2004 - 2005												
Finished Motor Gasoline	8,973	8,989	9,064	9,079	9,105	9,162	9,134	9,142	9,162	9,193	9,238	9,099
Kerosene-Type Jet Fuel	1,572	1,619	1,625	1,625	1,667	1,633	1,645	1,648	1,649	1,654	1,688	1,661
Distillate Fuel Oil	4,222	4,264	4,215	4,214	4,174	4,137	4,147	4,155	4,199	4,283	4,307	4,290
Residual Fuel Oil	858	804	742	791	797	745	745	750	763	794	809	793
Propane/Propylene	1,280	1,314	1,313	1,383	1,419	1,455	1,433	1,426	1,485	1,509	1,605	1,634
Other Oils	3,507	3,401	3,443	3,510	3,463	3,469	3,508	3,373	3,332	3,488	3,354	3,410
Total	20,412	20,391	20,400	20,601	20,625	20,600	20,613	20,494	20,589	20,921	21,002	20,886

Note: Data may not add to total due to independent rounding.
Source: See page 33.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Crude Oil Production				
Domestic Production	5,461	5,421	5,430	5,430
Inputs and Utilization				
Crude Oil Inputs	15,568	15,715	15,796	15,610
East Coast (PADD I)	1,584	1,560	1,539	1,613
Midwest (PADD II)	3,292	3,364	3,409	3,336
Gulf Coast (PADD III)	7,531	7,637	7,603	7,376
Rocky Mountain (PADD IV)	561	577	540	552
West Coast (PADD V)	2,600	2,577	2,705	2,733
Gross Inputs	15,803	15,940	16,050	15,902
East Coast (PADD I)	1,571	1,577	1,558	1,616
Midwest (PADD II)	3,330	3,413	3,449	3,381
Gulf Coast (PADD III)	7,637	7,698	7,691	7,472
Rocky Mountain (PADD IV)	565	580	541	553
West Coast (PADD V)	2,700	2,672	2,811	2,880
Blending Components	206	154	-5	100
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
RBOB with Ether	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
RBOB with Alcohol	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
CBOB	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
GTAB Reformulated	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
GTAB Conventional	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
All Other Blending Components	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Operable Capacity	16,925	16,925	16,925	16,925
Percent Utilization	93.4	94.2	94.8	94.0
Production by Product				
Finished Motor Gasoline	8,958	9,165	9,013	8,543
East Coast (PADD I)	1,203	1,283	1,291	1,086
Midwest (PADD II)	2,094	2,185	2,103	2,000
Gulf Coast (PADD III)	3,871	3,792	3,854	3,703
Rocky Mountain (PADD IV)	316	333	311	293
West Coast (PADD V)	1,474	1,572	1,454	1,461
Reformulated	2,997	3,091	3,065	2,509
East Coast (PADD I)	773	800	890	533
Midwest (PADD II)	397	421	382	349
Gulf Coast (PADD III)	681	661	703	579
Rocky Mountain (PADD IV)	0	0	13	0
West Coast (PADD V)	1,146	1,209	1,077	1,048

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Production by Product				
Reformulated with Ether	1,114	1,121	1,240	1,095
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Reformulated with Alcohol	1,786	1,870	1,747	1,424
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Reformulated non Oxygenated	97	100	78	-10
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Conventional	5,961	6,074	5,948	6,034
East Coast (PADD I)	430	483	401	553
Midwest (PADD II)	1,697	1,764	1,721	1,651
Gulf Coast (PADD III)	3,190	3,131	3,151	3,124
Rocky Mountain (PADD IV)	316	333	298	293
West Coast (PADD V)	328	363	377	413
Conventional with Alcohol	1,174	1,237	1,173	875
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Conventional Other	4,787	4,837	4,775	5,159
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Kerosene-Type Jet Fuel	1,551	1,614	1,644	1,510
East Coast (PADD I)	100	89	65	92
Midwest (PADD II)	202	216	210	182
Gulf Coast (PADD III)	766	862	876	768
Rocky Mountain (PADD IV)	32	26	25	29
West Coast (PADD V)	451	421	468	439
Commercial	1,423	1,490	1,478	1,362
East Coast (PADD I)	100	89	65	92
Midwest (PADD II)	179	197	200	167
Gulf Coast (PADD III)	709	817	770	665
Rocky Mountain (PADD IV)	30	18	24	23
West Coast (PADD V)	405	369	419	415
Military	128	124	166	148
East Coast (PADD I)	0	0	0	0
Midwest (PADD II)	23	19	10	15
Gulf Coast (PADD III)	57	45	106	103
Rocky Mountain (PADD IV)	2	8	1	6
West Coast (PADD V)	46	52	49	24
Distillate Fuel Oil	4,216	4,186	4,271	4,271
East Coast (PADD I)	478	466	501	471
Midwest (PADD II)	930	934	990	1,017
Gulf Coast (PADD III)	2,119	2,037	2,096	2,079
Rocky Mountain (PADD IV)	155	207	167	162
West Coast (PADD V)	534	542	517	542
15 ppm sulfur and Under	1	27	20	63
East Coast (PADD I)	0	0	0	0
Midwest (PADD II)	0	3	7	12
Gulf Coast (PADD III)	1	2	1	33
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	22	12	18
> 15 ppm to 500 ppm sulfur	2,981	2,879	3,018	2,968
East Coast (PADD I)	226	237	202	204
Midwest (PADD II)	706	729	784	799
Gulf Coast (PADD III)	1,491	1,306	1,481	1,395
Rocky Mountain (PADD IV)	123	171	139	131
West Coast (PADD V)	435	436	412	439

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Production by Product				
> 500 ppm sulfur	1,234	1,280	1,233	1,240
East Coast (PADD I)	252	229	299	267
Midwest (PADD II)	224	202	199	206
Gulf Coast (PADD III)	627	729	614	651
Rocky Mountain (PADD IV)	32	36	28	31
West Coast (PADD V)	99	84	93	85
Residual Fuel Oil	758	775	694	708
East Coast (PADD I)	156	175	148	159
Midwest (PADD II)	64	49	65	73
Gulf Coast (PADD III)	327	309	286	317
Rocky Mountain (PADD IV)	15	15	14	13
West Coast (PADD V)	196	227	181	146
Propane/Propylene	1,145	1,125	1,123	1,153
East Coast (PADD I)	65	51	52	68
Midwest (PADD II)	235	228	211	232
Gulf Coast (PADD III)	705	700	687	695
Stocks (Million Barrels)				
Crude Oil	295.9	295.1	291.8	288.8
East Coast (PADD I)	14.0	14.2	14.6	15.0
Midwest (PADD II)	60.5	61.6	60.9	60.3
Cushing, Oklahoma	16.6	16.6	16.7	15.9
Gulf Coast (PADD III)	155.4	153.2	150.3	147.2
Rocky Mountain (PADD IV)	12.2	12.1	12.2	12.2
West Coast (PADD V)	53.8	53.9	53.9	54.2
SPR ¹	673.6	673.6	674.0	675.6
Total Motor Gasoline	211.4	212.3	214.3	215.3
East Coast (PADD I)	54.3	56.9	58.8	59.1
New England (PADD IA)	4.7	5.7	5.3	5.1
Central Atlantic (PADD IB)	30.1	30.4	31.3	30.9
Lower Atlantic (PADD IC)	19.5	20.8	22.3	23.2
Midwest (PADD II)	51.4	50.9	52.4	52.8
Gulf Coast (PADD III)	68.7	67.7	66.0	65.6
Rocky Mountain (PADD IV)	6.3	6.4	6.6	6.6
West Coast (PADD V)	30.7	30.4	30.5	31.2
Finished Motor Gasoline	140.9	142.9	143.8	144.0
Reformulated	24.4	26.0	24.8	25.2
East Coast (PADD I)	12.2	14.1	13.7	14.5
Midwest (PADD II)	0.3	0.4	0.4	0.3
Gulf Coast (PADD III)	10.4	10.0	9.1	8.9
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	1.6	1.4	1.6	1.5
Reformulated with Ether	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Reformulated with Alcohol	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Reformulated non Oxygenated	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Conventional	116.5	116.9	118.9	118.7
East Coast (PADD I)	29.5	29.2	30.9	30.8
Midwest (PADD II)	36.4	36.8	38.6	38.8
Gulf Coast (PADD III)	37.6	38.0	36.8	36.4
Rocky Mountain (PADD IV)	4.8	4.8	4.9	4.9
West Coast (PADD V)	8.1	8.2	7.7	8.0
Conventional with Alcohol	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Stocks (Million Barrels)				
Conventional Other	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Blending Components	70.5	69.4	70.5	71.4
East Coast (PADD I)	12.6	13.6	14.2	13.8
Midwest (PADD II)	14.7	13.7	13.4	13.8
Gulf Coast (PADD III)	20.7	19.7	20.1	20.2
Rocky Mountain (PADD IV)	1.5	1.6	1.7	1.7
West Coast (PADD V)	21.0	20.7	21.2	21.8
RBOB with Ether	0.8	0.6	0.5	0.4
East Coast (PADD I)	0.3	0.3	0.3	0.2
Midwest (PADD II)	0.0	0.0	0.0	0.0
Gulf Coast (PADD III)	0.3	0.1	0.0	0.0
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	0.2	0.1	0.1	0.2
RBOB with Alcohol	20.5	20.2	20.7	21.4
East Coast (PADD I)	3.3	3.5	3.9	3.7
Midwest (PADD II)	4.8	4.8	4.3	4.7
Gulf Coast (PADD III)	1.3	0.9	1.2	1.5
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	11.0	11.0	11.3	11.4
CBOB	3.5	3.3	3.7	3.2
East Coast (PADD I)	0.0	0.0	0.0	0.0
Midwest (PADD II)	2.1	1.9	2.2	2.1
Gulf Coast (PADD III)	0.5	0.5	0.5	0.4
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	0.8	0.8	0.9	0.7
GTAB Reformulated	1.5	1.9	2.1	1.9
East Coast (PADD I)	1.4	1.8	2.1	1.9
Midwest (PADD II)	0.0	0.0	0.0	0.0
Gulf Coast (PADD III)	0.0	0.0	0.0	0.0
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	0.0	0.0	0.0	0.0
GTAB Conventional	1.7	2.5	2.3	2.1
East Coast (PADD I)	1.2	2.0	1.7	1.9
Midwest (PADD II)	0.5	0.5	0.5	0.2
Gulf Coast (PADD III)	0.0	0.0	0.0	0.0
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	0.0	0.0	0.1	0.0
All Other Blending Components	42.6	40.9	41.4	42.3
East Coast (PADD I)	6.4	6.0	6.2	6.2
Midwest (PADD II)	7.2	6.4	6.3	6.7
Gulf Coast (PADD III)	18.6	18.1	18.4	18.3
Rocky Mountain (PADD IV)	1.5	1.6	1.7	1.7
West Coast (PADD V)	8.9	8.7	8.8	9.5
Kerosene - Type Jet Fuel	40.9	41.3	41.4	41.0
East Coast (PADD I)	9.8	9.3	9.1	8.8
Midwest (PADD II)	7.0	7.3	7.3	7.3
Gulf Coast (PADD III)	13.3	13.1	13.4	13.3
Rocky Mountain (PADD IV)	0.8	0.8	0.7	0.6
West Coast (PADD V)	10.0	10.8	10.8	10.9
Distillate Fuel Oil	119.9	119.1	121.1	123.0
East Coast (PADD I)	49.6	46.2	47.7	47.7
New England (PADD IA)	11.5	10.8	10.9	9.7
Central Atlantic (PADD IB)	26.6	25.1	25.8	26.1
Lower Atlantic (PADD IC)	11.5	10.4	10.9	11.9
Midwest (PADD II)	26.9	27.6	28.7	29.6
Gulf Coast (PADD III)	28.2	29.2	28.9	29.0
Rocky Mountain (PADD IV)	3.4	3.2	3.3	3.3
West Coast (PADD V)	11.8	12.8	12.6	13.4
15 ppm sulfur and Under	1.0	1.1	1.2	1.3
East Coast (PADD I)	0.4	0.4	0.5	0.5
New England (PADD IA)	0.2	0.2	0.1	0.1
Central Atlantic (PADD IB)	0.2	0.2	0.3	0.3
Lower Atlantic (PADD IC)	0.1	0.1	0.1	0.1
Midwest (PADD II)	0.3	0.3	0.2	0.2
Gulf Coast (PADD III)	0.0	0.1	0.1	0.1
Rocky Mountain (PADD IV)	0.0	0.0	0.0	0.0
West Coast (PADD V)	0.3	0.3	0.3	0.4

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Stocks (Million Barrels)				
> 15 ppm to 500 ppm sulfur	69.0	69.1	69.8	72.2
East Coast (PADD I)	17.5	15.9	16.5	17.6
New England (PADD IA)	2.7	2.7	2.8	2.7
Central Atlantic (PADD IB)	7.8	7.6	7.5	8.1
Lower Atlantic (PADD IC)	7.0	5.6	6.2	6.8
Midwest (PADD II)	20.0	20.7	21.4	22.4
Gulf Coast (PADD III)	19.3	19.8	19.1	18.9
Rocky Mountain (PADD IV)	2.8	2.7	2.7	2.7
West Coast (PADD V)	9.4	10.0	10.1	10.6
> 500 ppm sulfur	49.9	48.9	50.1	49.6
East Coast (PADD I)	31.7	29.9	30.7	29.7
New England (PADD IA)	8.6	7.9	8.0	6.9
Central Atlantic (PADD IB)	18.6	17.3	18.1	17.8
Lower Atlantic (PADD IC)	4.5	4.7	4.6	5.0
Midwest (PADD II)	6.6	6.7	7.1	7.0
Gulf Coast (PADD III)	8.9	9.4	9.7	10.0
Rocky Mountain (PADD IV)	0.5	0.5	0.5	0.5
West Coast (PADD V)	2.2	2.5	2.1	2.4
Residual Fuel Oil	41.6	40.4	40.7	40.6
East Coast (PADD I)	15.4	14.7	15.0	16.4
New England (PADD IA)	0.9	1.1	1.1	1.5
Central Atlantic (PADD IB)	12.2	11.5	11.6	13.0
Lower Atlantic (PADD IC)	2.4	2.1	2.2	1.9
Midwest (PADD II)	2.8	2.8	2.8	2.4
Gulf Coast (PADD III)	16.5	15.8	16.3	15.0
Rocky Mountain (PADD IV)	0.4	0.3	0.3	0.4
West Coast (PADD V)	6.6	6.7	6.4	6.5
Propane/Propylene	58.8	56.7	55.4	52.4
East Coast (PADD I)	5.4	5.4	5.5	5.6
New England (PADD IA)	0.8	0.6	0.7	0.8
Central Atlantic (PADD IB)	2.6	2.5	2.3	2.2
Lower Atlantic (PADD IC)	2.1	2.3	2.5	2.5
Midwest (PADD II)	20.2	18.9	18.6	17.5
Gulf Coast (PADD III)	30.8	30.2	29.3	27.3
PADD's IV & V	2.3	2.2	2.0	2.0
Propylene (Total U.S. Nonfuel use)	2.4	3.4	3.2	2.8
Unfinished Oils	83.6	82.3	81.5	80.1
Other Oils	123.0	121.0	119.5	119.0
Total Stocks Excl SPR ²	975.1	968.3	965.8	960.2
Total Stocks Incl SPR ²	1648.7	1641.9	1639.8	1635.8
Imports				
Total Crude Oil Incl SPR	10,545	9,863	9,775	9,973
Crude Oil Excl SPR	10,545	9,863	9,775	9,973
East Coast (PADD I)	1,871	1,521	1,455	1,618
Midwest (PADD II)	1,072	1,018	1,033	1,000
Gulf Coast (PADD III)	6,389	6,407	6,055	5,827
Rocky Mountain (PADD IV)	274	202	298	312
West Coast (PADD V)	939	715	934	1,216
SPR	0	0	0	0
Total Motor Gasoline	719	989	837	589
East Coast (PADD I)	718	913	830	586
Midwest (PADD II)	1	2	2	2
Gulf Coast (PADD III)	0	70	0	0
Rocky Mountain (PADD IV)	0	0	1	1
West Coast (PADD V)	0	4	4	0
Reformulated	252	299	243	169
East Coast (PADD I)	252	299	243	169
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
Reformulated with Ether	252	299	243	169
East Coast (PADD I)	252	299	243	169
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
Reformulated with Alcohol	0	0	0	0
East Coast (PADD I)	0	0	0	0
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Imports				
Reformulated non Oxygenated	0	0	0	0
East Coast (PADD I)	0	0	0	0
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
Conventional	121	279	288	148
East Coast (PADD I)	120	277	285	145
Midwest (PADD II)	1	2	2	2
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	1	1
West Coast (PADD V)	0	0	0	0
Conventional with Alcohol	0	1	1	1
East Coast (PADD I)	0	0	0	0
Midwest (PADD II)	0	1	1	1
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
Conventional Other	121	278	287	147
East Coast (PADD I)	120	277	285	145
Midwest (PADD II)	1	1	1	1
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	1	1
West Coast (PADD V)	0	0	0	0
Blending Components	346	411	306	272
East Coast (PADD I)	346	337	302	272
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	70	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	4	4	0
RBOB with Ether	23	0	0	20
East Coast (PADD I)	23	0	0	20
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
RBOB with Alcohol	0	61	38	57
East Coast (PADD I)	0	61	38	57
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
CBOB	0	0	0	0
East Coast (PADD I)	0	0	0	0
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	0	0	0
GTAB Reformulated	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
GTAB Conventional	NA	NA	NA	NA
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
All Other Blending Components	159	248	135	0
East Coast (PADD I)	159	206	131	0
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	0	38	0	0
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	0	4	4	0
Kerosene - Type Jet Fuel	119	85	198	30
East Coast (PADD I)	53	55	124	16
Midwest (PADD II)	1	1	1	1
Gulf Coast (PADD III)	1	1	0	1
Rocky Mountain (PADD IV)	0	0	1	1
West Coast (PADD V)	64	28	72	11

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Imports				
Distillate Fuel Oil	338	221	276	270
East Coast (PADD I)	327	204	257	257
Midwest (PADD II)	0	8	7	4
Gulf Coast (PADD III)	0	0	0	0
Rocky Mountain (PADD IV)	10	9	10	9
West Coast (PADD V)	1	0	2	0
15 ppm sulfur and Under	0	0	0	0
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
> 15 ppm to 500 ppm sulfur	136	70	84	147
East Coast (PADD I)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
> 500 ppm to 2000 ppm sulfur	126	74	182	67
East Coast (PADD I)	NA	NA	NA	NA
New England (PADD IA)	NA	NA	NA	NA
Central Atlantic (PADD IB)	NA	NA	NA	NA
Lower Atlantic (PADD IC)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
> 2000 ppm sulfur	76	77	10	56
East Coast (PADD I)	NA	NA	NA	NA
New England (PADD IA)	NA	NA	NA	NA
Central Atlantic (PADD IB)	NA	NA	NA	NA
Lower Atlantic (PADD IC)	NA	NA	NA	NA
Midwest (PADD II)	NA	NA	NA	NA
Gulf Coast (PADD III)	NA	NA	NA	NA
Rocky Mountain (PADD IV)	NA	NA	NA	NA
West Coast (PADD V)	NA	NA	NA	NA
Residual Fuel Oil	230	76	378	228
East Coast (PADD I)	184	76	328	190
Midwest (PADD II)	0	0	0	0
Gulf Coast (PADD III)	35	0	39	38
Rocky Mountain (PADD IV)	0	0	0	0
West Coast (PADD V)	11	0	11	0
Propane/Propylene	149	185	297	219
East Coast (PADD I)	26	26	156	40
Midwest (PADD II)	110	144	127	114
Gulf Coast (PADD III)	0	0	0	40
Other	986	1,042	886	835
East Coast (PADD I)	137	261	292	208
Midwest (PADD II)	19	18	15	33
Gulf Coast (PADD III)	784	762	492	589
Rocky Mountain (PADD IV)	2	1	2	5
West Coast (PADD V)	44	0	85	0
Total Product Imports	2,541	2,598	2,872	2,171
East Coast (PADD I)	1,445	1,535	1,987	1,297
Midwest (PADD II)	131	173	152	154
Gulf Coast (PADD III)	820	833	531	668
Rocky Mountain (PADD IV)	22	24	25	36
West Coast (PADD V)	123	33	177	16
Gross Imports (Incl SPR)	13,086	12,461	12,647	12,144
East Coast (PADD I)	3,316	3,056	3,442	2,915
Midwest (PADD II)	1,203	1,191	1,185	1,154
Gulf Coast (PADD III)	7,209	7,240	6,586	6,495
Rocky Mountain (PADD IV)	296	226	323	348
West Coast (PADD V)	1,062	748	1,111	1,232
Net Imports (Incl SPR)	12,103	11,478	11,664	11,161
Exports				
Total	983	983	983	983
Crude Oil	10	10	10	10
Products	973	973	973	973

See footnotes at end of table.

Table 11. U.S. and PAD District Weekly Estimates, Most Recent 4 Weeks (continued)

(Thousand Barrels per Day Except Where Noted)

	12/17/04	12/24/04	12/31/04	01/07/05
Product Supplied				
Finished Motor Gasoline	9,068	9,329	9,287	8,710
Kerosene-Type Jet Fuel	1,677	1,598	1,794	1,575
Distillate Fuel Oil	4,381	4,430	4,176	4,172
Residual Fuel Oil	766	815	832	757
Propane/Propylene	1,642	1,563	1,570	1,762
Other Oils	3,248	3,714	3,187	3,489
Total Product Supplied	20,782	21,449	20,847	20,466

¹ Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.² Distillate fuel oil stocks located in the "Northeast Heating Oil Reserve" are not included.

Notes: Some data are estimated. See Sources for clarification of estimated data. Due to independent rounding, individual product detail may not add to total.

Source: See page 33.

Table 12. U.S. Petroleum Balance Sheet, Week Ending 01/07/2005

Petroleum Supply (Thousand Barrels per Day)	Week Ending			Cumulative Daily Averages		
	01/07/05	12/31/04	Difference	2005	2004	Difference
Crude Oil Production						
(1) Domestic Production ¹	5,430	5,430	0			
(2) Net Imports (Including SPR) ²	9,963	9,765	198			
(3) Gross Imports (Excluding SPR)	9,973	9,775	198			
(4) SPR Imports	0	0	0			
(5) Exports	10	10	0			
(6) SPR Stocks Withdrawn (+) or Added (-)	-229	-56	-173			
(7) Other Stocks Withdrawn (+) or Added (-)	433	460	-27			
(8) Product Supplied and Losses	0	0	0			
(9) Unaccounted-for Crude Oil ³	14	197	-183			
(10) Crude Oil Input to Refineries	15,610	15,796	-186			
Other Supply						
(11) Natural Gas Liquids Production ⁴	2,256	2,314	-58			
(12) Other Liquids New Supply	5	-81	86			
(13) Crude Oil Product Supplied	0	0	0			
(14) Processing Gain	1,030	1,031	-1			
(15) Net Product Imports ⁵	1,198	1,899	-701			
(16) Gross Product Imports ⁵	2,171	2,872	-701			
(17) Product Exports ⁵	973	973	0			
(18) Product Stocks Withdrawn (+) or Added (-) ^{6,7}	366	-113	479			
(19) Total Product Supplied for Domestic Use	20,466	20,847	-381			
Products Supplied						
(20) Finished Motor Gasoline ⁴	8,710	9,287	-577			
(21) Kerosene-Type Jet Fuel	1,575	1,794	-219			
(22) Distillate Fuel Oil	4,172	4,176	-4			
(23) Residual Fuel Oil	757	832	-75			
(24) Propane/Propylene	1,762	1,570	192			
(25) Other Oils ⁸	3,489	3,187	302			
(26) Total Products Supplied	20,466	20,847	-381			
Total Net Imports	11,161	11,664	-503			
Petroleum Stocks						
(Million Barrels)	01/07/05	12/31/04	01/07/04	Difference From		
				Previous Week	Year Ago	
Crude Oil (Excluding SPR) ⁹	288.8	291.8	269.4	-3.0	19.4	
Total Motor Gasoline	215.3	214.3	207.1	1.0	8.2	
Reformulated	25.2	24.8	28.9	0.4	-3.7	
Conventional	118.7	118.9	117.2	-0.2	1.5	
Blending Components	71.4	70.5	61.0	0.9	10.4	
Kerosene-Type Jet Fuel	41.0	41.4	39.0	-0.4	2.0	
Distillate Fuel Oil ⁷	123.0	121.1	133.8	1.9	-10.8	
15 ppm sulfur and Under	1.3	1.2	NA	0.1	NA	
> 15 ppm sulfur to 500 ppm	72.2	69.8	NA	2.4	NA	
> 500 ppm sulfur	49.6	50.1	53.2	-0.5	-3.6	
Residual Fuel Oil	40.6	40.7	37.8	-0.1	2.8	
Propane/Propylene	52.4	55.4	46.4	-3.0	6.0	
Unfinished Oils	80.1	81.5	77.3	-1.4	2.8	
Other Oils ¹⁰	119.0	119.5	NA	-0.5	NA	
Total Stocks (Excluding SPR) ⁷	960.2	965.8	926.2	-5.6	34.0	
Crude Oil in SPR ¹¹	675.6	674.0	638.9	1.6	36.7	
Total Stocks (Including SPR) ⁷	1,635.8	1,639.8	1,565.1	-4.0	70.7	

Cumulative daily averages will be shown beginning with the week ending April 8, 2005, issue when Petroleum Supply Monthly data for January 2005 become available.

¹ Includes lease condensate.

² Net Imports = Gross Imports (line 3) + Strategic Petroleum Reserve (SPR) Imports (line 4) - Exports (line 5).

³ Unaccounted-for Crude Oil is a balancing item. See Glossary for further explanation.

⁴ Includes field production of fuel ethanol and an adjustment for motor gasoline blending components.

⁵ Includes finished petroleum products, unfinished oils, gasoline blending components, and natural gas plant liquids.

⁶ Includes an estimate of minor product stock change based on monthly data.

⁷ Distillate fuel oil stocks located in the "Northeast Heating Oil Reserve" are not included. For details see Appendix B.

⁸ Includes crude oil product supplied, natural gas liquids, liquefied refinery gases (LRGs), other liquids, and all finished petroleum products except motor gasoline, kerosene-type jet fuel, distillate, residual fuel oils, and propane/propylene during 2004. Propane/propylene were included during 2003.

⁹ Includes domestic and Customs-cleared foreign crude oil in transit to refineries.

¹⁰ Included are stocks of all other oils such as aviation gasoline, kerosene, natural gas liquids and LRGs (except propane/propylene during 2004), other hydrocarbons and oxygenates, aviation gasoline blending components, naphtha and other oils for petrochemical feedstock use, special naphthas, lube oils, waxes, coke, asphalt, naphtha-type jet fuel, road oil, and miscellaneous oils. Propane/propylene were included with other oils in 2003.

¹¹ Crude oil stocks in the SPR include non-U.S. stocks held under foreign or commercial storage agreements.

Notes: Some data are estimated. See Sources for clarification of estimated data. Due to independent rounding, individual product detail may not add to total.

Sources: See page 33.

Table 13. World Crude Oil Prices¹ 01/07/2005
(Dollars per Barrel)

Country	Type of Crude/API Gravity ²	In Effect							
		1/7/2005	12/31/2004	1/2/2004	1/3/2003	1/4/2002	1/5/2001	1/7/2000	1/6/1978
OPEC									
Saudi Arabia	Arabian Light 34°	34.05	31.86	27.08	27.39	18.90	20.90	23.45	12.70
Saudi Arabia	Arabian Medium 31°	30.60	27.96	26.13	26.44	18.55	20.30	22.85	12.32
Saudi Arabia	Arabian Heavy 27°	27.95	25.11	25.38	25.69	18.15	19.40	22.10	12.02
Abu Dhabi	Murban 39°	38.74	38.16	29.87	28.37	19.87	22.60	23.94	13.26
Dubai	Fateh 32°	34.44	33.38	27.93	27.28	18.63	21.25	22.20	12.64
Qatar	Dukhan 40°	38.14	37.61	28.59	28.03	19.40	22.05	23.61	13.19
Iran	Iranian Light 34°	35.73	33.84	28.67	27.85	18.90	21.15	23.55	13.45
Iran	Iranian Heavy 30°	32.98	30.79	27.52	27.08	18.56	20.40	23.05	12.49
Iraq ³	Kirkuk 36°	34.62	32.84	26.67	27.93	19.08	23.67	21.75	13.17
Kuwait	Kuwait 31°	31.86	30.92	27.89	27.30	18.25	20.20	22.90	12.22
Neutral Zone	Khafji 28°	34.05	31.86	27.08	27.39	18.90	20.90	23.45	12.03
Algeria	Saharan Blend 44°	40.89	38.85	29.92	31.69	19.67	24.05	24.28	14.10
Nigeria	Bonny Light 37°	40.22	38.21	29.97	31.16	19.88	23.35	23.85	15.12
Nigeria	Forcados 31°	40.12	38.21	29.70	31.13	19.81	23.35	23.85	13.70
Libya	Es Sider 37°	39.21	38.00	29.47	30.40	19.63	23.75	23.25	13.68
Indonesia	Minas 34°	38.25	35.86	32.10	35.03	18.89	23.05	23.25	13.55
Venezuela	Tia Juana Light 31°	36.49	33.98	30.10	30.25	17.78	23.57	23.42	13.54
Venezuela	Bachaquero 24°	NA	NA	NA	NA	NA	NA	NA	12.39
Venezuela	Bachaquero 17°	NA	NA	NA	NA	NA	NA	NA	11.38
Gabon ⁶	Mandji 30°	NA	NA	NA	NA	NA	NA	NA	12.59
Total OPEC ⁴	NA	35.21	33.29	28.22	28.47	18.94	21.87	23.19	13.03
Non-OPEC									
United Kingdom	Brent Blend 38°	41.39	39.43	29.73	31.36	21.20	24.52	23.26	NA
Norway	Ekofisk Blend 42°	40.48	38.15	29.61	31.06	19.62	23.35	23.95	14.20
Canada	Canadian Par 40°	41.32	41.49	30.49	31.78	19.80	26.98	23.89	NA
Canada	Lloyd Blend 22°	23.12	23.26	22.87	24.51	11.55	18.22	19.71	NA
Mexico	Isthmus 33°	36.37	33.87	29.99	30.14	17.72	23.46	23.32	13.10
Mexico	Maya 22°	28.31	26.16	24.37	26.29	14.30	17.21	19.84	NA
Colombia	Cano Limon 30°	37.39	35.90	29.49	29.07	17.71	24.11	23.98	NA
Ecuador	Oriente 30°	26.59	24.95	26.49	27.32	15.15	20.78	28.20	12.35
Angola	Cabinda 32°	35.32	32.47	29.31	30.60	18.43	23.20	23.15	NA
Cameroon	Kole 34°	34.72	32.52	29.12	30.92	18.05	23.20	23.15	NA
Egypt ⁵	Suez Blend 33°	33.94	31.96	25.67	28.63	17.78	20.15	21.80	12.81
Gabon ⁶	Mandji 30°	NA	NA	NA	NA	NA	NA	22.55	NA
Oman	Oman Blend 34°	35.48	35.05	28.45	27.71	18.76	21.05	23.20	13.06
Australia	Gippsland 42°	40.92	38.31	31.64	32.22	20.14	25.25	23.85	NA
Malaysia	Tapis Blend 44°	41.53	38.41	31.90	32.54	20.31	28.15	25.43	14.30
Brunei ⁷	Seria Light 37°	NA	NA	NA	NA	NA	NA	NA	14.15
Russia ⁸	Urals 32°	36.14	33.06	27.42	30.31	20.85	23.52	23.36	13.20
China	Daqing 33°	37.69	36.01	31.85	34.38	18.81	22.85	23.20	13.73
Total Non-OPEC ⁴	NA	35.12	32.88	27.84	29.55	18.45	22.54	23.13	13.44
Total World ⁴	NA	35.16	33.05	28.00	29.03	18.68	22.10	23.17	13.08
United States ⁹	NA	33.79	32.07	27.63	28.52	17.06	21.77	22.68	13.38

¹ Estimated contract prices based on government-selling prices, netback values, or spot market quotations. All prices are f.o.b. at the foreign port of lading except where noted; 30 day payment plan except where noted. See Appendix A for procedure used for calculation of world oil prices.

² An arbitrary scale expressing the gravity or density of liquid petroleum products.

³ Netback price at U.S. Gulf.

⁴ Average prices (f.o.b.) weighted by estimated export volume.

⁵ On 60 days credit.

⁶ Effective July 19, 1996, the Total Non-OPEC price reflects the decision by Gabon to leave the organization. Total OPEC prices from that date forward have been adjusted accordingly.

⁷ Brunei contract prices no longer available for use in weekly calculations.

⁸ Price (f.o.b.) to Mediterranean destinations; also called Urals.

⁹ Average prices (f.o.b.) weighted by estimated import volume.

Note: The Canadian crude prices have been changed to U.S. dollars.

NA=Not Applicable.

R=Revised data.

Source: See page 33.

Table 14. Spot Prices of Crude Oil, Motor Gasoline, and Heating Oils, January 2003 to Present
(Crude Oil in Dollars per Barrel, Products in Cents per Gallon)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Crude Oil												
WTI - Cushing	32.95	35.83	33.51	28.17	28.11	30.66	30.75	31.57	28.31	30.34	31.11	32.13
Brent	31.18	32.77	30.61	25.00	25.86	27.65	28.35	29.89	27.11	29.61	28.75	29.81
Motor Gasoline												
Conventional Regular												
New York Harbor	87.95	99.59	95.50	79.94	75.96	80.85	87.30	100.73	90.34	87.47	88.16	88.49
U.S. Gulf Coast	87.88	100.61	96.33	81.01	78.34	82.57	88.52	98.24	81.23	84.40	81.99	85.31
Los Angeles	88.12	111.26	125.07	90.48	82.61	101.10	90.67	125.48	88.57	93.85	95.60	89.92
Rotterdam (ARA)	80.22	90.00	85.31	77.77	73.68	77.33	83.37	90.27	81.12	80.30	79.65	80.43
Singapore	81.80	95.58	90.13	68.84	67.67	74.88	80.88	88.97	78.60	84.49	85.57	93.60
Reformulated Regular												
New York Harbor	89.86	101.67	97.99	85.98	85.85	86.34	90.45	103.21	92.79	88.90	87.71	88.38
U.S. Gulf Coast	90.05	102.52	100.65	84.49	81.60	84.65	89.74	101.05	85.22	86.58	83.82	86.31
Los Angeles	94.12	117.53	131.07	96.48	88.64	107.10	96.67	131.48	94.57	99.62	101.99	95.94
Heating Oils												
No. 2 Heating Oil												
New York Harbor	90.51	112.85	98.83	79.61	74.13	75.94	78.61	81.61	73.64	82.03	83.45	89.07
U.S. Gulf Coast	87.46	104.63	88.10	71.73	70.12	73.52	76.26	79.32	71.49	79.63	80.56	84.74
Gasoil												
Rotterdam (ARA)	85.49	100.01	95.13	72.02	70.30	74.00	75.49	78.87	72.49	82.30	83.31	85.14
Singapore	79.30	91.38	88.23	70.17	67.73	68.50	68.83	76.86	74.32	77.32	79.98	83.50
2004												
Crude Oil												
WTI - Cushing	34.31	34.68	36.74	36.75	40.28	38.03	40.78	44.90	45.94	53.28	48.47	43.15
Brent	31.28	30.86	33.63	33.59	37.57	35.18	38.22	42.74	43.20	49.78	43.11	39.60
Motor Gasoline												
Conventional Regular												
New York Harbor	99.84	104.73	109.13	111.95	134.38	115.29	122.49	120.57	126.10	137.74	126.74	106.83
U.S. Gulf Coast	98.39	102.70	108.98	114.89	133.48	117.12	123.34	117.66	123.77	134.77	123.72	103.36
Los Angeles	101.92	128.39	126.33	136.46	159.40	139.74	140.70	132.76	142.17	158.23	134.33	112.46
Rotterdam (ARA)	89.83	91.78	99.57	108.93	126.44	109.35	123.69	119.49	120.03	133.03	121.17	99.68
Singapore	105.55	94.95	105.11	104.89	118.11	108.17	110.94	123.32	118.39	130.66	125.29	107.52
Reformulated Regular												
New York Harbor	100.02	104.31	108.37	114.80	140.88	121.70	127.45	124.49	125.87	137.46	126.42	106.96
U.S. Gulf Coast	100.06	103.59	110.61	114.73	135.80	118.27	125.09	120.95	124.80	135.24	124.40	103.72
Los Angeles	107.92	134.39	132.33	142.58	164.90	145.70	146.68	138.76	148.08	164.18	140.35	118.46
Heating Oils												
No. 2 Heating Oil												
New York Harbor	98.40	91.27	90.93	92.20	101.84	99.37	109.02	116.70	125.72	148.46	138.40	127.51
U.S. Gulf Coast	94.76	87.23	88.74	89.57	98.92	96.92	106.42	114.48	124.28	145.81	132.00	118.65
Gasoil												
Rotterdam (ARA)	88.65	83.06	92.17	94.18	103.91	101.18	112.01	120.91	128.96	153.44	138.87	124.88
Singapore	94.48	89.92	89.85	92.83	101.79	97.99	107.75	119.76	125.68	135.77	131.05	116.98
2004 - 2005												
Average for Week Ending:		Daily:										
	12/17	12/24	Mon 12/27	Tue 12/28	Wed 12/29	Thu 12/30	Fri 12/31	Mon 1/3	Tue 1/4	Wed 1/5	Thu 1/6	Fri 1/7
Crude Oil												
WTI - Cushing	43.50	44.39	41.26	41.78	43.69	43.36	NA	42.16	43.96	43.41	45.51	45.32
Brent	39.98	41.15	39.60	40.24	38.93	39.80	40.38	NA	40.75	41.00	43.25	43.28
Motor Gasoline												
Conventional Regular												
New York Harbor	107.89	109.50	98.78	99.60	105.40	109.75	NA	111.69	114.81	114.90	120.46	120.38
U.S. Gulf Coast	103.19	107.43	98.96	97.48	104.28	106.25	NA	110.30	114.23	117.35	121.10	121.05
Los Angeles	113.70	117.63	109.50	109.00	116.00	117.75	NA	116.75	121.50	120.50	122.50	122.00
Rotterdam (ARA)	102.21	97.33	94.33	94.33	91.50	95.75	96.88	NA	100.28	103.96	108.50	107.08
Singapore	106.29	107.50	104.76	100.00	101.79	106.19	106.19	102.38	101.55	103.10	101.19	106.55
Reformulated Regular												
New York Harbor	107.79	109.65	99.28	100.10	105.65	108.25	NA	112.07	115.31	115.43	120.71	120.75
U.S. Gulf Coast	101.89	107.93	99.64	98.85	104.65	107.63	NA	111.08	114.88	118.10	122.60	122.05
Los Angeles	119.70	123.63	115.50	115.00	122.00	123.75	NA	122.75	127.50	126.50	128.50	128.00
Heating Oils												
No. 2 Heating Oil												
New York Harbor	132.84	134.67	119.37	121.20	125.03	122.90	NA	116.65	121.58	119.63	125.18	125.58
U.S. Gulf Coast	125.27	125.89	108.75	110.38	118.38	116.08	NA	110.37	117.00	115.35	122.25	121.80
Gasoil												
Rotterdam (ARA)	128.95	128.81	123.53	123.53	116.17	118.49	118.25	NA	120.33	116.01	122.33	121.53
Singapore	119.21	121.14	112.50	108.57	108.57	112.50	112.50	112.26	111.07	112.50	109.05	115.24


NA=Not Available.

Notes: Monthly and weekly prices are calculated by EIA from daily data. See Glossary for definitions of abbreviations.

See Appendix A, Technical Note 1, page 40, for more information about the data in this table.

Source: See page 33.


Figure 11. Daily Crude Oil and Petroleum Product Spot Prices, July 2003 to Present



Note: See Glossary for definitions of abbreviations.

Source: See page 33.

Figure 12. Daily Trans-Atlantic Spot Product Price Differentials: New York Harbor less Rotterdam (ARA), July 2003 to Present



Notes: See Glossary for definitions of abbreviations. See Appendix A, Technical Note 1, page 40, for more information about the data in this graph.

Source: See page 33.

**Table 15. Spot Prices of Low-Sulfur Diesel, Kerosene-Type Jet, Residual Fuels, and Propane,
January 2003 to Present
(Cents per Gallon)**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
No. 2 Distillate												
Low-Sulfur No. 2 Diesel Fuel												
New York Harbor	90.83	114.01	101.89	80.79	75.59	77.09	80.08	82.86	75.31	83.93	84.56	89.29
U.S. Gulf Coast	88.25	106.21	89.81	74.15	71.52	74.99	77.95	82.01	73.64	81.04	81.49	85.17
Los Angeles	87.08	104.26	101.88	78.81	73.81	78.81	84.73	94.19	78.38	83.77	88.36	94.00
Kerosene-Type Jet Fuel												
New York Harbor	91.42	115.05	98.18	79.13	76.13	77.17	80.85	84.70	76.17	84.52	86.08	91.74
U.S. Gulf Coast	88.67	105.54	89.32	74.32	71.36	74.76	77.99	82.27	73.84	81.98	83.06	87.65
Los Angeles	93.07	105.17	97.93	82.08	72.57	75.14	83.64	93.56	78.89	87.39	93.47	99.96
Rotterdam (ARA)	87.34	103.17	101.00	75.56	72.76	75.76	79.00	82.98	77.21	86.96	90.44	94.32
Singapore	81.46	93.71	84.92	66.55	67.01	68.10	70.61	79.70	74.75	80.32	85.25	88.97
Residual Fuel												
New York Harbor	75.30	83.10	75.60	56.99	58.32	59.59	65.40	65.75	59.88	61.80	62.06	61.59
U.S. Gulf Coast	73.60	81.36	78.87	58.65	60.79	64.97	69.86	67.16	59.20	65.45	64.52	61.30
Los Angeles	68.79	68.79	68.79	68.79	68.79	68.79	74.79	66.32	65.39	62.67	62.04	62.18
Rotterdam (ARA)	66.41	76.92	67.82	57.30	53.98	62.89	63.79	64.89	59.90	60.53	57.99	51.67
Singapore	67.24	73.77	66.71	57.40	58.81	61.19	64.68	61.78	58.85	60.75	59.76	59.42
Propane												
Mont Belvieu	60.56	77.46	62.27	50.40	54.12	55.85	53.00	54.78	51.92	55.28	54.69	62.78
Conway	57.71	72.20	56.87	50.23	55.37	59.51	58.92	63.67	59.41	65.17	58.36	64.33
Northwest Europe	68.38	82.77	67.06	47.26	42.82	49.79	48.83	49.81	49.69	55.28	58.52	59.60
2004												
No. 2 Distillate												
Low-Sulfur No. 2 Diesel Fuel												
New York Harbor	98.64	95.04	95.13	96.24	105.46	101.81	111.85	120.69	132.50	153.33	140.56	129.81
U.S. Gulf Coast	95.38	90.98	94.82	95.10	101.89	99.26	109.36	118.62	130.32	148.36	134.25	120.73
Los Angeles	96.26	112.42	106.75	131.48	135.93	116.62	126.71	126.27	142.31	158.00	142.75	124.24
Kerosene-Type Jet Fuel												
New York Harbor	103.05	101.13	97.44	100.92	117.54	104.78	117.56	124.95	138.75	157.29	140.82	129.78
U.S. Gulf Coast	99.83	93.35	94.66	97.28	109.18	103.19	114.47	122.69	136.21	152.03	134.74	122.31
Los Angeles	106.18	111.05	108.20	125.79	131.43	111.95	125.77	130.81	144.23	161.40	148.89	127.64
Rotterdam (ARA)	96.85	92.69	97.07	104.07	114.74	108.52	119.50	132.88	140.34	158.97	145.65	129.69
Singapore	94.65	88.84	89.85	97.42	109.23	102.89	114.42	124.51	131.73	145.94	137.45	118.71
Residual Fuel												
New York Harbor	66.98	62.93	58.86	61.01	71.85	70.65	66.69	66.59	66.20	78.49	68.49	60.28
U.S. Gulf Coast	61.80	58.60	57.64	65.29	71.12	66.44	63.28	62.57	63.47	73.91	61.00	55.50
Los Angeles	69.26	67.15	66.94	69.57	73.86	79.49	75.57	79.50	76.32	92.71	88.80	78.62
Rotterdam (ARA)	55.28	51.84	58.16	57.39	63.96	60.36	60.56	59.11	58.22	70.11	62.91	62.54
Singapore	63.06	62.48	61.88	64.23	69.83	67.69	68.56	71.21	68.58	76.79	73.22	65.71
Propane												
Mont Belvieu	74.52	70.44	58.46	60.67	67.68	67.02	74.14	83.69	80.17	90.63	86.26	77.36
Conway	67.66	62.06	56.34	58.70	64.61	64.39	71.70	86.48	81.97	94.11	92.26	81.66
Northwest Europe	63.70	57.56	61.24	60.20	63.92	60.12	61.59	77.71	82.03	90.37	84.74	82.03
2004 - 2005												
Average for Week Ending:			Daily:									
	12/17	12/24	Mon 12/27	Tue 12/28	Wed 12/29	Thu 12/30	Fri 12/31	Mon 1/3	Tue 1/4	Wed 1/5	Thu 1/6	Fri 1/7
Low-Sulfur No. 2 Diesel Fuel												
New York Harbor	135.57	136.86	120.62	122.33	126.90	123.90	NA	118.35	123.53	121.10	126.55	127.15
U.S. Gulf Coast	128.19	127.64	109.25	114.48	119.00	118.08	NA	111.24	116.75	117.60	123.63	124.05
Los Angeles	127.00	132.88	116.50	117.00	122.50	119.50	NA	111.00	117.00	113.50	117.00	117.00
Kerosene-Type Jet Fuel												
New York Harbor	135.34	136.64	120.62	122.88	127.65	125.40	NA	119.97	124.53	123.48	129.80	132.53
U.S. Gulf Coast	129.79	128.77	114.91	116.10	122.75	120.95	NA	114.99	119.75	121.10	129.00	129.18
Los Angeles	132.80	136.69	116.50	120.00	122.75	121.00	NA	113.75	119.00	116.25	122.50	122.50
Rotterdam (ARA)	135.18	131.35	125.24	125.24	118.29	123.96	123.43	NA	125.39	121.69	126.00	125.39
Singapore	117.37	121.64	117.02	113.10	113.93	116.07	116.07	113.81	111.83	101.79	109.52	116.79
Residual Fuel												
New York Harbor	58.99	65.55	63.69	64.88	67.26	66.07	NA	63.40	65.19	65.79	66.98	66.07
U.S. Gulf Coast	57.74	59.52	57.14	58.33	61.31	60.71	NA	62.50	63.10	63.40	66.98	64.60
Los Angeles	76.32	76.32	78.40	77.27	76.32	76.32	NA	72.37	72.37	71.24	71.24	74.63
Rotterdam (ARA)	62.72	64.97	66.15	66.15	63.32	64.07	64.26	NA	61.25	61.63	62.76	65.39
Singapore	66.75	66.58	63.24	63.38	64.58	63.75	63.75	63.20	63.11	63.52	62.87	64.76
Propane												
Mont Belvieu	78.36	79.28	73.00	73.88	74.88	74.94	NA	71.63	71.50	70.32	71.00	72.00
Conway	82.95	84.66	76.00	76.75	78.00	77.39	NA	73.32	73.50	72.94	73.25	73.25
Northwest Europe	81.55	NA	NA	NA	NA	NA	77.71	NA	NA	NA	NA	75.79

NA=Not Available.

Notes: Monthly and weekly prices are calculated by EIA from daily data. See Glossary for definitions of abbreviations.

See Appendix A, Technical Note 1, page 40, for more information about the data in this table.

Source: See page 33.

Table 16. NYMEX Futures Prices of Crude Oil, Motor Gasoline, No. 2 Heating Oil, and Propane
(Crude Oil in Dollars per Barrel, all others in Cents per Gallon)


	Mon 12/27/2004	Tue 12/28/2004	Wed 12/29/2004	Thu 12/30/2004	Fri 12/31/2004	Mon 1/3/2005	Tue 1/4/2005	Wed 1/5/2005	Thu 1/6/2005	Fri 1/7/2005
Crude Oil (WTI, Cushing, Oklahoma)										
February-2005	41.32	41.77	43.64	43.45	NA	42.12	43.91	43.39	45.56	45.43
March-2005	41.55	42.01	43.80	43.63	NA	42.34	44.08	43.61	45.78	45.65
April-2005	41.55	42.01	43.74	43.57	NA	42.37	44.05	43.55	45.63	45.47
May-2005	41.38	41.83	43.51	43.32	NA	42.19	43.81	43.29	45.30	45.11
Regular Gasoline (Reformulated, New York Harbor)										
January-2005	104.12	104.57	108.43	108.87	NA	Expired				
February-2005	106.96	107.68	112.01	113.29	NA	113.17	117.21	117.10	122.29	121.42
March-2005	109.46	110.43	114.61	115.38	NA	114.48	118.74	118.45	123.92	123.02
April-2005	117.31	118.33	122.41	123.08	NA	121.35	125.54	124.88	130.02	129.22
No. 2 Heating Oil (New York Harbor)										
January-2005	121.08	122.21	127.74	122.97	NA	Expired				
February-2005	121.82	123.13	127.83	125.26	NA	119.22	124.66	121.84	128.13	127.33
March-2005	119.57	120.88	125.13	123.06	NA	118.20	123.66	121.23	127.33	126.72
April-2005	113.87	115.28	119.33	117.56	NA	114.10	118.91	117.23	122.58	121.97
Propane (Mont Belvieu, Texas)										
January-2005	75.75	74.25	74.25	74.50	NA	Expired				
February-2005	73.25	71.75	71.75	72.00	NA	69.50	70.00	69.50	70.25	71.00
March-2005	70.30	68.80	68.80	69.00	NA	66.50	67.00	66.75	67.75	69.25
April-2005	66.55	65.05	67.30	67.50	NA	65.00	65.50	65.25	66.25	67.75

NA=Not Available.

Note: See Appendix A, Technical Note 2, page 40, for more information about the data in this table.

Source: See page 33.

Figure 13. Daily Futures Price Differentials: First Delivery Month Less Second Delivery Month, July 2003 to Present



NA=Not Available.

Note: See Appendix A, Technical Note 3, page 40, for more information about the data in this graph.

Source: See page 33.

Table 17. U.S. Retail Motor Gasoline and On-Highway Diesel Fuel Prices, January 2003 to Present
(Cents per Gallon, Including Taxes)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2003												
Motor Gasoline	150.0	165.5	173.4	163.3	153.9	153.3	155.4	166.1	172.1	160.6	155.5	152.2
Conventional Areas	146.4	162.2	167.5	155.7	147.7	148.9	151.9	162.5	165.4	155.1	151.2	148.8
RFG Areas	157.1	172.0	185.2	178.3	166.4	162.4	162.7	173.2	185.6	171.8	164.1	159.1
Regular	145.8	161.3	169.3	158.9	149.7	149.3	151.3	162.0	167.9	156.4	151.2	147.9
East Coast (PADD I)	146.2	159.3	163.6	155.0	146.1	144.8	148.4	157.6	166.2	156.7	151.2	148.9
New England (PADD IA)	151.5	163.6	167.9	161.8	153.5	150.5	152.4	162.0	177.1	167.7	158.4	154.3
Central Atlantic (PADD IB)	151.2	162.5	167.4	161.1	153.0	148.7	150.5	159.5	173.9	165.5	158.7	154.7
Lower Atlantic (PADD IC)	140.9	155.5	159.4	148.5	138.6	140.2	145.7	154.8	157.2	146.8	143.5	142.9
Midwest (PADD II)	144.0	160.5	163.2	148.5	144.1	147.3	148.1	160.6	161.2	152.6	148.0	143.4
Gulf Coast (PADD III)	140.5	154.8	158.6	147.8	137.9	138.5	142.8	151.3	153.0	142.5	139.8	139.6
Rocky Mountain (PADD IV)	141.9	157.2	166.2	158.6	151.1	150.2	153.8	164.1	170.4	158.3	155.1	149.9
West Coast (PADD V)	153.4	173.0	200.5	194.1	176.4	171.4	170.3	183.1	196.6	175.1	166.8	161.2
Midgrade	155.5	170.9	179.2	169.4	159.5	158.6	160.9	171.4	177.7	166.0	160.8	157.7
Premium	165.0	179.8	187.5	178.0	168.6	167.4	169.7	179.9	186.5	175.3	170.2	167.3
On-Highway Diesel Fuel	148.8	165.4	170.8	153.3	145.1	142.4	143.5	148.7	146.7	148.1	148.2	149.0
East Coast (PADD I)	151.4	169.9	177.0	160.0	149.7	143.7	144.2	147.4	145.8	147.4	147.9	149.9
New England (PADD IA)	159.0	181.3	193.2	169.6	160.1	156.3	156.3	157.3	156.4	157.7	158.7	162.8
Central Atlantic (PADD IB)	159.4	179.3	189.9	169.7	160.4	154.9	154.0	156.7	156.3	157.8	158.6	160.7
Lower Atlantic (PADD IC)	147.3	164.9	169.9	155.0	144.1	137.7	138.9	142.5	140.3	142.1	142.4	144.1
Midwest (PADD II)	147.3	163.9	166.1	149.5	143.6	140.9	140.8	146.4	145.0	148.2	147.0	146.0
Gulf Coast (PADD III)	145.9	162.1	163.7	144.3	137.5	136.7	138.3	143.5	140.7	142.8	143.1	144.2
Rocky Mountain (PADD IV)	145.1	159.5	174.0	158.0	148.9	144.7	146.5	151.5	153.1	151.6	154.1	152.9
West Coast (PADD V)	153.4	167.9	181.6	161.3	150.1	152.7	158.3	166.6	161.2	156.8	159.1	162.9
California	157.9	172.5	181.8	165.0	154.3	158.1	163.5	172.5	165.6	162.2	163.9	168.1
2004												
Motor Gasoline	161.4	169.0	177.8	183.9	202.3	201.3	195.4	192.0	191.2	204.2	202.3	188.7
Conventional Areas	159.5	165.4	172.8	179.4	198.1	195.0	190.2	188.0	188.0	199.3	197.3	184.3
RFG Areas	165.4	176.3	188.1	193.0	210.8	214.0	206.0	200.2	197.9	214.0	212.6	197.8
Regular	157.2	164.8	173.6	179.8	198.3	196.9	191.1	187.8	187.0	200.0	197.9	184.1
East Coast (PADD I)	157.9	164.1	170.7	175.1	194.9	198.2	191.2	186.9	185.9	197.8	197.5	187.0
New England (PADD IA)	161.0	167.3	173.0	175.2	198.8	206.5	195.9	192.5	189.4	200.7	201.1	189.9
Central Atlantic (PADD IB)	160.5	167.2	173.9	177.0	199.1	204.3	196.5	192.5	189.5	201.1	201.1	191.4
Lower Atlantic (PADD IC)	155.0	160.7	167.5	173.6	190.5	191.2	185.8	181.1	182.1	194.4	193.8	182.8
Midwest (PADD II)	156.0	161.8	168.0	175.5	195.6	187.2	185.2	184.5	183.8	195.0	190.8	174.8
Gulf Coast (PADD III)	149.9	155.5	161.5	168.2	185.8	186.0	180.3	178.7	177.0	188.8	187.4	174.8
Rocky Mountain (PADD IV)	153.1	158.3	171.8	183.1	197.6	196.5	191.4	189.9	188.4	196.8	196.9	186.8
West Coast (PADD V)	165.5	181.5	201.4	207.4	222.1	222.4	211.6	203.7	204.2	224.3	221.7	203.4
Midgrade	166.7	174.4	183.6	189.5	207.5	206.9	200.9	197.4	196.7	209.8	208.2	194.7
Premium	176.3	183.7	192.3	197.9	215.9	216.2	210.4	206.7	205.9	218.7	217.5	204.6
On-Highway Diesel Fuel	155.1	158.2	162.9	169.2	174.6	171.1	173.9	183.3	191.7	213.4	214.7	200.9
East Coast (PADD I)	158.4	160.9	163.5	164.9	168.9	169.0	172.0	182.0	191.2	213.8	216.7	206.8
New England (PADD IA)	172.5	177.3	176.0	175.4	178.9	180.9	181.8	191.1	199.8	224.7	228.2	220.9
Central Atlantic (PADD IB)	168.8	173.4	173.4	173.0	177.9	178.1	181.2	190.6	198.4	223.0	227.0	218.4
Lower Atlantic (PADD IC)	152.7	154.1	158.0	160.5	164.1	164.0	167.2	177.4	187.4	208.8	211.3	200.5
Midwest (PADD II)	152.0	154.4	159.6	164.8	167.7	165.9	169.3	180.1	188.9	210.5	211.2	197.2
Gulf Coast (PADD III)	151.6	153.0	156.8	161.6	165.4	163.4	166.9	178.0	187.1	207.3	208.0	193.9
Rocky Mountain (PADD IV)	153.9	155.3	164.2	178.9	193.3	186.3	179.7	186.9	194.3	217.4	221.6	203.1
West Coast (PADD V)	163.5	174.3	182.2	203.2	219.1	199.7	202.9	204.1	208.4	230.8	228.9	209.1
California	167.7	180.9	189.7	217.1	228.4	205.6	209.8	212.8	216.4	236.1	234.8	213.7

See footnotes at end of table.

Table 17. U.S. Retail Motor Gasoline and On-Highway Diesel Fuel Prices, January 2003 to Present (Continued)

(Cents per Gallon, Including Taxes)

	10/25	11/1	11/8	11/15	11/22	11/29	12/6	12/13	12/20	12/27	1/3	1/10
2004 - 2005												
Motor Gasoline	207.4	207.6	204.5	201.4	199.2	198.9	195.6	189.3	186.1	183.8	182.4	183.7
Conventional Areas	202.0	202.6	199.2	196.0	194.3	194.5	191.0	184.2	182.0	179.8	178.8	181.3
RFG Areas	218.5	217.9	215.4	212.4	209.4	207.8	205.0	199.8	194.4	191.9	189.8	188.7
Regular	203.2	203.4	200.1	196.9	194.8	194.5	191.1	184.7	181.5	179.1	177.8	179.3
East Coast (PADD I)	201.6	201.6	199.7	197.3	194.9	194.2	192.4	188.1	184.6	182.7	180.4	180.7
New England (PADD IA)	204.9	204.8	203.1	201.5	198.7	197.6	195.3	190.9	187.9	185.6	182.8	181.4
Central Atlantic (PADD IB)	205.1	205.1	202.8	201.1	198.7	197.9	196.2	192.3	189.2	187.8	185.9	184.7
Lower Atlantic (PADD IC)	198.0	198.0	196.3	193.3	190.9	190.4	188.8	184.2	180.2	178.0	175.6	177.5
Midwest (PADD II)	196.8	198.4	192.4	187.6	187.1	188.4	183.2	172.9	172.8	170.4	171.8	177.2
Gulf Coast (PADD III)	191.6	191.8	189.9	187.0	184.4	184.1	181.2	176.1	171.8	170.1	167.1	169.9
Rocky Mountain (PADD IV)	200.7	200.2	199.1	196.8	194.7	193.7	191.9	187.7	185.4	182.0	180.0	177.6
West Coast (PADD V)	229.1	227.3	224.9	222.2	218.3	215.7	212.0	206.6	199.3	195.6	193.0	188.9
Midgrade	213.3	213.4	210.5	207.5	205.1	204.7	201.4	195.3	192.1	189.8	188.2	189.3
Premium	222.1	222.3	219.6	216.8	214.6	214.2	211.1	205.3	202.0	199.8	198.5	199.3
On-Highway Diesel Fuel	221.2	220.6	216.3	213.2	211.6	211.6	206.9	199.7	198.4	198.7	195.7	193.4
East Coast (PADD I)	221.3	221.2	218.2	215.9	214.3	214.1	211.1	206.3	205.2	204.5	202.5	199.9
New England (PADD IA)	232.9	233.0	229.6	226.8	225.8	225.8	223.4	220.6	219.9	219.6	218.0	216.3
Central Atlantic (PADD IB)	230.9	230.7	227.8	226.2	225.1	225.2	222.0	218.4	217.1	216.1	216.3	213.3
Lower Atlantic (PADD IC)	216.1	216.1	213.0	210.5	208.6	208.2	205.3	199.8	198.8	198.2	195.2	192.6
Midwest (PADD II)	218.5	217.2	212.3	209.6	208.3	208.6	203.3	195.3	194.4	195.9	192.9	191.1
Gulf Coast (PADD III)	214.4	214.7	209.6	205.6	204.8	205.3	199.5	191.0	192.2	192.8	188.7	187.6
Rocky Mountain (PADD IV)	227.8	227.6	224.8	221.5	217.0	217.1	212.4	204.9	198.8	196.1	193.4	187.7
West Coast (PADD V)	238.0	237.0	232.4	227.4	224.2	223.3	218.1	209.7	204.7	204.0	201.1	197.3
California	243.7	243.1	238.6	233.6	229.9	228.7	222.5	213.8	208.7	209.7	206.3	201.4


NA=Not Available.

Notes: See Glossary for definitions of abbreviations. See Appendix A, Technical Note 4, page 40, for more information about data in this table.

Sources: See page 33.

Figure 14. U.S. Average Retail Regular Motor Gasoline and On-Highway Diesel Fuel Prices, July 2003 to Present

(Cents per Gallon, Including Taxes)



NA=Not Available.

Note: See Appendix A, Technical Note 4, page 40, for more information about data in this graph.

Sources: See page 33.

Sources

Table 1

- Current Year Data: Estimates based on weekly data collected on Forms EIA-800, -801, -802, -803, -804, and -805, and *Petroleum Supply Monthly*.
- Previous Year Data: Estimates based on EIA, *Petroleum Supply Annual* and EIA, *Petroleum Supply Monthly*. Product Supplied and Losses, Natural Gas Liquids Production, Other Liquid New Supply, and Processing Gain are estimates based on data published for the most recent month in the *Petroleum Supply Monthly* except for exports, Crude Oil Production, and Other Oils Stocks. See Appendix A for explanation of their estimates.

Table 2

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*, except for operable capacity for January 2004 which is from the *Petroleum Supply Annual*, 2003.
- Four-Week Averages: Estimates based on weekly data collected on Form EIA-800. Operable Capacity estimate is based on data published for the most recent *Petroleum Supply Monthly*.

Figure 1

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*; except for operable capacity for January 2004 which is from the *Petroleum Supply Annual*, 2003.
- Four-Week Averages: Estimates based on weekly data collected on Form EIA-800, and -805.

Figure 2

- Data for Ranges and Seasonal Patterns: 1997-2003, EIA, *Petroleum Supply Annual*; 2002, EIA, *Petroleum Supply Monthly*.
- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, -802 and -803.

Table 3

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, -802, and -803. Other Oils estimate is based on estimation methodology in Appendix A.

Figure 3

- Data for Ranges and Seasonal Patterns: 1997-2003, EIA, *Petroleum Supply Annual*; 2003, EIA, *Petroleum Supply Monthly*.
- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Table 4

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Figure 4

- Data for Ranges and Seasonal Patterns: 1997-2003, EIA, *Petroleum Supply Annual*; 2003, EIA, *Petroleum Supply Monthly*.
- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Table 5

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Figure 5

- Data for Ranges and Seasonal Patterns: 1997-2003, EIA, *Petroleum Supply Annual*; 2003, EIA, *Petroleum Supply Monthly*.
- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Table 6

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Figure 6

- Data for Ranges and Seasonal Patterns: 1997-2003, EIA, *Petroleum Supply Annual*; 2003, EIA, *Petroleum Supply Monthly*.
- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Table 7

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Figure 7

- Data for Ranges and Seasonal Patterns: 1997-2003, EIA, *Petroleum Supply Annual*; 2003, EIA, *Petroleum Supply Monthly*.
- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Week-Ending Stocks: Estimates based on weekly data collected on Forms EIA-800, -801, and -802.

Table 8 and Figure 8

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Four-Week Averages: Estimates based on weekly data collected on Form EIA-804. Total exports estimate is based on data published in the most recent *Petroleum Supply Monthly*.

Table 9 and Figure 9

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Four-Week Averages: Estimates based on weekly data collected on Form EIA-804.

Table 10 and Figure 10

- Monthly Data: 2003, EIA, *Petroleum Supply Annual*; 2004, EIA, *Petroleum Supply Monthly*.
- Four-Week Averages: Estimates based on weekly data collected on Forms EIA-800, -801, -802, -803, -804, and -805.

Table 11

- Estimates based on weekly data collected on Forms EIA-800, -801, -802, -803, -804, and -805.

Table 12

- Current Year Data: Estimates based on weekly data collected on Forms EIA-800, -801, -802, -803, -804, and -805, and *Petroleum Supply Monthly*.
- Previous Year Data: Estimates based on EIA, *Petroleum Supply Annual* and EIA, *Petroleum Supply Monthly*. Product Supplied and Losses, Natural Gas Liquids Production, Other Liquid New Supply, and Processing Gain are estimates based on data published for the most recent month in the *Petroleum Supply Monthly* except for exports, Crude Oil Production, and Other Oils Stocks. See Appendix A for explanation of their estimates.

Table 13

- EIA, Office of Energy Markets and End Use, Integrated Energy Statistics Division.
- Platt's Oilgram Price Report.
- Petroleum Intelligence Weekly.
- Oil and Gas Journal.
- Wall Street Journal.
- Oil Market Intelligence.
- Natural Resources Canada
- Petroleum Place (www.petroleumplace.com)

Table 14 and Figures 11 and 12

- Reuters Ltd.

Table 15

- Reuters Ltd.

Table 16 and Figure 13

- Crude Oil Futures: New York Mercantile Exchange (NYMEX), and Products: Reuters Ltd.

Table 17 and Figure 14

- Motor Gasoline: Form EIA-878, "Motor Gasoline Price Survey", and On-Highway Diesel: Form EIA-888, "On-Highway Diesel Fuel Price Survey".

Explanatory Notes

Survey Design And Estimation Methods

The data presented in this publication include data collected by the Energy Information Administration (EIA) on weekly and monthly surveys, and data released by Reuters Ltd. Weekly supply data are derived from the Weekly Petroleum Supply Reporting System (WPSRS) which comprises six surveys: the “Weekly Refinery and Fractionator Report” (EIA-800); the “Weekly Bulk Terminal Report” (EIA-801); the “Weekly Product Pipeline Report” (EIA-802); the “Weekly Crude Oil Stocks Report” (EIA-803); and the “Weekly Imports Report” (EIA-804); and the “Weekly Terminal Blenders Report” (EIA-805). The EIA weekly reporting system, as part of the Petroleum Supply Reporting System, was designed to collect data similar to those collected monthly. In the WPSRS, selected petroleum companies report weekly data to EIA on crude oil and petroleum product stocks, refinery inputs and production, motor gasoline blending operations, and crude oil and petroleum product imports. On the Forms EIA-800, EIA-801, EIA-802, EIA-803, and EIA-805 companies report data on a custody basis. On the Form EIA-804, the importer of record reports each shipment entering the United States. Current weekly data and the most recent monthly data are used to estimate the published weekly totals.

EIA price data contained in this report are derived from 2 weekly telephone surveys and 3 monthly surveys. The weekly surveys, EIA-878, “Motor Gasoline Price Survey,” and EIA-888, “On-Highway Diesel Fuel Price Survey,” provide timely information on national and regional retail prices of gasoline and on-highway diesel fuel. The monthly surveys collect volume weighted price data for crude oil and petroleum products, the EIA-14, “Refiners’ Monthly Cost Report,” EIA-782A, “Refiners’/Gas Plant Operators’ Monthly Petroleum Product Sales Report,” and EIA-782B, “Resellers’/Retailers’ Monthly Petroleum Product Sales Report.” In order to provide a comprehensive summary of current conditions in petroleum markets, spot and futures prices as reported by Reuters Ltd. are also included.

Sample Frame

WPSRS Forms: EIA-800 through EIA-805

The sample of companies that report weekly in the WPSRS was selected from the universe of companies that report monthly. All sampled companies report data only for facilities in the 50 States and the District of Columbia. The frame from which the EIA-800 sample is drawn includes all operating and idle petroleum refineries and fractionators in the 50 States and the District of Columbia. The EIA-801 sample frame includes all bulk terminal

facilities in the United States and its possessions that have total bulk storage capacity of 50,000 barrels or more, or that receive petroleum products by tanker, barge, or pipeline. The EIA-802 sample frame includes all petroleum product pipeline companies in the 50 States and the District of Columbia that transport refined petroleum products, including interstate, intrastate, and intracompany pipeline movements. Pipeline companies that transport only natural gas liquids are not included in the EIA-802 frame. Only those pipeline companies which transport products covered in the weekly survey are included. The EIA-803 sample frame consists of all companies which carry or store 1,000 barrels or more of crude oil. Included are gathering and trunk pipeline companies (including interstate, intrastate and intracompany pipelines), crude oil producers, terminal operators, storers of crude oil, and companies transporting Alaskan crude oil by water in the 50 States and the District of Columbia. The frame from which the EIA-804 sample is drawn includes importers of record of crude oil and petroleum products into the 50 States and the District of Columbia including imports of petroleum products from Puerto Rico, the Virgin Islands, and other U.S. possessions. The frame from which the EIA-805 sample is drawn includes all operating and idle motor gasoline blending plants in the 50 States and the District of Columbia.

From April 1990 through March 2004, weekly propane data were collected on Form EIA-807, “Propane Telephone Survey.” The sample frame for the EIA-807 was selected from the universe of companies that reported on monthly surveys for a limited geographic region, that included Petroleum Administration for Defense Districts I, Sub PADDs, II, and III. Beginning with the first report period in April 2004, the collection of weekly propane data began using existing Weekly Petroleum Supply Reporting System (WPSRS) surveys in place of the discontinued Form EIA-807. At this same time, data for propane exports, from the U.S. Bureau of the Census, were included, while the sample of companies was expanded slightly, allowing for the calculation of a propane supply/disposition balance on a weekly basis. However, except for national totals for each propane supply/disposition component, publication of regional propane data remains unchanged from those published in earlier WPSRS reports.

Sampling Designs

The sampling procedure used for the surveys in the WPSRS is the cut-off method. In the cut-off method, companies are ranked from largest to smallest on the basis of the quantities reported during some previous period. Companies are chosen for the sample beginning with the largest and adding companies until the total sample covers about 90 percent of the total for each item and each geographic region for which weekly data are published.

	Weekly Form	October 2004 Frame Size	Weekly Sample Size
Refiners (Refineries)	EIA-800	157	130
Bulk Terminals	EIA-801	235	91
Product Pipelines	EIA-802	78	46
Crude Oil Stock Holders	EIA-803	145	57
Importers	EIA-804	179	86
Terminal Blenders	EIA-805	247	150

The geographic areas were defined as (a) the 24 States in which No. 2 distillate was a significant heating source and 50 States and the District of Columbia for residual and motor gasoline, (b) the 25 States in which propane was a significant energy source, or as (c) the PAD Districts for districts where not all State estimates are provided. The type-of-sale classifications were retail and resale for motor gasoline and residual fuel oil, and residential and nonresidential retail and wholesale for distillate and propane. Four volume-of-sales strata (certainty, zero, low, and high) were defined with volume boundaries differing by State, sales type, and product.

The EIA-878 computer assisted telephone survey collects price data each Monday morning from a sample of approximately 800 gasoline outlets drawn from a frame of approximately 115,000 retail gasoline outlets. The gasoline outlet sample was selected using area sampling by first sampling counties in the U.S., and then, sampling the outlets from the gasoline outlet frame within those counties within each sampling cell.¹ The standard deviations of gasoline prices for each of the sampling cells based on the previous sample's data, and the number of stations in operation as reported in the Census Bureau's *County Business Patterns (CBP)* were used to determine the required number of outlets to be sampled. The outlets were then randomly selected from the outlet frame within the sampling cells. Data shown prior to May 26, 2003, before the development of the outlet frame, were collected from a previous sample. The previous sample had a two-phase design that used probability proportional to size sampling, based on companies' retail sales of gasoline reported on the EIA-782 monthly survey. Sampled companies were contacted to determine the locations of outlets owned by the company, and the locations were then sampled randomly within the sampled companies. Further details of this previous design are contained in a published paper that can be found at:

http://www.eia.doe.gov/pub/oil_gas/petroleum/data_publications/weekly_on_highway_diesel_prices/current/html/2cycasr.htm

The EIA-878 weekly gasoline outlet prices are averaged using sample weights constructed based on the sampled outlet's number of pumps, a proxy for sales volume. These weights are applied each week to the reported outlet gasoline prices to obtain averages for the specific formulations, grades and geographic areas. Weights used in aggregating grades, formulations and geographic areas were derived using volume data from the EIA-782C, "Monthly Report of Prime Suppliers Sales of Petroleum Products Sold for Local Consumption", and demographic data from the Bureau of the Census and Department of Transportation on population, number of gasoline stations and number of vehicles. Data shown prior to May 26, 2003 were calculated using a simple average for estimating average prices for city and state gasoline prices, but required volume weighted prices for more aggregated published areas with respect to geography, formulation, and grade.

The EIA-888 telephone survey collects price data from a selected sample of 350 retail on-highway diesel fuel outlets. The sample for the survey was designed to yield price estimates at the PADD, sub-PADD and national level, and for the state of California. A 1 cent standard error was targeted for PADDs 1, 2 and 3, and 1.5 cents for PADDs 4, 5, sub-PADDs 1A, 1B, 1C, and the state of California. Standard errors for determining the sample size were estimated using data from the EIA-888 survey. The EIA-888 sample was derived as a probability proportional to size subsample of the respondents from the EIA-782A and EIA-782B sample who reported on-highway diesel fuel sales where the reported volume was the company size. Specific outlets within a company were selected using probability proportional to size sampling according to data provided by the company when initiated to the survey.

Collection Methods

Survey data for the WPSRS are collected by mail, mailgram, telephone, Telex, facsimile, and electronic transmission on a weekly basis. All canvassed firms must file by 5:00 p.m. on the Monday following the close of the report week, 7:00 a.m. Friday. During the processing week, company corrections of the prior week's data are also entered. Survey data are collected weekly by telephone and facsimile for the EIA-878 and EIA-888. It is mandatory for each monthly respondent to submit completed forms to EIA no later than 30 calendar days after the close of each reference month. For the EIA-878 and EIA-888 surveys, data are mostly collected through a Computer Assisted Telephone Interview (CATI) survey processing system on Monday of each week as of 8:00 a.m. local time. If Monday is a holiday, the calls are made on the next business day, however, the Monday price is recorded.

Data Processing

Data collected through WPSRS are received, logged into an automated Survey Control File, keyed and processed through an edit program. Data that fail the edits are resolved through telephone calls to the respondents. Statistical reports, including publication tables, are generated using only acceptable and

¹ Sampling cells are the smallest basic geographical units formed by the boundaries of the geographic and formulation areas for which average prices are published. Sampling cells are mutually exclusive and collectively exhaustive.

verified data. Imputation is performed for nonrespondents and for data that fail the edits. Data from the EIA-878 and EIA-888 telephone surveys are received over the telephone and entered on-line at collection time by the interviewer and edited.

Estimation And Imputation

Survey data gathered from the respondents invariably contain incomplete reporting, nonresponse, and values that fail editing. Imputation for nonrespondents in the WPSRS data base is performed after the company reports have been checked and entered into the system. The imputed values are exponentially smoothed means of recent weekly reported values for this specific company. The imputed values are treated like reported values in the estimation procedure, which calculates ratio estimates of the weekly totals. First, the current week's data for a given product reported by companies in a geographic region are summed. (Call this weekly sum, W_s .) Next, the most recent month's data for the product reported by those same companies are summed. (Call this monthly sum, M_s .) Finally, let M_t be the sum of most recent month's data for the product as reported by all companies. Then, the current week's ratio estimate for that product for all companies, W_t , is given by:

$$W_t = \frac{M_t}{M_s} \bullet W_s$$

This procedure is used directly to estimate total weekly inputs to refineries and production. To estimate stocks of finished products, the preceding procedure is followed separately for refineries, bulk terminals, and pipelines. Total estimates are formed by summing over establishment types.

Weekly imports data are highly variable on a company-by-company basis or a week-by-week basis. Therefore, an exponentially smoothed ratio has been developed. The estimate of total weekly imports is the product of the smoothed ratio and the sum of the weekly reported values and imputed values.

EIA-878 outlet prices are weighted by the estimated volume per outlet for each formulation and grade of gasoline, and by PADD. EIA-888 outlet prices have a constant weight within a PADD, sub-PADD and the state of California. Average prices are weighted by their respective volume percent of the U.S. volume of retail on-highway diesel fuel sales to derive the national average price.

Response Rates

The response rate at the close of business on the filing deadline day is about 80 percent for the EIA-800, 75 percent for the EIA-801, 95 percent for the EIA-802, 80 percent for the EIA-803, and greater than 95 percent for the EIA-804, and about 80 percent for the EIA-805. However, more forms are received the next day, bringing the final response rates up. Late respondents are contacted by telephone. Nearly all of the major companies report on time. The response rate for the published estimates is usually

between 98 percent and 100 percent. The response rates on Forms EIA-878, and EIA-888 are usually 98 to 100 percent.

Reliability Of Data

There are two types of errors possible in an estimate based on a sample survey: sampling and nonsampling. Sampling errors occur because observations are made only on a sample, not on the entire population. Non-sampling errors can be attributed to many sources in the collection and processing of data. The accuracy of survey results is determined by the joint effects of sampling and nonsampling errors.

Measures Of Sampling Variability

Tables showing data from the EIA-878, and EIA-888 surveys utilize a sample of resellers and retailers and, therefore, have sampling error. The particular sample used for each of the EIA-878, and EIA-888 surveys is one of a large number of all possible samples that could have been selected using the same design. Estimates derived from the different possible samples would differ from each other. The average of these estimates would be close to the estimate derived from a complete enumeration of the population (a census), assuming that a complete enumeration has the same nonsampling errors as the sample survey. The sampling error, or standard error of the estimate, is a measure of the variability among the estimates from all possible samples of the same size and design and, thus, is a measure of the precision with which an estimate from a particular sample approximates the results of a complete enumeration.

Nonsampling Errors

Nonsampling errors can be attributed to many sources such as incorrect reporting by respondents, mistakes in recording or coding the data, and other errors of collection, response, coverage, and estimation for missing data.

Confidentiality

The Office of Legal Counsel of the Department of Justice concluded on March 20, 1991, that the Federal Energy Administration Act requires the Energy Information Administration to provide company-specific data to the Department of Justice, or to any other Federal agency when requested for official use, which may include enforcement of Federal law. The information contained on this form may also be made available, upon request, to another component of the Department of Energy (DOE), to any Committee of Congress, the General Accounting Office, or other Congressional agencies authorized by law to receive such information. A court of competent jurisdiction may obtain this information in response to an order.

The information contained on this form will be kept confidential and not be disclosed to the public to the extent that it satisfies the criteria for exemption under the Freedom of Information Act (FOIA), 5 U.S.C. §552, the DOE regulations, 10 C.F.R. §1004.11, implementing the FOIA, and the Trade Secrets Act, 18 U.S.C. §1905.

Upon receipt of a request for this information under the FOIA, the DOE shall make a final determination whether the information is exempt from disclosure in accordance with the procedures and criteria provided in the regulations. To assist us in this determination, respondents should demonstrate to the DOE that, for example, their information contains trade secrets or commercial or financial information whose release would be likely to cause substantial harm to their company's competitive position. A letter accompanying the submission that explains (on an element-by-element basis) the reasons why the information would be likely to cause the respondent substantial competitive harm if released to the public would aid in this determination. A new justification does not need to be provided each time information is submitted on the form, if the company has previously submitted a justification for that information and the justification has not changed.

Estimation Of Domestic Crude Oil Production

Monthly data on crude oil production for States are reported to the Department of Energy by State conservation agencies. Data on the volume of crude oil produced on Federally-owned offshore leases are reported by the Minerals Management Service, U.S. Department of the Interior. There is a time lag of approximately 4 months between the end of the reporting month and the time when the monthly crude oil production information becomes available. In order to present more timely crude oil production volumes, the Energy Information Administration prepares weekly crude oil production estimates which are based on historical production patterns and, where available, other data such as pipeline runs from the Alaskan North Slope during the week. These weekly estimates are presented as the weekly and 4-week average crude oil production volumes shown in this publication. Cumulative crude oil production volumes shown in the U.S. Petroleum Balance Sheet include revised estimates published in the *Petroleum Supply Monthly*.

Estimation Of Exports

Official U.S. exports statistics for crude oil and petroleum products are compiled by the U.S. Bureau of the Census and are published in the *Petroleum Supply Monthly*. The EIA obtains these data on a monthly basis approximately 10 weeks after the close of the reporting month. Beginning with statistics for the first week ending in October 1991, weekly estimates of exports are forecast using an autoregressive integrated moving-average (ARIMA) procedure. The ARIMA procedure models a value as a linear combination of its own past values and present and past values of other related time series. The most recent 5 years of past data are used to obtain the exports forecast. In addition, for the major products and crude oil, 5 years of related price data are used. The price data include some U.S. and some foreign series. Because of the reduction in volume of crude oil exports, and a shift in the country distribution, a new model was implemented on November 2, 2001 to determine the expected volume of crude oil exports.

Estimation Of Other Oils Stocks

Data are derived by (1) computing an average daily rate of stock change for the minor products for each month based on monthly

data for the past 6 years; (2) using this daily rate and the minor stock levels from the most recent monthly publication to estimate the minor product stock level for the current period. Year ago data are interpolated from published monthly stock levels.

Initial Estimates of Petroleum Prices

The initial estimates are forecasts of U.S. and PADD prices for crude oil and selected petroleum products published in the *Petroleum Marketing Monthly* (PMM) (See Table IE1). The initial estimates are published 1-2 months ahead of the normal publication schedule for the PMM. The initial estimates are forecasted using an autoregressive integrated moving average (ARIMA) transfer function model. The initial estimate is calculated based on its own past values and present and past values of other related time series, such as spot prices and heating degree-days. At least 5 years of data are used to obtain the forecasts.

One method of forecast evaluation is to compare actual to one month ahead forecast values for a 12 month period. Then, the Average Absolute Differences (AAD) are calculated. This provides a good indicator of the error associated with the forecasts. For the period January 1997 to December 1998, the forecasted values were within 2 cents of the actual value for 85% of the petroleum products and within 30 cents of the actual value for all the crude oil forecasts.

Data Assessment

The principal objective of the Petroleum Supply Reporting System is to provide an accurate picture of petroleum industry activities and of the availability of petroleum products nationwide from primary distribution channels. The weekly data, which are based on sample estimates stemming largely from preliminary company data, serve as leading indicators of the monthly data. The weekly data are not expected to have the same level of accuracy as the preliminary monthly data when compared with final monthly data. However, the weekly data are expected to exhibit like trends and product flows characteristic of the preliminary and final monthly data.

To assess the accuracy of weekly statistics, monthly estimates derived from weekly estimates are compared with the final monthly aggregates published in the *Petroleum Supply Annual*. Although final monthly data are still subject to error, they have been thoroughly reviewed and edited, they reflect all revisions made during the year and they are considered to be the most accurate data available. The mean absolute percent error provides a measure of the average revisions relative to the aggregates being measured for a variable. The mean absolute percent error for 2002 weekly data was less than 2 percent for 27 of the 61 major petroleum variables analyzed. Many of the variables with mean absolute percent errors of 2 percent or more were for refined products imports series. The mean absolute percent error for total weekly refined products imports was 5.17 percent for 2002. It should be noted that products imports data are highly variable and cannot be estimated from a sample with the same precision as other petroleum variables. Weekly estimates for refined products

imports are almost always low because small companies, which are not in the weekly sample, generally import large volumes of finished products only a few times during the year.

An analytical article, "Accuracy of Petroleum Supply Data," which assesses the differences between preliminary and final data on the 61 major petroleum variables, is published in the *Petroleum Supply Monthly* once each year.

Interpretation And Derivation Of Average Inventory Levels

The national inventory (stocks) graphs for total petroleum products, crude oil, motor gasoline, distillate fuel oil, and residual fuel oil in this publication include features to assist in comparing current inventory levels with past inventory levels and with judgments of critical levels. Methods used in developing the average inventory levels and lower operational inventory are described below.

Average Inventory Levels

The graphs displaying inventory levels of crude oil and petroleum products, crude oil, motor gasoline, distillate fuel oil, residual fuel oil, and propane provide the reader with actual inventory data compared to an "average range" for the most recent 5-year period running from January through December or from July through June. The ranges also reflect seasonal variation for the past 7 years. The seasonal factors, which determine the shape of the upper and lower curves, are estimated with a seasonal adjustment technique developed at the Bureau of Census (Census X-11). The seasonal factors are assumed to be stable (i.e., the same seasonal factor is used for each January during the 7-year period) and additive (i.e., the series is deseasonalized by subtracting the seasonal factor for the appropriate month from the reported inventory levels). The intent of deseasonalization is to remove only annual variation from the data. Thus, deseasonalized series would contain the same trends, cyclical components, and irregularities as the original data. The seasonal factors are updated annually in October, using the 7 most recent years' final monthly data. The seasonal factors are used to deseasonalize data from the most recent 5-year period (January-December or July-June) in order to determine a deseasonalized average band. The average of the deseasonalized 60-month series is the midpoint of the band, and two standard deviations of the series (adjusting first for extreme points) is its width. When the seasonal factors are added back in (the upper curve is the midpoint plus one standard deviation plus the seasonal factor, and the lower curve is the midpoint minus one standard deviation plus the seasonal factor), the "average range" shown on the graphs reflects the actual data. The ranges are updated every 6 months in April and October (Table A1).

Calculation of World Oil Price

The weighted average international price of oil, shown in the "Highlights" and on Table 13, is an average calculated using specific crude oil prices weighted by the estimated crude oil export

volume for each oil-producing country. To develop the Table 13, a list of major oil producing/exporting countries was chosen. For each country, the contract selling price of one or more representative crude oils was determined by investigating a number of industry publications (i.e., "Oil Buyers' Guide", "Platt's Oilgram Price Report", "Petroleum Intelligence Weekly", and "Weekly Petroleum Argus") and by contacting oil market analysts. Then, the appropriate crude oil volumes to be used as weighting factors for each country were determined. These volumes are estimates based on a number of sources which provide data on production, consumption, and exports for these countries. Export volumes for a number of smaller producing/exporting countries, not listed in the table, are included in the weighting factors. After the export volumes had been determined, simple mathematical weighted averages were calculated to arrive at the "Total OPEC," "Total Non-OPEC," and "Total World" prices. The average United States (FOB) import price is derived by the same basic procedure as the world oil price, that is, taking the representative contract crude oil price of a specific crude oil from a particular country and weighting this price by a certain volume of crude oil. In this case, the weighting factors are the volumes of crude oil imported into the U.S. from pertinent countries. Import volumes from a number of smaller producing/exporting countries, not listed in the table, are included in the weighting factors.

Both the import and export volumes are preliminary. Due to their origin, these estimates cannot be fully verified. These volumes are updated monthly, or more frequently when changes in oil market conditions make updating appropriate.

Form EIA-807 Propane Survey

The Form EIA-807, "Propane Telephone Survey," was implemented in April 1990 as the result of the 1989 propane supply disruption. The hardships experienced by propane users during the December 1989 cold-snap in the Northeast and Mid-Continent areas made the need for timely supply information imperative. During 1990, propane data was collected and provided to Congress and others upon request.

Respondent Frame

The sample of companies that report monthly is selected from the universe of respondents that report on the monthly surveys listed below:

Form Number	Name
EIA-810	Monthly Refinery Report
EIA-811	Monthly Bulk Terminal Report
EIA-812	Monthly Product Pipeline Report
EIA-816	Monthly Natural Gas Liquids Report

Sampling

The sampling procedure used for the EIA-807 is the cut-off method. In the cut-off method, facilities are ranked from largest to smallest on the basis of quantities reported for propane production,

**Table A1. Upper and Lower Limits of Average Ranges in Inventory Graphs
(Million Barrels)**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Upper Limit												
Total Petroleum	982.6	971.8	974.7	996.4	1,024.3	1,027.7	1,031.2	1,023.7	1,024.0	1,016.6	1,023.5	988.3
Crude Oil	306.3	306.1	320.2	327.1	325.2	315.2	313.0	306.7	298.5	307.1	309.4	300.4
PADD 1	15.2	15.1	15.2	16.4	16.4	16.0	17.1	15.6	16.3	15.2	15.1	13.6
PADD 2	63.4	63.0	67.4	69.4	70.6	66.8	66.7	64.6	63.2	64.9	65.7	65.7
PADD 3	158.3	158.8	165.8	170.8	167.6	162.7	161.6	161.2	155.8	161.4	159.3	153.4
PADD 4	13.6	13.5	14.1	14.4	14.5	13.5	13.3	12.9	12.8	13.0	13.0	13.6
PADD 5	60.1	59.1	61.3	58.8	59.5	59.1	57.4	55.2	53.2	56.1	59.4	57.6
Motor Gasoline	219.0	215.7	209.8	212.9	217.6	216.4	210.8	201.7	206.3	202.2	208.8	208.9
PADD 1	61.1	58.6	57.6	60.3	63.2	64.0	58.9	55.6	55.4	53.4	57.7	58.4
PADD 2	55.2	55.8	52.5	51.9	53.4	54.3	53.5	51.8	53.8	51.4	52.6	51.4
PADD 3	63.9	64.6	63.8	63.6	64.4	63.5	62.9	60.3	62.9	62.7	62.5	62.0
PADD 4	8.1	8.1	7.6	6.7	6.8	6.7	6.4	6.1	6.3	6.5	7.0	7.3
PADD 5	33.2	30.7	30.4	32.6	32.3	30.5	29.9	29.6	30.4	29.5	31.4	32.1
Distillate Fuel Oil	129.7	124.2	115.1	115.5	122.1	125.5	132.2	133.5	136.9	134.4	139.2	138.0
PADD 1	51.1	47.3	40.6	40.4	46.0	50.1	55.6	58.6	60.6	61.5	62.1	59.0
PADD 2	32.1	32.6	30.2	30.7	31.0	31.3	31.7	31.4	31.1	27.9	30.5	32.4
PADD 3	31.4	30.3	30.9	30.7	31.5	30.9	32.2	31.5	32.9	32.0	32.9	32.5
PADD 4	3.5	3.5	3.2	2.9	3.2	3.4	3.3	2.9	2.9	2.9	3.4	3.5
PADD 5	12.7	11.9	12.3	12.7	12.6	11.9	11.7	11.3	11.9	11.9	12.4	12.8
Residual Fuel Oil	39.8	38.8	38.7	38.4	39.6	40.0	38.5	38.2	38.5	38.7	40.5	39.8
PADD 1	15.5	14.1	13.1	13.8	15.2	15.8	15.7	14.9	15.7	16.3	16.6	16.4
PADD 2	2.1	2.0	2.0	2.1	2.1	1.9	1.9	1.9	2.0	1.8	1.9	2.0
PADD 3	15.8	16.0	17.0	16.1	16.0	15.7	14.8	15.0	14.8	14.4	15.5	15.7
PADD 4	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5
PADD 5	6.5	6.7	6.6	6.5	6.3	6.4	6.3	6.3	6.1	6.2	6.5	6.1
Propane	40.1	34.7	31.9	37.0	46.5	55.0	61.8	66.9	68.7	67.5	64.8	55.7
PADD 1	3.6	3.5	3.1	3.6	4.2	4.7	5.4	5.7	5.8	5.9	5.9	5.3
PADD 2	14.8	11.7	10.7	12.8	16.4	20.2	23.3	25.9	27.0	26.5	26.2	21.4
PADD 3	21.5	19.4	18.6	21.0	25.8	29.7	32.2	33.8	34.1	33.6	31.8	27.8
Lower Limit												
Total Petroleum	907.9	897.0	899.9	921.7	949.6	953.0	956.5	948.9	949.3	941.8	948.7	913.6
Crude Oil	277.8	277.6	291.6	298.6	296.7	286.6	284.4	278.2	270.0	278.6	280.9	271.8
PADD 1	13.1	13.1	13.2	14.3	14.4	13.9	15.0	13.5	14.3	13.2	13.0	11.6
PADD 2	54.3	53.8	58.2	60.2	61.5	57.7	57.6	55.5	54.0	55.8	56.6	56.6
PADD 3	143.1	143.5	150.5	155.5	152.4	147.4	146.3	146.0	140.5	146.1	144.0	138.2
PADD 4	12.2	12.0	12.6	12.9	13.0	12.1	11.9	11.5	11.3	11.6	11.6	12.2
PADD 5	52.9	52.0	54.1	51.7	52.3	51.9	50.2	48.1	46.0	48.9	52.2	50.4
Motor Gasoline	207.7	204.4	198.5	201.6	206.3	205.0	199.5	190.4	195.0	190.9	197.4	197.5
PADD 1	55.9	53.4	52.4	55.1	58.1	58.8	53.7	50.5	50.2	48.2	52.6	53.2
PADD 2	51.3	51.9	48.7	48.0	49.5	50.4	49.7	48.0	49.9	47.6	48.8	47.6
PADD 3	60.4	61.1	60.3	60.1	60.9	60.1	59.4	56.8	59.5	59.2	59.0	58.5
PADD 4	7.2	7.2	6.7	5.8	5.9	5.8	5.5	5.2	5.4	5.6	6.1	6.4
PADD 5	31.1	28.6	28.3	30.5	30.2	28.4	27.8	27.5	28.3	27.4	29.3	30.0
Distillate Fuel Oil	112.1	106.6	97.5	97.9	104.4	107.9	114.6	115.9	119.2	116.8	121.6	120.4
PADD 1	36.9	33.1	26.4	26.2	31.8	36.0	41.4	44.5	46.4	47.4	47.9	44.9
PADD 2	29.2	29.8	27.3	27.8	28.2	28.4	28.9	28.5	28.2	25.1	27.7	29.6
PADD 3	28.4	27.4	27.9	27.7	28.5	27.9	29.2	28.5	29.9	29.1	29.9	29.5
PADD 4	3.1	3.1	2.9	2.5	2.9	3.0	2.9	2.5	2.6	2.5	3.0	3.2
PADD 5	11.4	10.6	11.1	11.4	11.4	10.6	10.4	10.0	10.6	10.7	11.1	11.6
Residual Fuel Oil	34.2	33.2	33.2	32.9	34.0	34.5	33.0	32.7	33.0	33.2	35.0	34.2
PADD 1	12.5	11.2	10.1	10.8	12.2	12.9	12.7	11.9	12.7	13.3	13.6	13.4
PADD 2	1.7	1.7	1.6	1.8	1.7	1.5	1.5	1.5	1.6	1.5	1.6	1.6
PADD 3	13.7	13.9	14.9	14.0	13.9	13.6	12.7	12.9	12.7	12.3	13.4	13.6
PADD 4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.4
PADD 5	5.5	5.8	5.7	5.6	5.4	5.4	5.4	5.3	5.2	5.3	5.6	5.2
Propane	30.2	24.8	22.0	27.1	36.6	45.1	51.9	57.0	58.8	57.6	54.9	45.8
PADD 1	2.7	2.5	2.2	2.6	3.2	3.8	4.5	4.8	4.9	5.0	4.9	4.3
PADD 2	10.3	7.2	6.3	8.4	12.0	15.8	18.8	21.4	22.5	22.0	21.7	16.9
PADD 3	14.0	11.8	11.1	13.4	18.2	22.1	24.6	26.2	26.5	26.0	24.2	20.3

imports, and stocks. Companies are chosen for the sample beginning with the largest and adding companies until the total sample covers about 90 percent of the total for each item and each geographic region (Petroleum Administration for Defense Districts I (IA, IB, IC), II and III) for which data are published. A bench mark factor is used to capture the remaining 10 percent of the propane industry.

The sample frame for the EIA-807 is re-evaluated on an annual basis to assure 90 percent coverage of the total for each item collected and each geographic region. However, when necessary the sample frame is updated more frequently.

Collection Methods

Data are collected by telephone or facsimile. No written confirmation of the data submission is necessary. For monthly data collections, telephone calls to respondents start on the third working day following the end of the report period.

Resubmissions

Resubmissions are any changes to the originally submitted data that were either requested by the EIA or initiated by the respondent. A determination is made on whether to process the resubmissions based on the magnitude of the revision. Cell entries on publication tables are marked with an “R” for revised.

Estimation and Imputation

After the company reports have been checked and entered into the EIA-807 data base, imputation is done for companies which have not yet responded. The imputed values are equal to the latest reported data for a particular reporting unit. Response rates are over 90 percent so very little imputation is done.

After the data files have been edited and corrected, aggregation is done for each geographic region. Estimation factors, derived similarly to those described on page 32, are then applied to each cell to generate published data.

Response Rate

The response rate is generally 95 to 100 percent. Chronic nonrespondents and late filing respondents are contacted by telephone and reminded of their requirement to report. Nearly all of the major companies report on time. The nonresponse rate for the published estimate is usually between 1 percent and 2 percent.

Propane Figures

The national and PADD level inventory (stocks) graphs include features to assist in comparing current inventory levels with past inventory levels and with judgements of critical levels. Figure 7 provides the reader with actual inventory data compared to an “average range” for the most recent 5-year period running from January through December or from July through June. The ranges also reflect seasonal variation for the past seven years. See page 38 for a further discussion.

Technical Notes

Note 1

The spot prices that are shown in Tables 14 and 15 are calculated by taking an unweighted average of the daily closing spot prices for a given product over a specified time period, such as a week or month.

Note 2

The futures prices shown in Table 16 are the official daily closing prices at 2:30 p.m. from the trading floor of the New York Mercantile Exchange (NYMEX) for a specific delivery month for each product listed in Table 16.


Note 3

The futures price differentials shown in Figure 13 show the market premium for the first NYMEX delivery month contract over the second. For example, the data for September show the difference between October and November futures contract prices for crude oil and petroleum products, indicating the relative values placed by markets on commodities to be delivered during those two months. This differential, if negative and large enough, provides incentive for refiners and traders to hold product in storage, and if positive, to defer purchases until some future point in time.

Note 4

The retail gasoline prices shown in Table 17 reflect sales of reformulated gasoline (RFG) in those areas where required by Federal or State law, and conventional gasoline elsewhere (see Figure A1). Areas requiring RFG may change over time due to the ozone non-attainment status of an area being re-designated by the Environmental Protection Agency (EPA), a State opting in or out of an EPA clean fuel program, or a State adopting its own specific clean fuel program. EIA reclassifies the outlets reporting retail gasoline prices each time an area shifts in or out of a reformulated gasoline program. “Conventional areas” in this instance include areas where oxygenated gasoline may be required for all or part of the year.

Figure A1. Gasoline Formulation Required by Area as of June 1, 2004



Source: U.S. Environmental Protection Agency and State environmental offices.

Appendix B

Northeast Heating Oil Reserve

On July 10, 2000, President Clinton directed the Department of Energy to establish the Northeast Heating Oil Reserve. The reserve is intended to reduce the risks presented by home heating oil shortages, such as the ones experienced in December 1996 and January-February 2000.

Maximum inventory of heating oil in the reserve will be two million barrels. The Department of Energy believes that a two-million-barrel reserve will provide relief from weather-related shortages for approximately ten days, which is the time for ships to bring heating oil from the Gulf of Mexico to New York Harbor. Inventory for the reserve was acquired by exchanging crude oil from the Strategic Petroleum Reserve for heating oil to be delivered to the storage facilities.

For more information on the Northeast Heating Oil Reserve, please contact Mr. Nathan Harvey from the Office of Petroleum Reserves at (202) 586-4734.

Northeast Heating Oil Reserve inventories classified as "Distillate Fuel Oil - Greater than 0.05 percent sulfur" are not considered to be in the commercial sector and therefore are excluded from distillate fuel oil supply and disposition statistics in Energy Information Administration publications, such as the *Weekly Petroleum Status Report*, *Petroleum Supply Monthly*, and "This Week In Petroleum."

Northeast Heating Oil Reserve (Thousand Barrels)

Terminal Operator	Location	Week Ending January 7, 2005
First Reserve Terminal	Woodbridge, NJ	1,000
Williams Energy Services	New Haven, CT	500
Motiva Enterprises LLC	New Haven, CT	250
Motiva Enterprises LLC	Providence, RI	250

Source: Energy Information Administration

Appendix C

Table C1. Residential Heating Oil Prices by Region and State
(Cents per Gallon)

2003-2004 Heating Season Monthly												
Region/State	October		November		December		January		February		March	
Average	137.3		139.5		145.6		156.6		161.5		159.8	
East Coast (PADD I)	138.6		141.2		147.8		159.5		164.7		162.4	
New England (PADD IA)	132.8		136.2		143.7		156.0		160.9		158.1	
Central Atlantic (PADD IB)	144.5		146.5		152.8		164.1		169.6		167.6	
Lower Atlantic (PADD IC)	127.0		128.5		132.8		143.4		148.0		147.5	
Midwest (PADD II)	125.6		125.1		125.8		131.9		134.4		137.3	
2004-2005 Heating Season Monthly												
Region/State	October		November		December		January		February		March	
Average	194.8		203.2		197.2		NA		NA		NA	
East Coast (PADD I)	196.0		204.9		199.5		NA		NA		NA	
New England (PADD IA)	193.1		200.2		194.1		NA		NA		NA	
Central Atlantic (PADD IB)	199.3		209.7		204.9		NA		NA		NA	
Lower Atlantic (PADD IC)	185.5		193.5		187.0		NA		NA		NA	
Midwest (PADD II)	182.4		184.6		171.9		NA		NA		NA	
2004-2005 Heating Season Weekly												
Region/State	10/25	11/1	11/8	11/15	11/22	11/29	12/6	12/13	12/20	12/27	1/3	1/10
Average	206.0	206.0	202.8	201.7	202.5	203.0	197.0	194.7	199.3	197.8	195.1	194.4
East Coast (PADD I)	207.4	207.5	204.4	203.6	204.4	204.9	199.1	197.0	201.9	200.2	197.6	196.9
New England (PADD IA)	204.0	203.4	200.1	198.2	199.5	199.7	193.2	190.7	197.3	195.3	192.2	191.5
Connecticut	208.5	206.5	202.0	199.0	201.8	201.8	196.6	193.5	200.2	197.3	195.0	194.8
Maine	197.8	199.5	196.2	196.1	196.6	196.6	191.8	188.1	190.7	190.6	189.0	186.8
Massachusetts	202.0	199.3	196.1	194.5	194.7	195.6	185.9	184.9	195.0	191.3	186.1	186.6
New Hampshire	203.6	209.8	208.9	206.1	206.4	206.1	203.9	200.5	202.8	204.4	202.8	201.0
Rhode Island	209.5	206.9	203.5	202.7	204.8	204.6	196.4	193.2	199.9	198.2	194.4	192.4
Vermont	204.8	206.1	203.3	200.9	203.0	203.6	196.8	195.7	202.7	200.9	198.2	198.4
Central Atlantic (PADD IB)	211.3	211.7	208.7	208.8	209.4	210.1	204.6	203.1	206.8	205.2	202.8	202.0
Delaware	207.5	205.1	201.2	200.7	206.1	204.1	196.6	194.2	204.4	202.7	198.5	197.1
Dist Columbia	234.6	235.8	235.7	235.7	232.0	230.8	227.2	225.9	227.1	227.2	225.9	224.7
Maryland	204.4	207.0	206.0	205.5	204.7	203.8	202.1	200.3	203.2	203.4	201.8	199.8
New Jersey	212.3	213.2	208.6	206.8	209.1	209.6	202.3	199.5	206.2	205.2	201.6	199.8
New York	219.9	220.5	218.1	220.7	220.6	221.4	214.4	215.7	217.7	216.0	214.5	214.9
Pennsylvania	201.1	200.2	196.9	194.9	195.3	196.8	193.5	188.9	193.3	190.8	188.0	186.6
Lower Atlantic (PADD IC)	195.1	196.7	194.5	192.0	192.3	191.9	188.7	184.9	187.1	187.5	186.5	186.3
North Carolina	194.0	193.8	191.8	188.2	188.0	188.3	186.0	181.5	182.4	183.5	182.5	183.0
Virginia	195.7	198.4	196.2	194.3	194.9	194.1	190.2	187.0	189.9	189.9	188.9	188.2
Midwest (PADD II)	191.3	189.5	185.9	181.6	182.8	182.9	175.2	168.5	171.9	171.7	168.4	167.6
Indiana	195.0	192.8	188.5	184.2	185.1	185.8	179.6	171.3	172.6	174.3	170.0	169.8
Iowa	182.0	179.6	175.4	171.8	172.9	172.7	164.3	161.2	160.5	156.5	154.7	154.0
Kentucky	191.1	188.9	180.3	177.7	180.1	180.9	169.6	163.9	173.3	171.1	165.2	165.3
Michigan	195.7	197.0	193.4	190.3	188.4	188.2	184.9	178.3	178.6	181.8	180.7	179.7
Minnesota	193.8	192.7	190.5	183.9	185.9	185.4	176.2	168.4	169.1	170.3	166.7	165.8
Nebraska	178.8	176.8	171.0	167.8	167.2	168.8	162.9	154.8	154.6	153.1	149.5	149.6
Ohio	187.3	183.8	179.0	174.2	176.8	176.2	167.8	163.0	170.2	166.9	164.1	164.1
Wisconsin	192.2	190.2	187.4	184.2	185.3	186.0	178.0	170.5	174.3	174.7	170.4	168.5

Source: Based on data collected by State Energy Offices.

Table C2. Wholesale Heating Oil Prices by Region and State

(Cents per Gallon)

2003-2004 Heating Season Monthly

Region/State	October	November	December	January	February	March
Average	90.2	88.3	91.2	100.3	96.7	100.7
East Coast (PADD I)	87.3	87.3	92.2	102.4	97.2	97.5
New England (PADD IA)	87.9	88.3	94.1	104.2	98.6	98.2
Central Atlantic (PADD IB)	87.8	87.6	92.6	103.0	98.3	98.1
Lower Atlantic (PADD IC)	85.3	85.1	88.7	98.7	92.1	94.8
Midwest (PADD II)	93.6	89.5	90.0	97.7	96.1	104.5

2004-2005 Heating Season Monthly


Region/State	October	November	December	January	February	March
Average	154.5	145.9	132.7	NA	NA	NA
East Coast (PADD I)	154.1	145.8	133.3	NA	NA	NA
New England (PADD IA)	154.8	147.2	134.7	NA	NA	NA
Central Atlantic (PADD IB)	153.9	145.7	133.1	NA	NA	NA
Lower Atlantic (PADD IC)	151.9	140.9	129.2	NA	NA	NA
Midwest (PADD II)	156.6	146.4	129.5	NA	NA	NA

2004-2005 Heating Season Weekly

Region/State	10/25	11/1	11/8	11/15	11/22	11/29	12/6	12/13	12/20	12/27	1/3	1/10
Average	163.9	149.9	140.4	139.9	151.8	147.6	125.7	124.0	145.4	135.6	128.2	131.7
East Coast (PADD I)	163.6	149.5	140.1	139.9	151.8	147.8	125.9	124.8	146.2	136.5	128.6	132.1
New England (PADD IA)	164.7	150.6	141.4	141.0	153.5	149.7	127.4	126.3	147.7	137.5	129.5	133.3
Connecticut	164.3	150.3	141.3	140.4	153.0	149.0	127.1	127.0	147.4	137.3	129.3	132.5
Maine	164.6	150.5	141.4	141.1	153.7	149.8	127.1	125.5	147.6	137.1	129.6	133.2
Massachusetts	165.0	150.7	141.9	141.4	153.9	150.3	128.0	126.5	148.1	137.9	130.0	134.0
New Hampshire	163.4	149.2	139.5	139.7	152.2	148.2	125.8	124.2	146.7	135.9	127.6	131.7
Rhode Island	164.0	150.2	140.6	140.1	152.6	149.1	126.5	125.3	146.4	136.0	128.2	132.4
Vermont	168.6	154.0	143.0	144.0	156.0	152.6	130.7	128.8	150.5	142.9	132.3	137.2
Central Atlantic (PADD IB)	163.4	149.4	140.0	139.8	151.7	147.8	125.7	124.4	146.1	136.2	128.3	131.6
Delaware	162.9	148.8	140.2	139.8	151.9	148.1	126.6	124.9	146.9	136.7	128.1	131.4
Maryland	161.2	146.4	136.9	137.1	147.5	142.9	122.9	122.9	144.6	136.7	129.3	132.9
New Jersey	161.8	148.2	139.1	138.6	150.6	147.4	125.0	125.1	145.3	135.1	127.9	130.6
New York	164.9	150.8	141.0	140.9	152.8	149.0	126.6	124.5	146.8	137.0	128.3	132.3
Pennsylvania	163.8	149.7	140.5	140.4	152.6	148.1	126.2	124.1	146.6	136.4	128.6	131.6
Lower Atlantic (PADD IC)	161.0	145.9	135.7	136.2	146.3	140.5	120.8	121.0	140.9	133.9	126.7	130.4
North Carolina	160.8	145.4	135.3	135.7	145.8	139.6	118.2	118.5	140.1	132.7	127.0	130.2
Virginia	161.2	146.2	136.0	136.6	146.6	141.0	122.5	122.6	141.4	134.7	126.5	130.6
Midwest (PADD II)	165.5	152.3	141.9	139.9	151.7	146.5	124.5	120.5	141.5	131.5	126.0	129.5
Illinois	166.9	154.3	142.9	143.4	152.4	146.4	124.8	119.8	142.8	132.8	127.6	130.4
Indiana	164.5	152.6	142.4	141.8	153.7	149.3	127.4	121.2	144.9	130.8	125.7	128.7
Iowa	162.7	149.2	147.2	140.5	155.0	148.6	123.4	118.4	138.6	128.4	121.8	127.1
Kansas	161.2	146.9	146.9	139.3	152.6	146.4	120.4	120.5	136.7	127.9	120.4	126.8
Kentucky	168.4	153.6	142.7	141.1	152.7	147.4	126.3	124.6	144.6	136.2	131.7	133.5
Michigan	165.6	152.9	140.9	139.5	150.3	146.6	125.8	120.4	141.9	129.7	124.2	128.0
Minnesota	167.6	153.1	149.5	142.8	157.0	149.5	123.5	118.3	138.0	127.0	120.7	125.6
Missouri	161.7	149.6	139.0	136.9	147.4	142.1	118.4	115.9	137.6	127.8	123.2	127.4
Nebraska	161.7	148.0	146.4	140.2	154.3	147.8	122.5	118.3	137.6	127.2	121.5	127.7
North Dakota	164.7	151.5	149.8	144.1	158.0	151.6	126.8	122.7	141.1	131.5	124.9	129.9
Ohio	163.8	150.9	138.8	136.5	149.4	144.5	123.0	118.9	139.2	130.3	123.9	128.0
South Dakota	162.1	148.6	146.7	141.0	154.8	148.4	124.6	119.6	137.5	129.2	122.5	128.2
Wisconsin	166.8	155.1	143.4	141.0	152.4	147.5	126.0	121.2	141.6	129.7	125.6	128.7


Source: Based on terminal quotes collected by the Oil Price Information Service (OPIS).

Figure C1. Residential Heating Oil Prices by PAD District



Source: Based on data collected by State Energy Offices.

Figure C2. Wholesale Heating Oil Prices by PAD District



Source: Based on data collected by Oil Price Information Service.

Table C3. Residential Propane Prices by Region and State

(Cents per Gallon)

2003-2004 Heating Season Monthly

Region/State	October	November	December	January	February	March
Average	130.8	133.0	138.4	149.6	153.6	150.9
East Coast (PADD I)	148.0	150.6	157.0	170.6	177.2	174.7
New England (PADD IA)	155.9	160.5	166.2	177.4	186.9	187.0
Central Atlantic (PADD IB)	149.7	151.3	157.7	171.2	178.1	175.8
Lower Atlantic (PADD IC)	136.6	138.8	146.0	162.5	165.3	159.8
Midwest (PADD II)	117.7	119.4	124.0	133.5	135.4	132.6

2004-2005 Heating Season Monthly

Region/State	October	November	December	January	February	March
Average	161.9	169.1	171.7	NA	NA	NA
East Coast (PADD I)	183.9	190.3	194.0	NA	NA	NA
New England (PADD IA)	195.1	203.6	205.0	NA	NA	NA
Central Atlantic (PADD IB)	188.1	198.0	199.3	NA	NA	NA
Lower Atlantic (PADD IC)	175.5	175.4	183.2	NA	NA	NA
Midwest (PADD II)	143.9	153.4	155.2	NA	NA	NA

2004-2005 Heating Season Weekly

Region/State	10/25	11/1	11/8	11/15	11/22	11/29	12/6	12/13	12/20	12/27	1/3	1/10
Average	165.7	168.2	169.0	168.9	168.8	170.4	171.0	171.3	171.8	172.9	173.0	172.8
East Coast (PADD I)	187.1	189.4	190.4	190.1	189.9	191.5	191.8	193.9	194.9	195.5	195.3	194.7
New England (PADD IA)	200.7	201.5	204.2	203.0	203.7	205.7	204.7	204.4	205.2	205.7	205.8	204.9
Connecticut	194.1	195.4	194.8	193.2	193.3	195.8	194.1	193.2	193.8	190.7	189.7	189.7
Maine	204.7	206.7	209.4	206.0	208.2	213.4	213.1	213.5	215.2	219.8	217.5	218.2
Massachusetts	191.2	191.6	196.7	195.7	196.9	196.9	194.6	193.2	192.5	193.7	193.1	191.5
New Hampshire	196.2	196.5	203.8	203.4	202.9	205.1	203.4	204.3	205.1	204.5	206.7	204.4
Rhode Island	219.6	222.8	222.6	222.2	222.0	223.4	221.9	223.3	223.8	223.8	224.8	225.7
Vermont	213.9	214.3	210.7	210.4	211.1	211.8	212.5	211.4	213.0	212.7	213.5	212.8
Central Atlantic (PADD IB)	193.4	197.3	198.2	197.4	198.6	198.6	198.7	198.0	199.9	200.7	200.5	199.7
Delaware	206.5	207.3	205.7	201.0	201.0	199.5	200.9	198.3	200.5	200.5	200.1	199.6
Maryland	200.6	205.4	206.1	206.9	207.0	204.8	205.0	204.9	205.2	205.4	204.4	204.1
New Jersey	200.9	205.4	205.6	205.3	205.9	206.7	206.7	204.6	204.0	205.1	203.9	204.1
New York	189.5	193.7	195.7	194.2	195.7	195.9	195.9	196.2	198.8	199.6	199.5	198.7
Pennsylvania	193.0	195.3	194.6	195.1	196.4	197.4	197.5	194.8	197.2	198.6	198.6	197.0
Lower Atlantic (PADD IC)	173.7	174.9	175.2	175.8	173.7	177.2	178.3	184.9	184.8	184.9	184.9	184.5
North Carolina	171.0	172.3	172.5	172.9	170.4	174.6	176.0	183.6	183.4	183.5	183.7	183.3
Virginia	186.2	186.8	188.0	189.5	188.9	189.2	189.1	190.8	190.9	191.8	190.3	190.1
Midwest (PADD II)	149.6	152.5	153.1	153.3	153.2	154.8	155.5	154.5	154.5	156.1	156.4	156.5
Indiana	152.8	156.8	158.5	159.3	158.2	160.0	161.0	161.9	163.5	163.4	165.5	166.7
Iowa	131.8	131.4	130.3	131.2	131.1	131.2	130.5	128.5	128.8	128.7	127.2	127.5
Kentucky	165.3	167.7	168.0	168.4	169.4	170.9	172.1	171.4	176.3	176.4	178.0	177.2
Michigan	155.9	159.4	159.1	158.8	160.0	162.4	161.6	161.8	162.5	166.2	166.8	167.5
Minnesota	147.4	147.5	147.2	148.2	147.9	149.5	151.1	149.4	151.6	151.2	152.9	152.0
Missouri	149.1	155.0	154.7	155.9	154.2	155.4	155.8	154.2	153.2	155.2	153.8	153.3
Nebraska	131.2	129.0	129.7	129.0	127.8	128.8	126.5	124.8	125.1	125.1	123.7	123.6
North Dakota	130.6	133.7	135.0	135.1	134.7	135.6	134.8	133.7	133.1	134.1	134.8	134.2
Ohio	159.8	164.8	167.2	166.8	167.5	168.2	170.5	171.2	171.8	174.7	174.5	172.9
South Dakota	131.9	132.9	132.4	131.3	131.5	133.1	131.8	130.4	130.6	130.9	129.5	128.9
Wisconsin	148.2	148.0	151.9	150.0	150.9	154.4	157.6	155.5	151.8	152.8	155.7	157.8

Source: Based on data collected by State Energy Offices.

Table C4. Wholesale Propane Prices by Region and State

(Cents per Gallon)

2003-2004 Heating Season Monthly

Region/State	October	November	December	January	February	March
Average	69.2	63.8	69.6	78.6	74.1	67.8
East Coast (PADD I)	66.2	65.3	72.4	87.2	83.0	75.6
Central Atlantic (PADD IB)	67.3	66.8	73.8	88.4	85.3	77.1
Lower Atlantic (PADD IC)	64.7	63.4	70.6	85.8	80.2	73.8
Midwest (PADD II)	70.2	63.3	68.7	75.6	71.0	65.1

2004-2005 Heating Season Monthly


Region/State	October	November	December	January	February	March
Average	98.1	98.0	89.1	NA	NA	NA
East Coast (PADD I)	99.4	97.7	90.6	NA	NA	NA
Central Atlantic (PADD IB)	100.1	98.8	91.2	NA	NA	NA
Lower Atlantic (PADD IC)	98.2	96.1	89.8	NA	NA	NA
Midwest (PADD II)	97.5	98.1	88.5	NA	NA	NA

2004-2005 Heating Season Weekly

Region/State	10/25	11/1	11/8	11/15	11/22	11/29	12/6	12/13	12/20	12/27	1/3	1/10
Average	106.4	100.8	98.3	95.6	96.7	98.5	88.7	85.5	92.6	89.6	84.9	80.9
East Coast (PADD I)	106.0	101.5	98.5	95.6	96.0	96.9	90.8	87.6	93.2	91.0	87.0	83.5
Central Atlantic (PADD IB)	106.7	102.5	99.6	96.7	97.2	97.9	90.6	87.9	94.2	92.0	88.1	84.8
Delaware	107.0	101.5	100.5	98.5	99.5	99.5	93.0	89.5	97.0	97.0	88.5	84.0
New Jersey	107.2	104.0	101.0	98.5	99.5	100.5	93.5	92.1	95.9	94.6	92.0	91.2
New York	107.1	102.8	99.6	96.5	96.7	97.3	89.9	86.9	93.6	90.9	87.0	83.1
Pennsylvania	106.2	101.6	98.8	95.6	96.0	96.6	89.3	86.1	93.3	90.9	86.6	82.5
Lower Atlantic (PADD IC)	104.8	100.0	96.8	93.8	94.2	95.4	91.0	87.2	91.7	89.3	85.2	81.3
North Carolina	103.7	98.9	95.9	92.7	92.9	94.3	88.2	83.6	90.1	87.8	83.8	79.6
Virginia	107.5	102.9	99.2	96.8	97.6	98.2	98.2	96.3	95.8	93.2	88.7	85.8
Midwest (PADD II)	106.6	100.5	98.2	95.6	97.0	99.1	87.9	84.6	92.4	89.1	84.1	79.9
Illinois	109.1	102.4	99.7	96.7	96.6	101.5	91.2	86.1	92.8	92.2	85.2	81.3
Indiana	104.5	100.3	96.9	93.9	93.8	94.9	87.5	83.9	90.6	88.2	84.6	80.3
Iowa	108.7	101.2	99.1	96.5	99.3	100.6	87.9	85.2	93.8	89.3	83.3	79.0
Kansas	104.8	99.3	97.3	95.0	96.9	99.0	86.7	83.8	92.0	88.8	85.3	81.8
Minnesota	106.0	99.9	97.8	95.6	97.4	99.2	86.4	83.4	91.8	87.3	81.8	77.2
Missouri	107.6	100.2	98.1	95.5	98.1	99.8	87.0	84.4	92.9	88.4	82.5	77.7
Nebraska	107.2	99.9	98.0	95.3	97.7	99.6	86.8	84.2	92.5	87.5	82.0	77.5
North Dakota	100.8	98.2	97.8	97.2	93.0	97.0	89.0	85.4	89.9	86.2	82.2	76.8
Ohio	104.7	100.3	97.1	93.9	94.4	95.2	87.8	84.1	90.8	88.4	84.9	80.3
South Dakota	108.9	101.5	99.4	97.0	99.3	101.1	88.4	85.7	94.1	89.4	83.6	79.2
Wisconsin	110.0	102.5	100.6	97.9	100.6	102.0	89.3	86.6	95.2	90.6	84.8	79.9


Source: Data are average prices collected by Oil Price Information Service (OPIS).

Figure C3. Residential Propane Prices by PAD District



Based on data collected by State Energy Offices.

Figure C4. Wholesale Propane Prices by PAD District



Source: Based on data collected by Oil Price Information Service.

Winter Fuels Explanatory Notes

Prices

The residential No. 2 heating oil and propane prices (excluding taxes) for a given State are based on the results of telephone surveys of a sample of marketers and refiners. Data are collected by State Energy Offices under the Energy Information Administration (EIA) State Heating Oil and Propane Program.

Sampling Methodology and Estimation Procedures

To estimate aggregate propane and No. 2 heating oil price data for a State, the sample weight and volume sales data were applied to the reported price, summed and divided by the sum of the weighted volume:

$$\sum_{j=1}^s \sum_{i=1}^{n_j} w_{ij} v_{ij} p_{ij} / \sum_{j=1}^s \sum_{i=1}^{n_j} w_{ij} v_{ij}.$$

where w = sample weight, v = volume, p = price, i = respondent, n_j = sample size of stratum j , and s = number of strata, to obtain a volume weighted price.

The volumes used for No. 2 heating oil and propane are the company's residential sales volume as reported on the EIA-863 "Petroleum Product Sales Identification Survey."

These fixed volume weights indicate the relative importance of the individual companies according to the size of their sales. Therefore, changes in the average price across time reflect only the change in the price being offered by the company, and not changes in the amounts sold. Price indexes constructed using fixed volumes, such as these annual sales, are known as Laspeyres Indexes. The alternative method of weighting, current weights, would require each company to report the number of gallons sold at the reported price each pricing period. This method is more burdensome on the companies and reflects prices over a period of time as compared to a point in time. Therefore, the calculation of average prices tends to lag behind the reference period. Indexes constructed from current period weights are known as Paasche Indexes.

Both methods of weighting are correct; they do, however, vary when current weights are changing. It has been argued that during periods of change, the Laspeyres method has a tendency to overestimate price changes, while the Paasche method tends to underestimate price changes.

In this survey, it is expected that the relative change in volumes weekly is small. Residential sales are not bulk in nature and do not tend to reflect discounts on price for large volume purchases. Absolute changes in volume within a year's time would more likely reflect demand and be consistent across companies within a geographical area.

Residential No. 2 Heating Oil

The No.2 heating oil price data are reported by a statistical sample. The sample design used is similar to that used for the EIA Form EIA-782, "Resellers'/Retailers' Monthly Petroleum Product Sales Report." The sampling frame used was based on residential heating oil sales reported on the 2002 Form EIA-863, "Petroleum Product Sales Survey." Certainties were defined at the State level according to the market shares of sales in each State as reported in the frame survey. The remaining frame companies were stratified into three groups by their residential heating oil sales volumes in each State. Strata boundaries were determined using the Dalenius-Hodges procedure. The sample allocations were designed to yield average price coefficients of variation (CV) of 1%, but individual State sample sizes were capped at 35 if the target CV was not met at that point. In those States, the average CV is expected to be less than 3%. In addition, a minimum size of 15 was required for each State. The sample weights (w_{ij}) used in estimating average prices were calculated as N/n , the inverse of the probability of selection. Volume weights were assigned using the data reported in the frame survey.

Residential Propane

The propane price data are reported by a statistical sample. The sample design is similar to that of the heating oil sample, defining certainty companies according to their State level market shares as reported in the 2002 EIA-863 survey, and stratifying the remaining frame companies into 2 size groups according to their volumes. However, the selection and reporting unit for propane is the outlet, so for certainties, an outlet of the company was selected for each 5% market share the company had in the State. The Dalenius-Hodges procedure was used to define the strata boundary for the remaining frame companies. The individual outlets were then selected using an outlet address listing EIA developed using information provided by the industry and State energy officials. The sample allocations for propane were designed to yield average price coefficients of variation (CV) of 1%, but State sample sizes were capped at 35 if the target CV was not met at that point. In those States, the average CV is expected to be less than 3%. In addition, a minimum size of 15 was required for each State. Sampling weights (w_{ij}) for noncertainties were calculated as N/n , the inverse of the probability of selection for that State. Volumes for sampled outlets were assigned as the total company volume in the frame survey divided by the number of outlets on the outlet list for each company.

Revision Error

Numbers may be revised in the publication based on data received late or receipt of revised data. Numbers are published as preliminary and final. The difference between preliminary and final data is called the revision error.

Response Rate

Response rates are generally 95 to 100 percent.

Note 3. Confidentiality of Information

The information contained on Form EIA-877 will be kept confidential and not disclosed to the public to the extent that it satisfies the criteria for exemption under the Freedom of

Information Act (FOIA), 5 U.S.C. Sec. 552, the DOE regulations, 10 C.F.R. Sec. 1004.11, implementing the FOIA, and the Trade Secrets Act, 18 U.S.C. Sec. 1905. The EIA will protect individual respondent's information in accordance with its confidentiality and security policies and procedures.

The Federal Energy Administration Act requires the EIA to provide company-specific data to other Federal agencies when requested for official use. The information reported on the Form EIA-877 may also be made available, upon request, to another component of the Department of Energy (DOE); to any Committee of Congress, the General Accounting Office, or other Federal agencies authorized by law to receive such information. A court of competent jurisdiction may obtain this information in response to an order.

Definitions of Petroleum Products and Other Terms

(Revised February 2004)

Alcohol. The family name of a group of organic chemical compounds composed of carbon, hydrogen, and oxygen. The series of molecules vary in chain length and are composed of a hydrocarbon plus a hydroxyl group; $\text{CH}_3\text{-(CH}_2\text{)}_n\text{-OH}$ (e.g., methanol, ethanol, and tertiary butyl alcohol).

Alkylate. The product of an alkylation reaction. It usually refers to the high octane product from alkylation units. This alkylate is used in blending high octane gasoline.

Alkylation. A refining process for chemically combining isobutane with olefin hydrocarbons (e.g., propylene, butylene) through the control of temperature and pressure in the presence of an acid catalyst, usually sulfuric acid or hydrofluoric acid. The product, alkylate, an isoparaffin, has high octane value and is blended with motor and aviation gasoline to improve the antiknock value of the fuel.

API Gravity. An arbitrary scale expressing the gravity or density of liquid petroleum products. The measuring scale is calibrated in terms of degrees API; it may be calculated in terms of the following formula:

$$\text{Degrees API} = \frac{141.5}{\text{sp. gr. } 60^\circ \text{ F} / 60^\circ \text{ F}} - 131.5$$

The higher the API gravity, the lighter the compound. Light crudes generally exceed 38 degrees API and heavy crudes are commonly labeled as all crudes with an API gravity of 22 degrees or below. Intermediate crudes fall in the range of 22 degrees to 38 degrees API gravity.

Aromatics. Hydrocarbons characterized by unsaturated ring structures of carbon atoms. Commercial petroleum aromatics are benzene, toluene, and xylene (BTX).

Asphalt. A dark-brown-to-black cement-like material containing bitumens as the predominant constituent obtained by petroleum processing; used primarily for road construction. It includes crude asphalt as well as the following finished products: cements, fluxes, the asphalt content of emulsions (exclusive of water), and petroleum distillates blended with asphalt to make cutback asphalts. Note: The conversion factor for asphalt is 5.5 barrels per short ton.

ASTM. The acronym for the American Society for Testing and Materials.

Atmospheric Crude Oil Distillation. The refining process of separating crude oil components at atmospheric pressure by heating to temperatures of about 600 degrees Fahrenheit to 750 degrees Fahrenheit (depending on the nature of the crude oil and desired products) and subsequent condensing of the fractions by cooling.

Aviation Gasoline (Finished). A complex mixture of relatively volatile hydrocarbons with or without small quantities of

additives, blended to form a fuel suitable for use in aviation reciprocating engines. Fuel specifications are provided in ASTM Specification D 910 and Military Specification MIL-G-5572. Note: Data on blending components are not counted in data on finished aviation gasoline.

Aviation Gasoline Blending Components. Naphthas which will be used for blending or compounding into finished aviation gasoline (e.g., straight-run gasoline, alkylate, reformat, benzene, toluene, and xylene). Excludes oxygenates (alcohols, ethers), butane, and pentanes plus. Oxygenates are reported as other hydrocarbons, hydrogen, and oxygenates.

Barrel. A unit of volume equal to 42 U.S. gallons.

Barrels Per Calendar Day. The amount of input that a distillation facility can process under usual operating conditions. The amount is expressed in terms of capacity during a 24-hour period and reduces the maximum processing capability of all units at the facility under continuous operation (see **Barrels per Stream Day**) to account for the following limitations that may delay, interrupt, or slow down production:

the capability of downstream facilities to absorb the output of crude oil processing facilities of a given refinery. No reduction is made when a planned distribution of intermediate streams through other than downstream facilities is part of a refinery's normal operation;

the types and grades of inputs to be processed;

the types and grades of products expected to be manufactured;

the environmental constraints associated with refinery operations;

the reduction of capacity for scheduled downtime due to such conditions as routine inspection, maintenance, repairs, and turnaround; and

the reduction of capacity for unscheduled downtime due to such conditions as mechanical problems, repairs, and slowdowns.

Barrels Per Stream Day. The maximum number of barrels of input that a distillation facility can process within a 24-hour period when running at full capacity under optimal crude and product slate conditions with no allowance for downtime.

Benzene (C_6H_6). An aromatic hydrocarbon present in small proportion in some crude oils and made commercially from petroleum by the catalytic reforming of naphthenes in petroleum naphtha. Also made from coal in the manufacture of coke. Used as

a solvent, in manufacturing detergents, synthetic fibers, and petrochemicals and as a component of high-octane gasoline.

Blending Components. See *Motor or Aviation Gasoline Blending Components*.

Blending Plant. A facility which has no refining capability but is either capable of producing finished motor gasoline through mechanical blending or blends oxygenates with motor gasoline.

Bonded Petroleum Imports. Petroleum imported and entered into Customs bonded storage. These imports are not included in the import statistics until they are: (1) withdrawn from storage free of duty for use as fuel for vessels and aircraft engaged in international trade; or (2) withdrawn from storage with duty paid for domestic use.

BTX. The acronym for the commercial petroleum aromatics benzene, toluene, and xylene. See individual categories for definitions.

Bulk Station. A facility used primarily for the storage and/or marketing of petroleum products which has a total bulk storage capacity of less than 50,000 barrels and receives its petroleum products by tank car or truck.

Bulk Terminal. A facility used primarily for the storage and/or marketing of petroleum products which has a total bulk storage capacity of 50,000 barrels or more and/or receives petroleum products by tanker, barge, or pipeline.

Butane (C₄H₁₀). A normally gaseous straight-chain or branch-chain hydrocarbon extracted from natural gas or refinery gas streams. It includes normal butane and refinery-grade butane and is designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial butane.

Normal Butane (C₄H₁₀). A normally gaseous straight-chain hydrocarbon that is a colorless paraffinic gas which boils at a temperature of 31.1 degrees Fahrenheit and is extracted from natural gas or refinery gas streams.

Refinery-Grade Butane (C₄H₁₀). A refinery-produced stream that is composed predominantly of normal butane and/or isobutane and may also contain propane and/or natural gasoline. These streams may also contain significant levels of olefins and/or fluorides contamination.

Butylene (C₄H₈). An olefinic hydrocarbon recovered from refinery processes.

Captive Refinery Oxygenate Plants. Oxygenate production facilities located within or adjacent to a refinery complex.

Catalytic Cracking. The refining process of breaking down the larger, heavier, and more complex hydrocarbon molecules into simpler and lighter molecules. Catalytic cracking is accomplished by the use of a catalytic agent and is an effective process for increasing the yield of gasoline from crude oil. Catalytic cracking processes fresh feeds and recycled feeds.

Fresh Feeds. Crude oil or petroleum distillates which are being fed to processing units for the first time.

Recycled Feeds. Feeds that are continuously fed back for additional processing.

Catalytic Hydrocracking. A refining process that uses hydrogen and catalysts with relatively low temperatures and high pressures for converting middle boiling or residual material to high-octane gasoline, reformer charge stock, jet fuel, and/or high grade fuel oil. The process uses one or more catalysts, depending upon product output, and can handle high sulfur feedstocks without prior desulfurization.

Catalytic Hydrotreating. A refining process for treating petroleum fractions from atmospheric or vacuum distillation units (e.g., naphthas, middle distillates, reformer feeds, residual fuel oil, and heavy gas oil) and other petroleum (e.g., cat cracked naphtha, coker naphtha, gas oil, etc.) in the presence of catalysts and substantial quantities of hydrogen. Hydrotreating includes desulfurization, removal of substances (e.g., nitrogen compounds) that deactivate catalysts, conversion of olefins to paraffins to reduce gum formation in gasoline, and other processes to upgrade the quality of the fractions.

Catalytic Reforming. A refining process using controlled heat and pressure with catalysts to rearrange certain hydrocarbon molecules, thereby converting paraffinic and naphthenic type hydrocarbons (e.g., low-octane gasoline boiling range fractions) into petrochemical feedstocks and higher octane stocks suitable for blending into finished gasoline. Catalytic reforming is reported in two categories. They are:

Low Pressure. A processing unit operating at less than 225 pounds per square inch gauge (PSIG) measured at the outlet separator.

High Pressure. A processing unit operating at either equal to or greater than 225 pounds per square inch gauge (PSIG) measured at the outlet separator.

Charge Capacity. The input (feed) capacity of the refinery processing facilities.

Coal. A readily combustible black or brownish-black rock whose composition, including inherent moisture, consists of more than 50 percent by weight and more than 70 percent by volume of carbonaceous material. It is formed from plant remains that have been compacted, hardened, chemically altered, and metamorphosed by heat and pressure over geologic time.

Commercial Kerosene-Type Jet Fuel. See *Kerosene-type Jet Fuel*.

Conventional Gasoline. See *Motor Gasoline (Finished)*.

Crude Oil. A mixture of hydrocarbons that exists in liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Depending upon the characteristics of the crude stream, it may also include:

Small amounts of hydrocarbons that exist in gaseous phase in natural underground reservoirs but are liquid at atmospheric pressure after being recovered from oil well

(casinghead) gas in lease separators and are subsequently commingled with the crude stream without being separately measured. Lease condensate recovered as a liquid from natural gas wells in lease or field separation facilities and later mixed into the crude stream is also included;

Small amounts of nonhydrocarbons produced from oil, such as sulfur and various metals;

Drip gases, and liquid hydrocarbons produced from tar sands, gilsonite, and oil shale.

Liquids produced at natural gas processing plants are excluded. Crude oil is refined to produce a wide array of petroleum products, including heating oils; gasoline, diesel and jet fuels; lubricants; asphalt; ethane, propane, and butane; and many other products used for their energy or chemical content.

Crude oil is considered as either domestic or foreign, according to the following:

Domestic. Crude oil produced in the United States or from its “outer continental shelf” as defined in 43 USC 1331.

Foreign. Crude oil produced outside the United States. Imported Athabasca hydrocarbons (tar sands from Canada) are included.

Crude Oil, Refinery Receipts. Receipts of domestic and foreign crude oil at a refinery. Includes all crude oil in transit except crude oil in transit by pipeline. Foreign crude oil is reported as a receipt only after entry through customs. Crude oil of foreign origin held in bonded storage is excluded.

Crude Oil Losses. Represents the volume of crude oil reported by petroleum refineries as being lost in their operations. These losses are due to spills, contamination, fires, etc. as opposed to refinery processing losses.

Crude Oil Production. The volume of crude oil produced from oil reservoirs during given periods of time. The amount of such production for a given period is measured as volumes delivered from lease storage tanks (i.e., the point of custody transfer) to pipelines, trucks, or other media for transport to refineries or terminals with adjustments for (1) net differences between opening and closing lease inventories, and (2) basic sediment and water (BS&W).

Crude Oil Qualities. Refers to two properties of crude oil, the sulfur content and API gravity, which affect processing complexity and product characteristics.

Delayed Coking. A process by which heavier crude oil fractions can be thermally decomposed under conditions of elevated temperatures and pressure to produce a mixture of lighter oils and petroleum coke. The light oils can be processed further in other refinery units to meet product specifications. The coke can be used either as a fuel or in other applications such as the manufacturing of steel or aluminum.

Desulfurization. The removal of sulfur, as from molten metals, petroleum oil, or flue gases. Petroleum *desulfurization* is a process that removes sulfur and its compounds from various streams during the refining process. Desulfurization processes include catalytic hydrotreating and other chemical/physical processes such as adsorption. Desulfurization processes vary based on the type of stream treated (e.g. naphtha, distillate, heavy gas oil, etc.) and the amount of sulfur removed (e.g. sulfur reduction to 10 ppm). See *Catalytic Hydrotreating*.

Disposition. The components of petroleum disposition are stock change, crude oil losses, refinery inputs, exports, and products supplied for domestic consumption.

Distillate Fuel Oil. A general classification for one of the petroleum fractions produced in conventional distillation operations. It includes diesel fuels and fuel oils. Products known as No. 1, No. 2, and No. 4 diesel fuel are used in on-highway diesel engines, such as those in trucks and automobiles, as well as off-highway engines, such as those in railroad locomotives and agricultural machinery. Products known as No. 1, No. 2, and No. 4 fuel oils are used primarily for space heating and electric power generation.

No. 1 Distillate. A light petroleum distillate that can be used as either a diesel fuel or a fuel oil.

No. 1 Diesel Fuel. A light distillate fuel oil that has distillation temperatures of 550 degrees Fahrenheit at the 90-percent point and meets the specifications defined in ASTM Specification D 975. It is used in high-speed diesel engines generally operated under frequent speed and load changes, such as those in city buses and similar vehicles.

No. 1 Fuel Oil. A light distillate fuel oil that has distillation temperatures of 400 degrees Fahrenheit at the 10-percent recovery point and 550 degrees Fahrenheit at the 90-percent point and meets the specifications defined in ASTM Specification D 396. It is used primarily as fuel for portable outdoor stoves and portable outdoor heaters.

No. 2 Distillate. A petroleum distillate that can be used as either a diesel fuel or a fuel oil.

No. 2 Diesel Fuel. A fuel that has distillation temperatures of 500 degrees Fahrenheit at the 10-percent recovery point and 640 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 975. It is used in high speed diesel engines that are generally operated under uniform speed and load conditions, such as those in railroad locomotives, trucks, and automobiles.

Low Sulfur No. 2 Diesel Fuel. No. 2 diesel fuel that has a sulfur level no higher than 0.05 percent by

weight. It is used primarily in motor vehicle diesel engines for on-highway use.

High Sulfur No. 2 Diesel Fuel. No. 2 diesel fuel that has a sulfur level above 0.05 percent by weight.

No. 2 Fuel Oil (Heating Oil). A distillate fuel oil that has distillation temperatures of 400 degrees Fahrenheit at the 10-percent recovery point and 640 degrees Fahrenheit at the 90-percent recovery point and meets the specifications defined in ASTM Specification D 396. It is used in atomizing type burners for domestic heating or for moderate capacity commercial/industrial burner units.

No. 4 Fuel. A distillate fuel oil made by blending distillate fuel oil and residual fuel oil stocks. It conforms with ASTM Specification D 396 or Federal Specification VV-F-815C and is used extensively in industrial plants and in commercial burner installations that are not equipped with preheating facilities. It also includes No. 4 diesel fuel used for low- and medium-speed diesel engines and conforms to ASTM Specification D 975.

No. 4 Diesel Fuel. See **No. 4 Fuel**.

No. 4 Fuel Oil. See **No. 4 Fuel**.

Electricity (Purchased). Electricity purchased for refinery operations that is not produced within the refinery complex.

Ending Stocks. Primary stocks of crude oil and petroleum products held in storage as of 12 midnight on the last day of the month. Primary stocks include crude oil or petroleum products held in storage at (or in) leases, refineries, natural gas processing plants, pipelines, tank farms, and bulk terminals that can store at least 50,000 barrels of petroleum products or that can receive petroleum products by tanker, barge, or pipeline. Crude oil that is in-transit by water from Alaska, or that is stored on Federal leases or in the Strategic Petroleum Reserve is included. Primary Stocks exclude stocks of foreign origin that are held in bonded warehouse storage.

ETBE (Ethyl tertiary butyl ether) (CH₃)₃COC₂H₅. An oxygenate blend stock formed by the catalytic etherification of isobutylene with ethanol.

Ethane (C₂H₆). A normally gaseous straight-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of - 127.48 degrees Fahrenheit. It is extracted from natural gas and refinery gas streams.

Ether. A generic term applied to a group of organic chemical compounds composed of carbon, hydrogen, and oxygen, characterized by an oxygen atom attached to two carbon atoms (e.g., methyl tertiary butyl ether).

Ethylene (C₂H₄). An olefinic hydrocarbon recovered from refinery processes or petrochemical processes. Ethylene is used as

a petrochemical feedstock for numerous chemical applications and the production of consumer goods.

Exports. Shipments of crude oil and petroleum products from the 50 States and the District of Columbia to foreign countries, Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Field Production. Represents crude oil production on leases, natural gas liquids production at natural gas processing plants, new supply of other hydrocarbons/ oxygenates and motor gasoline blending components, and fuel ethanol blended into finished motor gasoline.

Flexicoking. A thermal cracking process which converts heavy hydrocarbons such as crude oil, tar sands bitumen, and distillation residues into light hydrocarbons. Feedstocks can be any pumpable hydrocarbons including those containing high concentrations of sulfur and metals.

Fluid Coking. A thermal cracking process utilizing the fluidized-solids technique to remove carbon (coke) for continuous conversion of heavy, low-grade oils into lighter products.

Fresh Feed Input. Represents input of material (crude oil, unfinished oils, natural gas liquids, other hydrocarbons and oxygenates or finished products) to processing units at a refinery that is being processed (input) into a particular unit for the first time.

Examples:

- (1) Unfinished oils coming out of a crude oil distillation unit which are input into a catalytic cracking unit are considered fresh feed to the catalytic cracking unit.
- (2) Unfinished oils coming out of a catalytic cracking unit being looped back into the same catalytic cracking unit to be reprocessed are not considered fresh feed.

Fuel Ethanol (C₂H₅OH). An anhydrous denatured aliphatic alcohol intended for gasoline blending as described in Oxygenates definition.

Fuels Solvent Deasphalting. A refining process for removing asphalt compounds from petroleum fractions, such as reduced crude oil. The recovered stream from this process is used to produce fuel products.

Gas Oil. A liquid petroleum distillate having a viscosity intermediate between that of kerosene and lubricating oil. It derives its name from having originally been used in the manufacture of illuminating gas. It is now used to produce distillate fuel oils and gasoline.

Gasohol. A blend of finished motor gasoline containing alcohol (generally ethanol but sometimes methanol) at a concentration of 10 percent or less by volume. Data on gasohol that has at least 2.7 percent oxygen, by weight, and is intended for sale inside carbon monoxide nonattainment areas are included in data on oxygenated gasoline. See **Oxygenates**.

Gasoline Blending Components. Naphthas which will be used for blending or compounding into finished aviation or motor gasoline (e.g., straight-run gasoline, alkylate, reformat, benzene, toluene, and xylene). Excludes oxygenates (alcohols, ethers), butane, and pentanes plus.

Gross Input to Atmospheric Crude Oil Distillation Units. Total input to atmospheric crude oil distillation units. Includes all crude oil, lease condensate, natural gas plant liquids, unfinished oils, liquefied refinery gases, slop oils, and other liquid hydrocarbons produced from tar sands, gilsonite, and oil shale.

Heavy Gas Oil. Petroleum distillates with an approximate boiling range from 651 degrees Fahrenheit to 1000 degrees Fahrenheit.

Hydrogen. The lightest of all gases, occurring chiefly in combination with oxygen in water; exists also in acids, bases, alcohols, petroleum, and other hydrocarbons.

Idle Capacity. The component of operable capacity that is not in operation and not under active repair, but capable of being placed in operation within 30 days; and capacity not in operation but under active repair that can be completed within 90 days.

Imported Crude Oil Burned As Fuel. The amount of foreign crude oil burned as a fuel oil, usually as residual fuel oil, without being processed as such. Imported crude oil burned as fuel includes lease condensate and liquid hydrocarbons produced from tar sands, gilsonite, and oil shale.

Imports. Receipts of crude oil and petroleum products into the 50 States and the District of Columbia from foreign countries, Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Isobutane (C_4H_{10}). A normally gaseous branch-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of 10.9 degrees Fahrenheit. It is extracted from natural gas or refinery gas streams.

Isobutylene (C_4H_8). An olefinic hydrocarbon recovered from refinery processes or petrochemical processes.

Isohexane (C_6H_{14}). A saturated branch-chain hydrocarbon. It is a colorless liquid that boils at a temperature of 156.2 degrees Fahrenheit.

Isomerization. A refining process which alters the fundamental arrangement of atoms in the molecule without adding or removing anything from the original material. Used to convert normal butane into isobutane (C_4), an alkylation process feedstock, and normal pentane and hexane into isopentane (C_5) and isohexane (C_6), high-octane gasoline components.

Isopentane. See *Natural Gasoline* and *Isopentane*.

Kerosene. A light petroleum distillate that is used in space heaters, cook stoves, and water heaters and is suitable for use as a light source when burned in wick-fed lamps. Kerosene has a maximum distillation temperature of 400 degrees Fahrenheit at the 10-percent recovery point, a final boiling point of 572 degrees Fahrenheit, and a minimum flash point of 100 degrees Fahrenheit. Included are No. 1-K and No. 2-K, the two grades recognized by

ASTM Specification D 3699 as well as all other grades of kerosene called range or stove oil, which have properties similar to those of No. 1 fuel oil. See *Kerosene-Type Jet Fuel*.

Kerosene-Type Jet Fuel. A kerosene-based product having a maximum distillation temperature of 400 degrees Fahrenheit at the 10-percent recovery point and a final maximum boiling point of 572 degrees Fahrenheit and meeting ASTM Specification D 1655 and Military Specifications MIL-T-5624P and MIL-T-83133D (Grades JP-5 and JP-8). It is used for commercial and military turbojet and turboprop aircraft engines.

Commercial. Kerosene-type jet fuel intended for use in commercial aircraft.

Military. Kerosene-type jet fuel intended for use in military aircraft.

Lease Condensate. A mixture consisting primarily of pentanes and heavier hydrocarbons which is recovered as a liquid from natural gas in lease separation facilities. This category excludes natural gas liquids, such as butane and propane, which are recovered at downstream natural gas processing plants or facilities. See *Natural Gas Liquids*.

Light Gas Oils. Liquid petroleum distillates heavier than naphtha, with an approximate boiling range from 401 degrees Fahrenheit to 650 degrees Fahrenheit.

Liquefied Petroleum Gases (LPG). A group of hydrocarbon-based gases derived from crude oil refining or natural gas fractionation. They include: ethane, ethylene, propane, propylene, normal butane, butylene, isobutane, and isobutylene. For convenience of transportation, these gases are liquefied through pressurization.

Liquefied Refinery Gases (LRG). Liquefied petroleum gases fractionated from refinery or still gases. Through compression and/or refrigeration, they are retained in the liquid state. The reported categories are ethane/ethylene, propane/propylene, normal butane/butylene, and isobutane/isobutylene. Excludes still gas.

Lubricants. Substances used to reduce friction between bearing surfaces or as process materials either incorporated into other materials used as processing aids in the manufacture of other products, or used as carriers of other materials. Petroleum lubricants may be produced either from distillates or residues. Lubricants include all grades of lubricating oils from spindle oil to cylinder oil and those used in greases.

Merchant Oxygenate Plants. Oxygenate production facilities that are not associated with a petroleum refinery. Production from these facilities is sold under contract or on the spot market to refiners or other gasoline blenders.

Methanol (CH_3OH). A light, volatile alcohol intended for gasoline blending as described in Oxygenate definition.

Middle Distillates. A general classification of refined petroleum products that includes distillate fuel oil and kerosene.

Military Kerosene-Type Jet Fuel. See *Kerosene-Type Jet Fuel*.

Miscellaneous Products. Includes all finished products not classified elsewhere (e.g., petrolatum, lube refining byproducts (aromatic extracts and tars), absorption oils, ram-jet fuel, petroleum rocket fuels, synthetic natural gas feedstocks, and specialty oils). Note: Beginning with January 2004 data, naphtha-type jet fuel is included in Miscellaneous Products.

Motor Gasoline (Finished). A complex mixture of relatively volatile hydrocarbons with or without small quantities of additives, blended to form a fuel suitable for use in spark-ignition engines. Motor gasoline, as defined in ASTM Specification D 4814 or Federal Specification VV-G-1690C, is characterized as having a boiling range of 122 to 158 degrees Fahrenheit at the 10 percent recovery point to 365 to 374 degrees Fahrenheit at the 90 percent recovery point. "Motor Gasoline" includes conventional gasoline; all types of oxygenated gasoline, including gasohol; and reformulated gasoline, but excludes aviation gasoline. Note: Volumetric data on blending components, such as oxygenates, are not counted in data on finished motor gasoline until the blending components are blended into the gasoline.

Conventional Gasoline. Finished motor gasoline not included in the oxygenated or reformulated gasoline categories. Note: This category excludes reformulated gasoline blendstock for oxygenate blending (RBOB) as well as other blendstock.

OPRG. "Oxygenated Fuels Program Reformulated Gasoline" is reformulated gasoline which is intended for use in an oxygenated fuels program control area.

Oxygenated Gasoline (Including Gasohol). Oxygenated gasoline includes all finished motor gasoline, other than reformulated gasoline, having oxygen content of 2.0 percent or higher by weight. Gasohol containing a minimum 5.7 percent ethanol by volume is included in oxygenated gasoline. Oxygenated gasoline was reported as a separate product from January 1993 until December 2003 inclusive. *Beginning with monthly data for January 2004, oxygenated gasoline is included in conventional gasoline.* Historical data for oxygenated gasoline excluded Federal Oxygenated Program Reformulated Gasoline (OPRG). Historical oxygenated gasoline data also excluded other reformulated gasoline with a seasonal oxygen requirement regardless of season.

Reformulated Gasoline. Finished gasoline formulated for use in motor vehicles, the composition and properties of which meet the requirements of the reformulated gasoline regulations promulgated by the U.S. Environmental Protection Agency under Section 211(k) of the Clean Air Act. It includes gasoline produced to meet or exceed emissions performance and benzene content standards of federal-program reformulated gasoline even though the gasoline may not meet all of the composition requirements (e.g. oxygen content) of federal-program reformulated gasoline. Reformulated gasoline excludes Reformulated

Blendstock for Oxygenate Blending (RBOB) and Gasoline Treated as Blendstock (GTAB). Historical reformulated gasoline statistics included Oxygenated Fuels Program Reformulated Gasoline (OPRG).

Reformulated (Blended with Ether). Reformulated gasoline blended with an ether component (e.g. methyl tertiary butyl ether) at a terminal or refinery to raise the oxygen content.

Reformulated (Blended with Alcohol). Reformulated gasoline blended with an alcohol component (e.g. fuel ethanol) at a terminal or refinery to raise the oxygen content.

Reformulated (Non-Oxygenated). Reformulated gasoline without added ether or alcohol components.

Motor Gasoline Blending. Mechanical mixing of motor gasoline blending components, and oxygenates when required, to produce finished motor gasoline. Finished motor gasoline may be further mixed with other motor gasoline blending components or oxygenates, resulting in increased volumes of finished motor gasoline and/or changes in the formulation of finished motor gasoline (e.g., conventional motor gasoline mixed with MTBE to produce oxygenated motor gasoline).

Motor Gasoline Blending Components. Naphthas (e.g., straight-run gasoline, alkylate, reformate, benzene, toluene, xylene) used for blending or compounding into finished motor gasoline. These components include reformulated gasoline blendstock for oxygenate blending (RBOB) but exclude oxygenates (alcohols, ethers), butane, and pentanes plus. Note: Oxygenates are reported as individual components and are included in the total for other hydrocarbons, hydrogens, and oxygenates.

Conventional Blendstock for Oxygenate Blending (CBOB). Conventional gasoline blendstock intended for blending with oxygenates downstream of *the refinery where it was produced*. CBOB must become conventional gasoline after blending with oxygenates. Motor gasoline blending components that require blending other than with oxygenates to become finished conventional gasoline are reported as All Other Motor Gasoline Blending Components. Excludes reformulated blendstock for oxygenate blending (RBOB).

Gasoline Treated as Blendstock (GTAB). Non-certified Foreign Refinery gasoline classified by an importer as blendstock to be either blended or reclassified with respect to reformulated or conventional gasoline. GTAB is classified as either reformulated or conventional based on emissions performance and the intended end use.

Reformulated Blendstock for Oxygenate Blending (RBOB). Specially produced reformulated gasoline blendstock intended for blending with oxygenates downstream of *the refinery where it was produced*.

Includes RBOB used to meet requirements of the Federal reformulated gasoline program and other blendstock intended for blending with oxygenates to produce finished gasoline that meets or exceeds emissions performance requirements of Federal reformulated gasoline (e.g. California RBOB and Arizona RBOB). Excludes conventional gasoline blendstocks for oxygenate blending (CBOB).

RBOB for Blending with Ether. Motor gasoline blending components intended to be blended with an ether component (e.g. methyl tertiary butyl ether) at a terminal or refinery to raise the oxygen content.

RBOB for Blending with Alcohol. Motor gasoline blending components intended to be blended with an alcohol component (e.g. fuel ethanol) at a terminal or refinery to raise the oxygen content.

All Other Motor Gasoline Blending Components. Naphthas (e.g. straight-run gasoline, alkylate, reformate, benzene, toluene, xylene) used for blending or compounding into finished motor gasoline. Includes receipts and inputs of Gasoline Treated as Blendstock (GTAB). Excludes conventional blendstock for oxygenate blending (CBOB), reformulated blendstock for oxygenate blending, oxygenates (e.g. fuel ethanol and methyl tertiary butyl ether), butane, and pentanes plus.

MTBE (Methyl tertiary butyl ether) ($\text{CH}_3)_3\text{COCH}_3$. An ether intended for gasoline blending as described in Oxygenate definition.

Naphtha. A generic term applied to a petroleum fraction with an approximate boiling range between 122 degrees Fahrenheit and 400 degrees Fahrenheit.

Naphtha Less Than 401° F. See *Petrochemical Feedstocks*.

Naphtha-Type Jet Fuel. A fuel in the heavy naphtha boiling range having an average gravity of 52.8 degrees API, 20 to 90 percent distillation temperatures of 290 degrees to 470 degrees Fahrenheit, and meeting Military Specification MIL-T-5624L (Grade JP-4). It is used primarily for military turbojet and turboprop aircraft engines because it has a lower freeze point than other aviation fuels and meets engine requirements at high altitudes and speeds. Note: Beginning with January 2004 data, naphtha-type jet fuel is included in *Miscellaneous Products*.

Natural Gas. A gaseous mixture of hydrocarbon compounds, the primary one being **methane**.

Natural Gas Field Facility. A field facility designed to process natural gas produced from more than one lease for the purpose of recovering condensate from a stream of natural gas; however, some field facilities are designed to recover propane, normal butane, pentanes plus, etc., and to control the quality of natural gas to be marketed.

Natural Gas Liquids. Those hydrocarbons in natural gas that are separated from the gas as liquids through the process of absorption, condensation, adsorption, or other methods in gas processing or cycling plants. Generally such liquids consist of propane and heavier hydrocarbons and are commonly referred to as lease condensate, natural gasoline, and liquefied petroleum gases. Natural gas liquids include natural gas plant liquids (primarily ethane, propane, butane, and isobutane; see *Natural Gas Plant Liquids*) and lease condensate (primarily pentanes produced from natural gas at lease separators and field facilities; see *Lease Condensate*).

Natural Gas Plant Liquids. Those hydrocarbons in natural gas that are separated as liquids at natural gas processing plants, fractionating and cycling plants, and, in some instances, field facilities. Lease condensate is excluded. Products obtained include ethane; liquefied petroleum gases (propane, butanes, propane-butane mixtures, ethane-propane mixtures); isopentane; and other small quantities of finished products, such as motor gasoline, special naphthas, jet fuel, kerosene, and distillate fuel oil.

Natural Gas Processing Plant. Facilities designed to recover natural gas liquids from a stream of natural gas that may or may not have passed through lease separators and/or field separation facilities. These facilities control the quality of the natural gas to be marketed. Cycling plants are classified as gas processing plants.

Natural Gasoline and Isopentane. A mixture of hydrocarbons, mostly pentanes and heavier, extracted from natural gas, that meets vapor pressure, end-point, and other specifications for natural gasoline set by the Gas Processors Association. Includes isopentane which is a saturated branch-chain hydrocarbon, (C_5H_{12}), obtained by fractionation of natural gasoline or isomerization of normal pentane.

Net Receipts. The difference between total movements into and total movements out of each PAD District by pipeline, tanker, and barge.

Normal Butane. See *Butane*.

OPEC. The acronym for the Organization of Petroleum Exporting Countries, that have organized for the purpose of negotiating with oil companies on matters of oil production, prices and future concession rights. Current members are Algeria, Indonesia, Iran, Iraq, Kuwait, Libya, Nigeria, Qatar, Saudi Arabia, United Arab Emirates, and Venezuela. The Neutral Zone between Kuwait and Saudi Arabia is considered part of OPEC. Prior to January 1, 1993, Ecuador was a member of OPEC. Prior to January 1995, Gabon was a member of OPEC.

Operable Capacity. The amount of capacity that, at the beginning of the period, is in operation; not in operation and not under active repair, but capable of being placed in operation within 30 days; or not in operation but under active repair that can be completed within 90 days. Operable capacity is the sum of the operating and idle capacity and is measured in barrels per calendar day or barrels per stream day.

Operating Capacity. The component of operable capacity that is in operation at the beginning of the period.

Operable Utilization Rate. Represents the utilization of the atmospheric crude oil distillation units. The rate is calculated by dividing the gross input to these units by the operable refining capacity of the units.

Operating Utilization Rate. Represents the utilization of the atmospheric crude oil distillation units. The rate is calculated by dividing the gross input to these units by the operating refining capacity of the units.

Other Hydrocarbons. Materials received by a refinery and consumed as a raw material. Includes hydrogen, coal tar derivatives, gilsonite, and natural gas received by the refinery for reforming into hydrogen. Natural gas to be used as fuel is excluded.

Other Oils Equal To or Greater Than 401° F. See **Petrochemical Feedstocks**.

Other Oxygenates. Other aliphatic alcohols and aliphatic ethers intended for motor gasoline blending (e.g., isopropyl ether (IPE) or n-propanol).

Oxygenated Gasoline. See **Motor Gasoline (Finished)**.

Oxygenates. Substances which, when added to gasoline, increase the amount of oxygen in that gasoline blend. Fuel Ethanol, Methyl Tertiary Butyl Ether (MTBE), Ethyl Tertiary Butyl Ether (ETBE), and methanol are common oxygenates.

Fuel Ethanol. Blends of up to 10 percent by volume anhydrous ethanol (200 proof) (commonly referred to as the "gasohol waiver").

Methanol. Blends of methanol and gasoline-grade tertiary butyl alcohol (GTBA) such that the total oxygen content does not exceed 3.5 percent by weight and the ratio of methanol to GTBA is less than or equal to 1. It is also specified that this blended fuel must meet ASTM volatility specifications (commonly referred to as the "ARCO" waiver).

Blends of up to 5.0 percent by volume methanol with a minimum of 2.5 percent by volume cosolvent alcohols having a carbon number of 4 or less (i.e., ethanol, propanol, butanol, and/or GTBA). The total oxygen must not exceed 3.7 percent by weight, and the blend must meet ASTM volatility specifications as well as phase separation and alcohol purity specifications (commonly referred to as the "DuPont" waiver).

MTBE (Methyl tertiary butyl ether). Blends up to 15.0 percent by volume MTBE which must meet the ASTM D4814 specifications. Blenders must take precautions that the blends are not used as base gasolines for other oxygenated blends (commonly referred to as the "Sun" waiver).

Pentanes Plus. A mixture of hydrocarbons, mostly pentanes and heavier, extracted from natural gas. Includes isopentane, natural gasoline, and plant condensate.

Persian Gulf. The countries that comprise the Persian Gulf are: Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and the United Arab Emirates.

Petrochemical Feedstocks. Chemical feedstocks derived from petroleum principally for the manufacture of chemicals, synthetic rubber, and a variety of plastics. The categories reported are "Naphtha Less Than 401° F" and "Other Oils Equal To or Greater Than 401° F."

Naphtha less Than 401° F. A naphtha with a boiling range of less than 401 degrees Fahrenheit that is intended for use as a petrochemical feedstock.

Other Oils Equal To or Greater Than 401° F. Oils with a boiling range equal to or greater than 401 degrees Fahrenheit that are intended for use as a petrochemical feedstock.

Petroleum Administration for Defense (PAD) Districts. Geographic aggregations of the 50 States and the District of Columbia into five districts by the Petroleum Administration for Defense in 1950. These districts were originally defined during World War II for purposes of administering oil allocation.

Petroleum Coke. A residue high in carbon content and low in hydrogen that is the final product of thermal decomposition in the condensation process in cracking. This product is reported as marketable coke or catalyst coke. The conversion is 5 barrels (of 42 U.S. gallons each) per short ton. Coke from petroleum has a heating value of 6.024 million Btu per barrel.

Marketable Coke. Those grades of coke produced in delayed or fluid cokers which may be recovered as relatively pure carbon. This "green" coke may be sold as is or further purified by calcining.

Catalyst Coke. In many catalytic operations (e.g., catalytic cracking) carbon is deposited on the catalyst, thus deactivating the catalyst. The catalyst is reactivated by burning off the carbon, which is used as a fuel in the refining process. This carbon or coke is not recoverable in a concentrated form.

Petroleum Products. Petroleum products are obtained from the processing of crude oil (including lease condensate), natural gas, and other hydrocarbon compounds. Petroleum products include unfinished oils, liquefied petroleum gases, pentanes plus, aviation gasoline, motor gasoline, naphtha-type jet fuel, kerosene-type jet fuel, kerosene, distillate fuel oil, residual fuel oil, petrochemical feedstocks, special naphthas, lubricants, waxes, petroleum coke, asphalt, road oil, still gas, and miscellaneous products.

Pipeline (Petroleum). Crude oil and product pipelines used to transport crude oil and petroleum products respectively, (including interstate, intrastate, and intracompany pipelines) within the 50 States and the District of Columbia.

Plant Condensate. One of the natural gas liquids, mostly pentanes and heavier hydrocarbons, recovered and separated as liquids at gas inlet separators or scrubbers in processing plants.

Processing Gain. The volumetric amount by which total output is greater than input for a given period of time. This difference is due to the processing of crude oil into products which, in total, have a lower specific gravity than the crude oil processed.

Processing Loss. The volumetric amount by which total refinery output is less than input for a given period of time. This difference is due to the processing of crude oil into products which, in total, have a higher specific gravity than the crude oil processed.

Product Supplied, Crude Oil. Crude oil burned on leases and by pipelines as fuel.

Production Capacity. The maximum amount of product that can be produced from processing facilities.

Products Supplied. Approximately represents consumption of petroleum products because it measures the disappearance of these products from primary sources, i.e., refineries, natural gas processing plants, blending plants, pipelines, and bulk terminals. In general, product supplied of each product in any given period is computed as follows: field production, plus refinery production, plus imports, plus unaccounted for crude oil, (plus net receipts when calculated on a PAD District basis), minus stock change, minus crude oil losses, minus refinery inputs, minus exports.

Propane (C_3H_8). A normally gaseous straight-chain hydrocarbon. It is a colorless paraffinic gas that boils at a temperature of - 43.67 degrees Fahrenheit. It is extracted from natural gas or refinery gas streams. It includes all products designated in ASTM Specification D1835 and Gas Processors Association Specifications for commercial propane and HD-5 propane.

Propylene (C_3H_6). An olefinic hydrocarbon recovered from refinery processes or petrochemical processes.

Propylene (C_3H_6) (nonfuel use). Propylene that is intended for use in nonfuel applications such as petrochemical manufacturing. Nonfuel use propylene includes chemical-grade propylene, polymer-grade propylene, and trace amounts of propane. Nonfuel use propylene also includes the propylene component of propane/propylene mixes where the propylene will be separated from the mix in a propane/propylene splitting process. Excluded is the propylene component of propane/propylene mixes where the propylene component of the mix is intended for sale into the fuel market.

Refinery. An installation that manufactures finished petroleum products from crude oil, unfinished oils, natural gas liquids, other hydrocarbons, and oxygenates.

Refinery-Grade Butane. See *Butane*.

Refinery Input, Crude Oil. Total crude oil (domestic plus foreign) input to crude oil distillation units and other refinery processing units (cokers, etc.).

Refinery Input, Total. The raw materials and intermediate materials processed at refineries to produce finished petroleum products. They include crude oil, products of natural gas processing plants, unfinished oils, other hydrocarbons and oxygenates, motor gasoline and aviation gasoline blending components and finished petroleum products.

Refinery Production. Petroleum products produced at a refinery or blending plant. Published production of these products equals refinery production minus refinery input. Negative production will occur when the amount of a product produced during the month is less than the amount of that same product that is reprocessed (input) or reclassified to become another product during the same month. Refinery production of unfinished oils, and motor and aviation gasoline blending components appear on a net basis under refinery input.

Refinery Yield. Refinery yield (expressed as a percentage) represents the percent of finished product produced from input of crude oil and net input of unfinished oils. It is calculated by dividing the sum of crude oil and net unfinished input into the individual net production of finished products. Before calculating the yield for finished motor gasoline, the input of natural gas liquids, other hydrocarbons and oxygenates, and net input of motor gasoline blending components must be subtracted from the net production of finished motor gasoline. Before calculating the yield for finished aviation gasoline, input of aviation gasoline blending components must be subtracted from the net production of finished aviation gasoline.

Reformulated Gasoline. See *Motor Gasoline (Finished)*.

Residual Fuel Oil. A general classification for the heavier oils, known as No. 5 and No. 6 fuel oils, that remain after the distillate fuel oils and lighter hydrocarbons are distilled away in refinery operations. It conforms to ASTM Specifications D 396 and D 975 and Federal Specification VV-F-815C. No. 5, a residual fuel oil of medium viscosity, is also known as Navy Special and is defined in Military Specification MIL-F-859E, including Amendment 2 (NATO Symbol F-770). It is used in steam-powered vessels in government service and inshore powerplants. No. 6 fuel oil includes Bunker C fuel oil and is used for the production of electric power, space heating, vessel bunkering, and various industrial purposes.

Residuum. Residue from crude oil after distilling off all but the heaviest components, with a boiling range greater than 1000 degrees Fahrenheit.

Road Oil. Any heavy petroleum oil, including residual asphaltic oil used as a dust palliative and surface treatment on roads and highways. It is generally produced in six grades from 0, the most liquid, to 5, the most viscous.

Shell Storage Capacity. The design capacity of a petroleum storage tank which is always greater than or equal to working storage capacity.

Special Naphthas. All finished products within the naphtha boiling range that are used as paint thinners, cleaners, or solvents. These products are refined to a specified flash point. Special naphthas include all commercial hexane and cleaning solvents

conforming to ASTM Specification D1836 and D484, respectively. Naphthas to be blended or marketed as motor gasoline or aviation gasoline, or that are to be used as petrochemical and synthetic natural gas (SNG) feedstocks are excluded.

Steam (Purchased). Steam, purchased for use by a refinery, that was not generated from within the refinery complex.

Still Gas (Refinery Gas). Any form or mixture of gases produced in refineries by distillation, cracking, reforming, and other processes. The principal constituents are methane, ethane, ethylene, normal butane, butylene, propane, propylene, etc. Still gas is used as a refinery fuel and a petrochemical feedstock. The conversion factor is 6 million BTU's per fuel oil equivalent barrel.

Stock Change. The difference between stocks at the beginning of the reporting period and stocks at the end of the reporting period. Note: A negative number indicates a decrease (i.e., a drawdown) in stocks and a positive number indicates an increase (i.e., a buildup) in stocks during the reporting period.

Strategic Petroleum Reserve (SPR). Petroleum stocks maintained by the Federal Government for use during periods of major supply interruption.

Sulfur. A yellowish nonmetallic element, sometimes known as "brimstone." It is present at various levels of concentration in many fossil fuels whose combustion releases sulfur compounds that are considered harmful to the environment. Some of the most commonly used fossil fuels are categorized according to their sulfur content, with lower sulfur fuels usually selling at a higher price. Note: No. 2 Distillate fuel is currently reported as having either a 0.05 percent or lower sulfur level for on-highway vehicle use or a greater than 0.05 percent sulfur level for off-highway use, home heating oil, and commercial and industrial uses. Residual fuel, regardless of use, is classified as having either no more than 1 percent sulfur or greater than 1 percent sulfur. Coal is also classified as being low-sulfur at concentrations of 1 percent or less or high-sulfur at concentrations greater than 1 percent.

Supply. The components of petroleum supply are field production, refinery production, imports, and net receipts when calculated on a PAD District basis.

TAME (Tertiary amyl methyl ether) $(CH_3)_2(C_2H_5)COCH_3$. An oxygenate blend stock formed by the catalytic etherification of isoamylene with methanol.

Tank Farm. An installation used by gathering and trunk pipeline companies, crude oil producers, and terminal operators (except refineries) to store crude oil.

Tanker and Barge. Vessels that transport crude oil or petroleum products. Data are reported for movements between PAD Districts; from a PAD District to the Panama Canal; or from the Panama Canal to a PAD District.

TBA (Tertiary butyl alcohol) $(CH_3)_3COH$. An alcohol primarily used as a chemical feedstock, a solvent or feedstock for

isobutylene production for MTBE; produced as a co-product of propylene oxide production or by direct hydration of isobutylene.

Thermal Cracking. A refining process in which heat and pressure are used to break down, rearrange, or combine hydrocarbon molecules. Thermal cracking includes gas oil, visbreaking, fluid coking, delayed coking, and other thermal cracking processes (e.g., flexicoking). See individual categories for definition.

Toluene $(C_6H_5CH_3)$. Colorless liquid of the aromatic group of petroleum hydrocarbons, made by the catalytic reforming of petroleum naphthas containing methyl cyclohexane. A high-octane gasoline-blending agent, solvent, and chemical intermediate, base for TNT.

Unaccounted for Crude Oil. Represents the arithmetic difference between the calculated supply and the calculated disposition of crude oil. The calculated supply is the sum of crude oil production plus imports minus changes in crude oil stocks. The calculated disposition of crude oil is the sum of crude oil input to refineries, crude oil exports, crude oil burned as fuel, and crude oil losses.

Unfinished Oils. All oils requiring further processing, except those requiring only mechanical blending. Unfinished oils are produced by partial refining of crude oil and include naphthas and lighter oils, kerosene and light gas oils, heavy gas oils, and residuum.

Unfractionated Streams. Mixtures of unsegregated natural gas liquid components excluding, those in plant condensate. This product is extracted from natural gas.

United States. The United States is defined as the 50 States and the District of Columbia.

Vacuum Distillation. Distillation under reduced pressure (less the atmospheric) which lowers the boiling temperature of the liquid being distilled. This technique with its relatively low temperatures prevents cracking or decomposition of the charge stock.

Visbreaking. A thermal cracking process in which heavy atmospheric or vacuum-still bottoms are cracked at moderate temperatures to increase production of distillate products and reduce viscosity of the distillation residues.

Wax. A solid or semi-solid material consisting of a mixture of hydrocarbons obtained or derived from petroleum fractions, or through a Fischer-Tropsch type process, in which the straight-chained paraffin series predominates. This includes all marketable wax, whether crude or refined, with a congealing point (ASTM D 938) between 100 and 200 degrees Fahrenheit and a maximum oil content (ASTM D 3235) of 50 weight percent.

Working Storage Capacity. The difference in volume between the maximum safe fill capacity and the quantity below which pump suction is ineffective (bottoms).

Xylene $(C_6H_4(CH_3)_2)$. Colorless liquid of the aromatic group of hydrocarbons made the catalytic reforming of certain naphthenic petroleum fractions. Used as high-octane motor and aviation gasoline blending agents, solvents, chemical intermediates. Isomers are metaxylene, orthoxylene, paraxylene.